PCT

RLD INTELLECTUAL PROPERTY ORGANIZAT. International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)							
(51) International Patent Classification ⁶ : C12N 15/70, C12Q 1/68		(11) International Publication Number: WO 99/54487					
		(43) International Publication Date: 28 October 1999 (28.10.99)					
(21) International Application Number: PCT/IB9 (22) International Filing Date: 16 April 1999 ((30) Priority Data: 09/060,756 16 April 1998 (16.04.98) (71) Applicant (for all designated States except US): IN PASTEUR [FR/FR]; 28, rue du Docteur Roux, Paris (FR).	16.04.9 U NSTITU	BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI					
 (72) Inventors; and (75) Inventors/Applicants (for US only): COLE, Stewart 23 bis, rue Cécile Dinant, F-92140 Clama BUCHRIESER-BROSCH, Roland [AT/FR]; 7 F, b. Jourdan, F-75014 Paris (FR). GORDON, Stephen 82. rue Dutot, F-75015 Paris (FR). BILLAUL [FR/FR]; 45, avenue du Château, F-77680 Roissy (FR). (74) Agents: MARTIN, Jean-Jacques et al.; Cabinet Re 26, avenue Kléber, F-75116 Paris (FR). 	art (FI couleva [IE/FI T, Ala -en-B	Without international search report and to be republished upon receipt of that report.					

(54) Title: A METHOD FOR ISOLATING A POLYNUCLEOTIDE OF INTEREST FROM THE GENOME OF A MYCOBACTERIUM USING A BAC-BASED DNA LIBRARY. APPLICATION TO THE DETECTION OF MYCOBACTERIA

(57) Abstract

The present invention is directed to a method for isolating a polynucleotide of interest that is present or is expressed in a genome of a first mycobacterium strain and that is absent or altered in a genome of a second mycobacterium strain which is different from the first mycobacterium strain using a bacterial artificial chromosome (BAC) vector. The invention further relates to a polynucleotide isolated by this method and recombinant BAC vector used in this method. In addition the present invention comprises method and kit for detecting the presence of a mycobacteria in a biological sample.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Amienia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΛU	Australia	GA	Gabon	LV	Latvia	SZ.	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL.	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	Pl.	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuha	KZ	Kazakstan	кo	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

A METHOD FOR ISOLATING A POLYNUCLEOTIDE OF INTEREST FROM THE GENOME OF A MYCOBACTERIUM USING A BAC-BASED DNA LIBRARY. APPLICATION TO THE DETECTION OF MYCOBACTERIA.

5

10

15

20

25

I. Background of the invention

The present invention pertains to a method for isolating a polynucleotide of interest that is present in the genome of a mycobacterium strain and/or is expressed by said mycobacterium strain and that is absent or altered in the genome of a different mycobacterium strain and/or is not expressed in said different mycobacterium strain, said method comprising the use of at least one clone belonging to a genomic DNA library of a given mycobacterium strain, said DNA library being cloned in a bacterial artificial chromosome (BAC). The invention concerns also polynucleotides identified by the above method, as well as detection methods for mycobacteria, particularly *Mycobacterium tuberculosis*, and kits using said polynucleotides as primers or probes. Finally, the invention deals with BAC-based mycobacterium DNA libraries used in the method according to the invention and particularly BAC-based *Mycobacterium tuberculosis* and *Mycobacterium bovis* BCG DNA libraries.

Radical measures are required to prevent the grim predictions of the World Health Organisation for the evolution of the global tuberculosis epidemic in the next century becoming a tragic reality. The powerful combination of genomics and bioinformatics is providing a wealth of information about the etiologic agent, *Mycobacterium tuberculosis*, that will facilitate the conception and development of new therapies. The start point for genome sequencing was the integrated map of the 4.4 Mb circular chromosome of the widely-used, virulent reference strain, *M. tuberculosis* H37Rv and appropriate cosmids were subjected to systematic shotgun sequence analysis at the Sanger Centre.

Cosmid clones (Balasubramanian et al., 1996; Pavelka et al., 1996) have played a crucial role in the *M. tuberculosis* H37Rv genome sequencing project. However, problems such as under-representation of certain regions of the chromosome, unstable inserts and the relatively small insert size complicated the production of a comprehensive set of canonical cosmids representing the entire genome.

30

10

15

20

25

30

II. Summary of the invention

In order to avoid the numerous technical constraints encountered in the state of the art, as decribed hereabove, when using genomic mycobacterial DNA libraries constructed in cosmid clones, the inventors have attempted to realize genomic mycobacterial DNA libraries in an alternative type of vectors, namely Bacterial Artificial Chromosome (BAC) vectors.

The success of this approach depended on whether the resulting BAC clones could maintain large mycobacterial DNA inserts. There are various reports describing the successful construction of a BAC library for eucaryotic organisms (Cai et al., 1995; Kim et al., 1996; Misumi et al., 1997; Woo et al., 1994; Zimmer et al., 1997) where inserts up to 725 kb (Zimmer et al., 1997) were cloned and stably maintained in the *E. coli* host strain.

Here, it is shown that, surprisingly, the BAC system can also be used for mycobacterial DNA, as 70% of the clones contained inserts in the size of 25 to 104 kb.

This is the first time that bacterial, and specifically mycobacterial, DNA is cloned in such BAC vectors.

In an attempt to obtain complete coverage of the genome with a minimal overlapping set of clones, a Bacterial Artificial Chromosome (BAC) library of *M. tuberculosis* was constructed, using the vector pBeloBAC11 (Kim et al., 1996) which combines a simple phenotypic screen for recombinant clones with the stable propagation of large inserts (Shizuya et al., 1992). The BAC cloning system is based on the *E. coli* F-factor, whose replication is strictly controlled and thus ensures stable maintenance of large constructs (Willets et al., 1987). BACs have been widely used for cloning of DNA from various eucaryotic species (Cai et al., 1995; Kim et al., 1996; Misumi et al., 1997; Woo et al., 1994; Zimmer et al., 1997). In contrast, to our knowledge this report describes the first attempt to use the BAC system for cloning bacterial DNA.

A central advantage of the BAC cloning system over cosmid vectors used in prior art is that the F-plasmid is present in only one or a maximum of two copies per cell, reducing the potential for recombination between DNA fragments and, more importantly, avoiding the lethal overexpression of cloned bacterial genes. However, the presence of the BAC as just a single copy means that plasmid DNA has to be extracted from a large volume of culture to obtain

PCT/IB99/00740

5

10

15

20

25

30

35

sufficient DNA for sequencing and it is described here in the examples a simplified protocol to achieve this.

Further, the stability and fidelity of maintenance of the clones in the BAC library represent ideal characteristics for the identification of genomic differences possibly responsible for phenotypic variations in different mycobacterial species.

As it will be shown herein, BACs can be allied with conventional hybridization techniques for refined analyses of genomes and transcriptional activity from different mycobacterial species.

Having established a reliable procedure to screen for genomic polymorphisms, it is now possible to conduct these comparisons on a more systematic basis than in prior art using representative BACs throughout the chromosome and genomic DNA from a variety of mycobacterial species.

As another approach to display genomic polymorphisms, the inventors have also started to use selected H37Rv BACs for "molecular combing" experiments in combination with fluorescent *in situ* hybridization (Bensimon et al., 1994; Michalet et al., 1997). With such techniques the one skilled in the art is enabled to explore the genome of mycobacteria in general and of *M. tuberculosis* in particular for further polymorphic regions.

The availability of BAC-based genomic mycobacterial DNA libraries constructed by the inventors have allowed them to design methods and means both useful to identify genomic regions of interest of pathogenic mycobacteria, such as *Mycobacterium tuberculosis*, that have no counterpart in the corresponding non-pathogenic strains, such as *Mycobacterium bovis* BCG, and useful to detect the presence of polynucleotides belonging to a specific mycobacterium strain in a biological sample.

By a biological sample according to the present invention, it is notably intended a biological fluid, such as plasma, blood, urine or saliva, or a tissue, such as a biopsy.

Thus, a first object of the invention consists of a method for isolating a polynucleotide of interest that is present in the genome of a mycobacterium strain and/or is expressed by said mycobacterium strain and that is absent or altered in the genome of a different mycobacterium strain and/or is not expressed in said different mycobacterium strain, said method comprising the use of at least one clone belonging to a genomic DNA library of a given mycobaterium strain, said DNA library being cloned in a bacterial artificial chromosome (BAC).

15

30

35

The invention is also directed to a polynucleotide of interest that has been isolated according to the above method and in partoular a polynucleotide containing one or several Open Reading Frames (ORFs), for example ORFs encoding either a polypeptide involved in the pathogenicity of a mycobacterium strain or ORFs encoding Polymorphic Glycine Rich Sequences (PGRS).

Such polynucleotides of interest may serve as probes or primers in order to detect the presence of a specific myobacterium strain in a biological sample or to detect the expression of specific genes in a particular mycobacterial strain of interest.

The BAC-based genomic mycobacterial DNA libraries generated by the present inventors are also part of the invention, as well as each of the recombinant BAC clones and the DNA insert contained in each of said recombinant BAC clones.

The invention also pertains to methods and kits for detecting a specific mycobacterium in a biological sample using either at least one recombinant BAC clone or at least one polynucleotide according to the invention, as well as to methods and kits to detect the expression of one or several specific genes of a given mycobacterial strain present in a biological sample.

20 III. Brief description of the Figures.

In order to better understand the present invention, reference will be made to the appended figures which depicted specific embodiments to which the present invention is in no case limited in scope with.

- Figures 1A and 1B: PCR-screening for unique BAC clones with specific primers for 2 selected genomic regions of the H37Rv chromosome, using 21 pools representating 2016 BACs (Figure 1A) and sets of 20 subpools from selected positive pools (Figure 1B).
 - Figure 2: Pulsed-field gel electrophoresis gel of *Dra*I- cleaved BAC clones used for estimating the insert sizes of BACs.
 - Figure 3: Minimal overlapping BAC map of M. tuberculosis H37Rv superimposed on the integrated physical and genetic map established by Philipp et al. (18). Y- and l- numbers show pYUB328 (2) and pYUB412 (16) cosmids which were shotgun sequenced during the H37Rv genome sequencing project. Y-cosmids marked with * were shown in the integrated physical and genetic map

- (18). Rv numbers show the position of representative BAC clones relative to sequenced Y- and I- clones. Squared Rv numbers show BACs which were shotgun sequenced at the Sanger Centre.
- Figures 4A and 4B: Ethidium bromide stained gel (Figure 4A) and corresponding Southern blot (Figure 4B) of EcoRI and PvulI digested Rv58 DNA 5 hybridized with ³²P labeled genomic DNA preparations from M. tuberculosis H37Rv, M. bovis ATCC 19210 and M. bovis BCG Pasteur.
 - Figure 5: Organisation of the ORFs in the 12.7 kb genomic region present in M. tuberculosis H37Rv but not present in M. bovis ATCC 19210 and M. bovis BCG
- Pasteur. Arrows show the direction of transcription of the putative genes. Positions of EcoRI and PvuII restriction sites are shown. Vertical dashes represent stop codons. The 11 ORFs correspond to the ORFs MTCY277.28 to MTCY277.38 / accession number Z79701 -EMBL Nucleotide Sequence Data Library. The junction sequences flanking the polymorphic region are shown.
- Figure 6: Variation in the C-terminal part of a PE-PGRS open reading frame in 15 M. tuberculosis strain H37Rv relative to M. bovis BCG strain Pasteur.
 - The numbers on the right side of the Figure denote the position of the end nucleotides, taking as the reference the M. tuberculosis genome.
- Figure 7: Polynucleotide sequence next to the HindIII cloning site in the BAC vector pBeloBAC11 (Kim et al., 1996) used to clone the inserts of the BAC-20 based myobacterial genomic DNA library according to the invention.
 - NotI: location of the NotI restriction sites.
 - Primer T7-BAC1: nucleotide region recognized by the T7-BAC1 primer shown in Table 1.
- T7 promoter: location of the T7 promoter region on the pBeloBac11 vector. 25 Primer T7-Belo2: nucleotide region recognized by the T7-Belo2 pimer shown in Table 1.
 - Hind III: the HindIII cloning site used to clone the genomic inserts in the pBeloBAC11 vector.
- SP6-Mid primer: nucleotide region recognized by the SP6 Mid primer shown in 30 Table 1.
 - SP6-BAC1 primer: nucleotide region recognized by the SP6 BAC1 primer shown in Table 1.
 - SP6 promoter: location of the SP6 promoter region on the pBeloBac11 vector.

10

15

20

25

30

35

IV. Detailed description of the preferred embodiments.

As already mentioned hereinbefore, the present invention is directed to a method for isolating a polynucleotide of interest that is present in the genome of a mycobacterium strain and/or is expressed by said mycobacterium strain and that is absent or altered in the genome of a different mycobacterium strain and/or is not expressed in said different mycobacterium strain, said method comprising the use of at least one clone belonging to a genomic DNA library of a given mycobacterium strain, said DNA library being cloned in a bacterial artificial chromosome (BAC) type vector.

For this purpose, the inventors have constructed several BAC-based mycobacterial genomic DNA libraries that may be used in order to perform the above described method.

Because it is the first time that mycobacterial genomic DNA has been successfully cloned in BAC type vectors, and because these DNA libraries are then novel and nonobvious, an object of the present invention consists in a myobacterial genomic DNA library cloned in such a BAC type vector.

As an illustrative example, a BAC-based DNA library of Mycobacterium tuberculosis has been realized. Forty-seven cosmids chosen from the integrated map of the 4.4 Mb circular chromosome (Philipp et al., 1996a) were shotgunsequenced during the initial phase of the H37Rv genome sequence project. The sequences of these clones were used as landmarks in the construction of a minimally overlapping BAC map. Comparison of the sequence data from the termini of 420 BAC clones allowed us to establish a minimal overlapping BAC map and to fill in the existing gaps between the sequence of cosmids. As well as using the BAC library for genomic mapping and sequencing, we also tested the system in comparative genomic experiments in order to uncover differences between two closely related mycobacterial species. As shown in a previous study (Philipp et al., 1996b), M. tuberculosis, M. bovis and M. bovis BCG, specifically BCG Pasteur strain, exhibit a high level of global genomic conservation, but certain polymorphic regions were also detected. Therefore, it was of great interest to find a reliable, easy and rapid way to exactly localize polymorphic regions in mycobacterial genomes using selected BAC clones. This approach was validated by determining the exact size and location of the polymorphisms in the genomic region of Dral fragment Z4 (Philipp et al., 1996b), taking advantage of the availability of an appropriate BAC clone covering the polymorphic region and

15

20

25

30

35

the H37Rv genome sequence data. This region is located approximately 1.7 Mb from the origin of replication.

The Bacterial Artificial Chromosome (BAC) cloning system is capable of stably propagating large, complex DNA inserts in Escherichia coli. As part of the Mycobacterium tuberculosis H37Rv genome sequencing project, a BAC library was constructed in the pBeloBAC11 vector and used for genome mapping, confirmation of sequence assembly, and sequencing. The library contains about 5000 BAC clones, with inserts ranging in size from 25 to 104 kb, representing theoretically a 70 fold coverage of the M. tuberculosis genome (4.4 Mb). A total of 840 sequences from the T7 and SP6 termini of 420 BACs were determined and compared to those of a partial genomic database. These sequences showed excellent correlation between the estimated sizes and positions of the BAC clones and the sizes and positions of previously sequenced cosmids and the resulting contigs. Many BAC clones represent linking clones between sequenced cosmids, allowing full coverage of the H37Rv chromosome, and they are now being shotgun-sequenced in the framework of the H37Rv sequencing project. Also, no chimeric, deleted or rearranged BAC clones were detected, which was of major importance for the correct mapping and assembly of the H37Rv sequence. The minimal overlapping set contains 68 unique BAC clones and spans the whole H37Rv chromosome with the exception of a single gap of ~ 150 kb. As a postgenomic application, the canonical BAC set was used in a comparative study to reveal chromosomal polymorphisms between M. tuberculosis, M. bovis and M. bovis BCG Pasteur, and a novel 12.7 kb segment present in M. tuberculosis but absent from M. bovis and M. bovis BCG was characterized. This region contains a set of genes whose products show low similarity to proteins involved in polysaccharide biosynthesis. The H37Rv BAC library therefore provides the one skilled in the art with a powerful tool both for the generation and confirmation of sequence data as well as for comparative genomics and a plurality of postgenomic applications.

The above described BAC-based *Mycobacterium tuberculosis* genomic DNA library is part of the present invention and has been deposited in the Collection Nationale de Cultures de Microorganismes (CNCM) on November 19, 1997 under the accession number I-1945.

Another BAC-based DNA library has been constructed with the genomic DNA of *Mycobacterium bovis* BCG, Pasteur strain, and said DNA library has

10

15

20

25

30

been deposited in the Collection Nationale de Cultures de Microorganismes (CNCM) on XX XX, 1998 under the accession number I-XXXX.

Thus, as a specific embodiment of the above described method for isolating a polynucleotide of interest said method makes use of at least one BAC-based DNA library that has been constructed from the genomic DNA of *Mycobacterium tuberculosis*, more specifically of the H37Rv strain and particularly of the DNA library deposited in the accession number I-1945.

In another specific embodiment of the above described method for isolating a polynucleotide of interest said method makes use of at least one BAC-based DNA library has been constructed from the genomic DNA of *Mycobacterium bovis* BCG, more specifically of the Pasteur strain and particularly of the DNA library deposited in the accession number I-XXXX.

In more details, the method according to the invention for isolating a polynucleotide of interest may comprise the following steps:

- a) isolating at least one polynucleotide contained in a clone of a BAC-based DNA library of mycobacterial origin;
- b) isolating:
- at least one genomic or cDNA polynucleotide from a mycobacterium, said mycobacterium belonging to a strain different from the strain used to construct the BAC-based DNA library of step a); or alternatively
- at least one polynucleotide contained in a clone of a BAC-based DNA library prepared from the genome of a mycobacterium that is different from the mycobacterium used to construct the BAC-based DNA library of step a);
- c) hybridizing the at least one polynucleotide of step a) to the at least one polynucleotide of step b);
- d) selecting the at least one polynucleotide of step a) that has not formed a hybrid complex with the at least one polynucleotide of step b);
- e) characterizing the selected polynucleotide.

Following the above procedure, the at least one polynucleotide of step a) may be prepared as follows:

- 1) digesting at least one recombinant BAC clone by an appropriate resctriction endonuclease in order to isolate the polynucleotide insert of interest from the vector genetic material;
- 2) optionally amplifying the resulting polynucleotide insert;

10

15

20

25

30

35

3) optionally digesting the polynucleotide insert of step 1) or step 2) with at least one restriction endonuclease.

The above method of the invention allows the one skilled in the art to perform comparative genomics between different strains or species of mycobacteria cells, for example between pathogenic strains or species and their non pathogenic strains or species counterparts, as it is the illustrative case for the genomic comparison between *Mycobacterium tuberculosis* and *Mycobacterium bovis* BCG that is described herein in the examples.

Restriction digests of a given clone of a BAC library according to the invention may be blotted to membranes, and then probed with radiolabeled DNA form another strain or another species of mycobacteria, allowing the one skilled in the art to identify, characterize and isolate a polynucleotide of interest that may be involved in important metabolical and/or physiological pathways of the mycobacterium under testing, such as a polynucleotide functionally involved in the pathogenicity of said given mycobacteria for its host organism.

More specifically, the inventors have shown in Example 6 that when restriction digests of a given clone of the BAC library identified by the CNCM accession number I-1945 are blotted to membranes and then probed with radiolabeled total genomic DNA from, for example, *Mycobacterium bovis* BCG Pasteur, it is observed that restriction fragments that fail to hybridize with the *M. bovis* BCG Pasteur DNA are absent from its genome, hence identifying polymorphic regions between *M. bovis* BCG Pasteur and *M. tuberculosis* H37Rv.

Thus, a further object of the present invention consists in a polynucleotide of interest that has been isolated according to the method described herein before.

In Example 6, a polynucleotide of approximately 12.7 kilobases has been isolated that is present in the genome of *M. tuberculosis* but is absent of the genome of *M. bovis* BCG. This polynucleotide of interest contains 11 ORFs that may be involved in polysaccharide biosynthesis. In particular, two of said ORFs are of particular interest, namely ORF6 (MTCY277.33; Rv1511) that encodes a protein that shares significant homology with bacterial GDP-D-mannose dehydratases, whereas the protein encoded by ORF7 (MTCY277.34; Rv1512) shares significant homology with a nucleotide sugar epimerase. As polysaccharide is a major constituent of the mycobacterial cell wall, these deleted genes may cause the cell wall of *M. bovis* BCG to differ from that of *M. tuberculosis*, a fact that may have important consequences for both the immune

10

15

20

25

30

35

response to *M. bovis* BCG and virulence. Detection of such a polysaccharide is of diagnostic interest and possibly useful in the design of tuberculosis vaccines.

Consequently, the polynucleotide of interest obtained following the method according to the invention may contain at least one ORF, said ORF preferably encoding all or part of a polypeptide involved in an important metabolical and/or physiological pathway of the mycobacteria under testing, and more specifically all or part of a polypeptide that is involved in the pathogenicity of the mycobacteria under testing, such as for example *Mycobacterium tuberculosis*, and more generally mycobacteria belonging to the *Mycobacterium tuberculosis* complex.

The Mycobacterium tuberculosis complex has its usual meaning, i.e. the complex of mycobacteria causing tuberculosis which are Mycobacterium tuberculosis, Mycobacterium bovis, Mycobacterium africanum, Mycobacterium microti and the vaccine strain Mycobacterium bovis BCG.

An illustrative polynucleotide of interest according to the present invention comprises all or part of the polynucleotide of approximately 12.7 kilobases that is present in the genome of *M. tuberculosis* but is absent from the genome of *M. bovis* BCG disclosed hereinbefore. This polynucleotide is contained in clone Rv58 of the BAC DNA library I-1945.

Generally, the invention also pertains to a purified polynucleotide comprising the DNA insert contained in a recombinant BAC vector belonging to a BAC-based mycobacterial genomic DNA library, such as for example the I-1945 BAC DNA library.

Advantageously, such a polynucleotide has been identified according to the method of the invention.

Such a polynucleotide of interest may be used as a probe or a primer useful for specifically detecting a given mycobacterium of interest, such as Mycobacterium tuberculosis or Mycobacterium bovis BCG.

More specifically, the invention then deals with a purified polynucleotide useful as probe or a primer comprising all or part of the nucleotide sequence SEQ ID N°1.

The location, on the *Mycobacterium tuberculosis* chromosome, of the above polynucleotide of sequence SEQ ID N°1 has now been ascribed to begin, at its 5'end at nucleotide at position nt 1696015 and to end, at its 3'end, at nucleotide at position nt 1708746.

10

15

20

25

For diagnostic purposes, this 12.7 kb deletion should allow a rapid PCR screening of tubercle isolates to identify whether they are bovine or human strains. The primers listed in Table 1 are flanking the deleted region and give a 722 bp amplicon in *M. bovis* or *M. bovis* BCG strains, but a fragment of 13,453 bp in *M. tuberculosis* that is practically impossible to amplify under the same PCR conditions. More importantly, assuming that some of the gene products from this region represent proteins with antigenic properties, it could be possible to develop a test that can reliably distinguish between the immune response induced by vaccination with *M. bovis* BCG vaccine strains and infection with *M. tuberculosis* or that the products (e.g. polysaccharides) are specific immunogens.

The invention also provides for a purified polynucleotide useful as a probe or as a primer, said polynucleotide being chosen in the following group of polynucleotides:

- a) a polynucleotide comprising at least 8 consecutive nucleotides of the sequence SEQ ID N°1;
- b) a polynucleotide whose sequence is fully complementary to the sequence of the polynucleotide defined in a);
- c) a polynucleotide that hybridizes under stringent hybridization conditions with the polynucleotide defined in a) or with the polynucleotide defined in b).

For the purpose of defining a polynucleotide or oligonucleotide hybridizing under stringent hybridization conditions, such as above, it is intended a polynucleotide that hybridizes with a reference polynucleotide under the following hybridization conditions.

The hybridization step is realized at 65°C in the presence of 6 x SSC buffer, 5 x Denhardt's solution, 0,5% SDS and 100µg/ml of salmon sperm DNA.

For technical information, 1 x SSC corresponds to 0.15 M NaCl and 0.05M sodium citrate; 1 x Denhardt's solution corresponds to 0.02% Ficoll, 0.02% polyvinylpyrrolidone and 0.02% bovine serum albumin.

The hybridization step is followed by four washing steps:

- two washings during 5 min, preferably at 65°C in a 2 x SSC and 0.1%SDS buffer.
 - one washing during 30 min, preferably at 65°C in a 2 x SSC and 0.1% SDS buffer,
- one washing during 10 min, preferably at 65°C in a 0.1 x SSC and 0.1%SDS buffer.

10

15

20

30

35

A first illustrative useful polynucleotide that is included in the polynucleotide of sequence SEQ ID N°1 is the polynucleotide of sequence SEQ ID N°2 that corresponds to the Sp6 end-sequence of SEQ ID N°1.

A second illustrative useful polynucleotide that is included in the polynucleotide of sequence SEQ ID N°1 is the polynucleotide of sequence SEQ ID N°3 that corresponds to the T7 end-sequence of SEQ ID N°1, located on the opposite strand.

The polynucleotide of sequence SEQ ID N°1 contains 11 ORFs, the respective locations of which, taking into account the orientation of each ORF on the chromosome, on the sequence of the *Mycobacterium tunerculosis* chromosome, is given hereafter:

- The location of ORF1 is comprised between nucleotide at position nt 1695944 and nucleotide at position nt1696441.
- The location of ORF2 is comprised between nucleotide at position nt 1696728 and nucleotide at position nt1697420.
 - The location of ORF3 is comprised between nucleotide at position nt 1698096 and nucleotide at position nt1699892. ORF3 probably encodes a protein having the characteristics of a membrane protein.
- The location of ORF4 is comprised between nucleotide at position nt 1700210 and nucleotide at position nt1701088.
 - The location of ORF5 is comprised between nucleotide at position nt 1701293 and nucleotide at position nt1702588. ORF5 encodes a protein having the characteristics of a membrane protein.
- The location of ORF6 is comprised between nucleotide at position nt 1703072 and nucleotide at position nt1704091. ORF6 encodes a protein having the characteristics of a GDP-D-mannose dehydratase.
 - The location of ORF7 is comprised between nucleotide at position nt 1704091 and nucleotide at position nt1705056. ORF7 encodes a protein having the characteristics of a nucleotide sugar epimerase involved in colanic acid biosynthesis.
 - The location of ORF8 is comprised between nucleotide at position nt 1705056 and nucleotide at position nt1705784.
 - The location of ORF9 is comprised between nucleotide at position nt 1705808 and nucleotide at position nt1706593. ORF9 encodes a protein having the characteristics of colanic acid biosynthesis glycosyl transferase.

10

15

20

25

30

35

- The location of ORF10 is comprised between nucleotide at position nt 1706631 and nucleotide at position nt1707524.

- The location of ORF11 is comprised between nucleotide at position nt 1707530 and nucleotide at position nt1708648. ORF11 encodes a protein similar to a spore coat polysaccharide biosynthesis.

A polynucleotide of interest obtained by the above-disclosed method according to the invention may also contain at least one ORF that encodes all or part of acidic, glycine-rich proteins, belonging to the PE and PPE families, whose genes are often clustered and based on multiple copies of the polymorphic repetitive sequences. The names PE and PPE derive from the fact that the motifs ProGlu (PE, positions 8, 9) and ProProGlu (PPE, positions 7 to 9) are found near the N-terminus in almost all cases. The PE protein family all have a highly conserved N-terminal domain of ~110 amino acid residues, that is predicted to have a globular structure, followed by a C-terminal segment which varies in size, sequence and repeat copy number. Phylogenetic analysis separated the PE family into several groups, the larger of which is the highly repetitive PGRS class containing 55 members whereas the other groups share very limited sequence similarity in their C-terminal domains. The predicted molecular weights of the PE proteins vary considerably as a few members only contain the ~110 amino acid N-terminal domain while the majority have C-terminal extensions ranging in size from 100 up to >1400 residues. A striking feature of the PGRS proteins is their exceptional glycine content (up to 50%) due to the presence of multiple tandem repetitions of GlyGlyAla or GlyGlyAsn motifs or variations thereof.

Like the PE family, the PPE protein family also has a conserved N-terminal domain that comprises ~180 amino acid residues followed by C-terminal segments that vary considerably in sequence and length. These proteins fall into at least three groups, one of which constitutes the MPTR class characterised by the presence of multiple, tandem copies of the motif AsnXGlyXGlyAsnXGly. The second subgroup contains a characteristic, well-conserved motif around position 350 (GlyXXSerValProXXTrp), whereas the other group contains proteins that are unrelated except for the presence of the common 180-residue PPE domain. C-terminal extensions may range in size from 00 up to 3500 residues.

One member of the PGRS sub-family, the WHO antigen 22T (Abou-Zeid et al., 1991), a 55kD protein capable of binding fibronectin, is produced during

15

20

30

35

disease and elicits a variable antibody response suggesting either that individuals mount different immune responses or that this PGRS-protein may not be produced in this form by all strains of *M. tuberculosis*. In other words, at least some PE_PGRS coding sequences encode for proteins that are involved in the recognition of *M. tuberculosis* by the immune system of the infected host. Therefore, differences in the PGRS sequences could represent the principal source of antigenic variation in the otherwise genetically and antigenically homogeneous bacterium.

By performing the method of the invention using the *M. tuberculosis* BAC based DNA library I-1945, the inventors have discovered the occurence of sequence differences between a given PGRS encoding ORF (ORF reference on the genomic sequence of *M. tuberculosis* Rv0746) of *M. tuberculosis* and its counterpart sequence in the genome of *M. bovis* BCG.

More precisely, the inventors have determined that one ORF contained in BAC vector N° Rv418 of the *M. tuberculosis* BCG I-1945 DNA library carries both base additions and base deletions when compared with the corresponding ORF in the genome of *M. bovis* BCG that is contained in the BAC vector N° X0175 of the *M. bovis* BCG I-XXXXX DNA libary. The variations observed in the base sequences correspond to variations in the C-terminal part of the aminoacid sequence of the PGRS ORF translation product.

As shown in Figure 6, an amino acid stretch of 9 residues in length is present in this *M. tuberculosis* PGRS (ORf reference Rv0746) and is absent from the ORF counterpart of *M. bovis* BCG, namely the following amino acid sequence:

25 NH2-GGAGGAGGSSAGGGGGGGGGGGGGGWLLGD-COOH.

Furthermore, Figure 6 shows also that an amino acid stretch of 45 residues in length is absent from this *M. tuberculosis* PGRS and is present in the ORF counterpart of *M. bovis* BCG, namely following amino acid sequence:

 $NH_2\text{-}GAGGIGGNANGGAGGNGGTGGQLWGSGGAGVEGGAAL\\$

SVGDT-COOH.

Similar observations were made with PPE ORF Rv0442, which showed a 5 codon deletion relative to a *M. bovis* amino acid sequence.

Given that the polymorphism associated with the PE-PGRS or PEE ORFS resulted in extensive antigenic variability or reduced antigen presentation, this would be of immense significance for vaccine design, for understanding

15

20

25

30

35

protective immunity in tuberculosis and, possibly, explain the varied responses seen in different BCG vaccination programmes.

There are several striking parallels between the PGRS proteins and the Epstein-Barr virus-encoded nuclear antigens (EBNA). Both polypeptide families are glycine-rich, contain Gly-Ala repeats that represent more than one third of the molecule, and display variation in the length of the repeat region between different isolates. The Gly-Ala repeat region of EBNA1 has been shown to function as a *cis*-acting inhibitor of antigen processing and MHC class I-restricted antigen presentation (Levitskaya et al., 1995). The fact that MHC class I knock-out mice are extremely suscepible to *M. tuberculosis* underlines the importance of MHC class I antigen presentation in protection against tuberculosis. Therefore, it is possible that the PE/PPE protein family also play some role in inhibiting antigen presentation, allowing the bacillus to hide from the host's immune system.

As such the novel and nonobvious PGRS polynucleotide from *M. bovis* which is homolog to the *M. tuberculosis* ORF Rv0746, and which is contained in the BAC clone N° X0175 (See Table 4 for SP6 and T7 end-sequences of clone n° X0175) of the I-XXXX *M. bovis* BCG BAC DNA library is part of the present invention, as it represents a starting material in order to define specific probes or primers useful for detection of antigenic variability in mycobacterial strains, possible inhibition of antigen processing as well as to differentiate *M. tuberculosis* from *M. bovis* BCG.

Thus, a further object of the invention consists in a polynucleotide comprising the sequence SEQ ID N°4.

Polynucleotides of interest have been defined by the inventors as useful detection tools in order to differentiate *M. tuberculosis* from *M. bovis* BCG. Such polynucleotides are contained in the 45 aminoacid length coding sequence that is present in *M. bovis* BCG but absent from *M. tuberculosis*. This polynucleotide has a sequence beginning (5'end) at the nucleotide at position nt 729 of the sequence SEQ ID N°4 and ending (3'end) at the nucleotide in position nt 863 of the sequence SEQ ID N°4.

Thus, part of the present invention is also a polynucleotide which is chosen among the following group of polynucleotides:

a) a polynucleotide comprising at least 8 consecutive nucleotides of the nucleotide sequence SEQ ID N°5;

10

20

25

b) a polynucleotide which sequence is fully complementary to the sequence of the polynucleotide defined in a);

c) a polynucleotide that hybridizes under stringent hybridization conditions with the polynucleotide defined in a) or with the polynucleotide defined in b).

The stringent hybridization conditions for the purpose of defining the above disclosed polynucleotide are defined herein before in the specification.

The invention also provides for a BAC-based *Mycobacterium tuberculosis* strain H37Rv genomic DNA library that has been deposited in the Collection Nationale de Cultures de Microorganismes on November 19, 1997 under the accession number I-1945.

A further object of the invention consists in a recombinant BAC vector which is chosen among the group consisting of the recombinant BAC vectors belonging to the BAC-based DNA library I-1945.

Generally, a recombinant BAC vector of interest may be chosen among the following set or group of BAC vectors contained in the BAC-based DNA library I-1945:

Rv101; Rv102; Rv103; Rv104; Rv105; Rv106; Rv107; Rv108; Rv109; Rv10; Rv110; Rv111; Rv112; Rv113; Rv114; Rv115; Rv116; Rv117; Rv118; Rv119; Rv11; Rv120; Rv121; Rv122; Rv123; Rv124; Rv126; Rv127; Rv128; Rv129; Rv130; Rv132; Rv134; Rv135; Rv136; Rv137; Rv138; Rv139; Rv13; Rv140;

Rv141; Rv142; Rv143; Rv144; Rv145; Rv146; Rv147; Rv148; Rv149; Rv14;

Rv150; Rv151; Rv152; Rv153; Rv154; Rv155; Rv156; Rv157; Rv159; Rv15; Rv160; Rv161; Rv162; Rv163; Rv164; Rv165; Rv166; Rv167; Rv169; Rv1

Rv170; Rv171; Rv172; Rv173; Rv174; Rv175; Rv176; Rv177; Rv178; Rv179;

Rv17; Rv180; Rv181; Rv182; Rv183; Rv184; Rv185; Rv186; Rv187; Rv188;

Rv18; Rv190; Rv191; Rv192; Rv193; Rv194; Rv195; Rv196; Rv19; Rv1; Rv201;

Rv204; Rv205; Rv207; Rv209; Rv20; Rv214; Rv215; Rv217; Rv218; Rv219;

Rv21; Rv220; Rv221; Rv222; Rv223; Rv224; Rv225; Rv226; Rv227; Rv228;

Rv229; Rv22; Rv230; Rv231; Rv232; Rv233; Rv234; Rv235; Rv237; Rv240;

30 Rv241; Rv243; Rv244; Rv245; Rv246; Rv247; Rv249; Rv24; Rv251; Rv252;

Rv253; Rv254; Rv255; Rv257; Rv258; Rv259; Rv25; Rv260; Rv261; Rv262;

Rv263; Rv264; Rv265; Rv266; Rv267; Rv268; Rv269; Rv26; Rv270; Rv271;

Rv272; Rv273; Rv274; Rv275; Rv276; Rv277; Rv278; Rv279; Rv27; Rv280;

Rv281; Rv282; Rv283; Rv284; Rv285; Rv286; Rv287; Rv288; Rv289; Rv28;

35 Rv290; Rv291; Rv292; Rv293; Rv294; Rv295; Rv296; Rv29; Rv2; Rv301;

Rv302; Rv303; Rv304; Rv306; Rv307; Rv308; Rv309; Rv30; Rv310; Rv311; Rv312; Rv313; Rv314; Rv315; Rv316; Rv317; Rv318; Rv319; Rv31; Rv32; Rv322: Rv327; Rv328; Rv329; Rv32; Rv330; Rv331; Rv333; Rv334; Rv335; Rv336; Rv337; Rv338; Rv339; Rv33; Rv340; Rv341; Rv343; Rv344; Rv346; Rv347; Rv348; Rv349; Rv34; Rv350; Rv351; Rv352; Rv353; Rv354; Rv355; 5 Rv356; Rv357; Rv358; Rv359; Rv35; Rv360; Rv361; Rv363; Rv364; Rv365; Rv366; Rv367; Rv368; Rv369; Rv36; Rv370; Rv371; Rv373; Rv374; Rv375; Rv376; Rv377; Rv378; Rv379; Rv37; Rv381; Rv382; Rv383; Rv384; Rv385; Rv386; Rv387; Rv388; Rv389; Rv38; Rv390; Rv391; Rv392; Rv393; Rv396; Rv39; Rv3; Rv40; Rv412; Rv413; Rv414; Rv415; Rv416; Rv417; Rv418; Rv419; 10 Rv41: Rv42: Rv43; Rv44; Rv45; Rv46; Rv47; Rv48; Rv49; Rv4; Rv50; Rv51; Rv52; Rv53; Rv54; Rv55; Rv56; Rv57; Rv58; Rv59; Rv5; Rv60; Rv61; Rv62; Rv63; Rv64; Rv65; Rv66; Rv67; Rv68; Rv69; Rv6; Rv70; Rv71; Rv72; Rv73; Rv74; Rv75; Rv76; Rv77; Rv78; Rv79; Rv7; Rv80; Rv81; Rv82; Rv83; Rv84; Rv85; Rv86; Rv87; Rv88; Rv89; Rv8; Rv90; Rv91; Rv92; Rv94; Rv95; Rv96; 15 Rv9.

The end sequences of the polynucleotide inserts of each of the above clones corresponding respectively to the sequences adjacent to the T7 promoter and to the Sp6 promoter on the BAC vector are shown in Table 3.

It has been shown by the inventors that the minimal overlapping set of BAC vectors of the BAC-based DNA library I-1945 contains 68 unique BAC clones and practically spans almost the whole H37Rv chromosome with the exception of a single gap of approximately 150 kb.

More specifically, a recombinant BAC vector of interest is choosen among the following set or group of BAC vectors from the BAC-based DNA library I-1945, the location of which vector DNA inserts on the chromosome of M. tuberculosis is shown in Figure 3:

Rv234; Rv351; Rv166; Rv35; Rv415; Rv404; Rv209; Rv272; Rv30; Rv228; Rv233; Rb38; Rv280; Rv177; Rv48; Rv374; Rv151; Rv238; Rv156; Rv92; Rv3; Rv403; Rv322; Rv243; Rv330; Rv285; Rv233; Rv219; Rv416; Rv67; Rv222; Rv149; Rv279; Rv87; Rv273; Rv266; Rv25; Rv136; Rv414; Rv13; Rv289; Rv60; Rv104; Rv5; Rv165; Rv215; Rv329; Rv240; Rv19; Rv74; Rv411; Rv167; Rv56; Rv80; Rv164; Rv59; Rv313; Rv265; Rv308; Rv220; Rv258; Rv339; Rv121; Rv419; Rv418; Rv45; Rv217; Rv134; Rv17; Rv103; Rv21; Rv22; Rv270; Rv267; Rv174; Rv257; Rv44; Rv71; Rv7; Rv27; Rv191; Rv230; Rv128; Rv407; 35

20

25

30

10

15

20

25

30

35

Rv106; Rv39; Rv255; Rv74; Rv355; Rv268; Rv58; Rv173; Rv264; Rv417; Rv401; Rv144; Rv302; Rv81; Rv163; Rv281; Rv221; Rv420; Rv175; Rv86; Rv412; Rv73; Rv269; Rv214; Rv287; Rv42; Rv143.

The polynucleotides disclosed in Table 3 may be used as probes in order to select a given clone of the BAC DNA library I-1945 for further use.

The invention also provides for a BAC-based *Mycobacterium bovis* strain Pasteur genomic DNA library that has been deposited in the Collection Nationale de Cultures de Microorganismes on XXXX XX, 1998 under the accession number I-XXXX.

A further object of the invention consists in a recombinant BAC vector which is chosen among the group consisting of the recombinant BAC vectors belonging to the BAC-based DNA library I-XXXX. This DNA library contains approximately 1600 clones. The average insert size is estimated to be ~80 kb.

Generally, a recombinant BAC vector of interest may be chosen among the following set or group of BAC vectors contained in the BAC-based DNA library I-XXXX:

X0001; X0002; X0003; X0004; X0006; X0007; X0008; X0009; X0010; X0012; X0013; X0014; X0015; X0016; X0017; X0018; X0019; X0020; X0021; X0175.

The end sequences of the polynucleotide inserts of each of the above clones corresponding respectively to the sequences adjacent to the T7 promoter and to the Sp6 promoter on the BAC vector are shown in Table 4.

The polynucleotides disclosed in Table 4 may be used as probes in order to select a given clone of the BAC DNA library I-XXXX for further use.

Are also part of the invention the polynucleotide inserts that are contained in the above described BAC vectors, that are useful as primers or probes.

These polynucleotides and nucleic acid fragments may be used as primers for use in amplification reactions, or as nucleic probes.

PCR is described in the US patent N° 4,683,202. The amplified fragments may be identified by an agarose or a polyacrylamide gel electrophoresis, or by a capillary electrophoresis or alternatively by a chromatography technique (gel filtration, hydrophobic chromatography or ion exchange chromatography). The specificity of the amplification may be ensured by a molecular hybridization using, for example, one of the initial primers as nucleic probes.

Amplified nucleotide fragments are used as probes in hybridization reactions in order to detect the presence of one polynucleotide according to the

10

15

20

25

30

present invention or in order to detect mutations in the genome of the given mycobacterium of interest, specifically a mycobacterium belonging to the *Mycobacterium tuberculosis* complex and more specifically *Mycobacterium tuberculosis* and *Mycobacterium bovis* BCG.

Are also part of the present invention the amplified nucleic fragments (« amplicons ») defined herein above.

These probes and amplicons may be radioactively or non-radioactively labeled, using for example enzymes or fluorescent compounds.

Other techniques related to nucleic acid amplification may also be used and are generally preferred to the PCR technique.

The Strand Displacement Amplification (SDA) technique (Walker et al., 1992) is an isothermal amplification technique based on the ability of a restriction enzyme to cleave one of the strands at his recognition site (which is under a hemiphosphorothioate form) and on the property of a DNA polymerase to initiate the synthesis of a new strand from the 3'OH end generated by the restriction enzyme and on the property of this DNA polymerase to displace the previously synthesized strand being localized downstream. The SDA method comprises two main steps:

- a) The synthesis, in the presence of dCTP-alpha-S, of DNA molecules that are flanked by the restriction sites that may be cleaved by an appropriate enzyme.
- b) The exponential amplification of these DNA molecules modified as such, by ezyme cleavage, strand displacement and copying of the displaced strands. The steps of cleavage, strand displacement and copy are repeated a sufficient number of times in order to obtain an accurate sensitivity of the assay.

The SDA technique was initially realized using the restriction endonuclease HincII but is now generally practised with an endonuclease from *Bacillus stearothermophilus* (BSOBI) and a fragment of a DNA polymerase which is devoid of any 5'→3'exonuclease activity isolated from *Bacillus cladotenax* (exo-Bca) [=exo-minus-Bca]. Both enzymes are able to operate at 60°C and the system is now optimized in order to allow the use of dUTP and the decontamination by UDG. When unsing this technique, as described by Spargo et al. in 1996, the doubling time of the target DNA is of 26 seconds and the amplification rate is of 10¹⁰ after an incubation time of 15 min at 60°C.

10

15

20

The SDA amplification technique is more easy to perform than PCR (a single thermostated waterbath device is necessary) and is faster thant the other amplification methods.

Thus, another object of the present invention consists in using the nucleic acid fragments according to the invention (primers) in a method of DNA or RNA amplification according to the SDA technique. For performing SDA, two pairs of primers are used: a pair of external primers (B1, B2) consisting of a sequence specific for the target polynucleotide of interest and a pair of internal primers (S1, S2) consisting of a fusion oligonucleotide carrying a site that is recognized by a restriction endonuclease, for exemple the enzyme BSOBI.

The operating conditions to perform SDA with such primers are described in Spargo et al, 1996.

The polynucleotides of the invention and their above described fragments, especially the primers according to the invention, are useful as technical means for performing different target nucleic acid amplification methods such as:

- TAS (Transcription-based Amplification System), described by Kwoh et al. in 1989.
- SR (Self-Sustained Sequence Replication), described by Guatelli et al.in 1990.
- NASBA (Nucleic acid Sequence Based Amplification), described by Kievitis et al. in 1991.
- TMA (Transcription Mediated Amplification).

The polynucleotides according to the invention are also useful as technical means for performing methods for amplification or modification of a nucleic acid used as a probe, such as:

- LCR (Ligase Chain Reaction), described by Landegren et al. in 1988 and improved by Barany et al. in 1991 who employ a thermostable ligase.
 - RCR (Repair Chain Reaction) described by Segev et al. in 1992.
 - CPR (Cycling Probe Reaction), described by Duck et al. in 1990.
- Q-beta replicase reaction, described by Miele et al. in 1983 and improved by Chu et al. in 1986, Lizardi et al. in 1988 and by Burg et al. and Stone et al. in 1996.

When the target polynucleotide to be detected is a RNA, for example a mRNA, a reverse transcriptase enzyme will be used before the amplification reaction in order to obtain a cDNA from the RNA contained in the biological sample. The generated cDNA is subsequently used as the nucleic acid target for

35

10

15

20

25

30

35

the primers or the probes used in an amplification process or a detection process according to the present invention.

The non-labeled polynucleotides or oligonucleotides of the invention may be directly used as probes. Nevertheless, the polynucleotides or oligonucleotides are generally labeled with a radioactive element (³²P, ³⁵S, ³H, ¹²⁵I) or by a non-isotopic molecule (for example, biotin, acetylaminofluorene, digoxigenin, 5-bromodesoxyuridin, fluorescein) in order to generate probes that are useful for numerous applications.

Examples of non-radioactive labeling of nucleic acid fragments are described in the french patent N° FR-7810975 or by Urdea et al. or Sanchez-Pescador et al., 1988.

In the latter case, other labeling techniques may be also used such as those described in the french patents FR-2 422 956 and 2 518 755. The hybridization step may be performed in different ways (Matthews et al., 1988). The more general method consists of immobilizing the nucleic acid that has been extracted from the biological sample onto a substrate (nitrocellulose, nylon, polystyrene) and then to incubate, in defined conditions, the target nucleic acid with the probe. Subsequently to the hybridization step, the excess amount of the specific probe is discarded and the hybrid molecules formed are detected by an appropriate method (radioactivity, fluorescence or enzyme activity measurement).

Advantageously, the probes according to the present invention may have structural characteristics such that they allow the signal amplification, such structural characteristics being, for example, branched DNA probes as those described by Urdea et al. in 1991 or in the European patent N° EP-0 225 807 (Chiron).

In another advantageous embodiment of the probes according to the present invention, the latters may be used as « capture probes », and are for this purpose immobilized on a substrate in order to capture the target nucleic acid contained in a biological sample. The captured target nucleic acid is subsequently detected with a second probe which recognizes a sequence of the target nucleic acid which is different from the sequence recognized by the capture probe.

The oligonucleotide probes according to the present invention may also be used in a detection device comprising a matrix library of probes immobilized on a substrate, the sequence of each probe of a given length being localized in a shift of one or several bases, one from the other, each probe of the matrix library thus

10

15

20

25

30

35

being complementary to a distinct sequence of the target nucleic acid. Optionally, the substrate of the matrix may be a material able to act as an electron donor, the detection of the matrix poisitons in which an hybridization has occurred being subsequently determined by an electronic device. Such matrix libraries of probes and methods of specific detection of a targer nucleic acid is described in the European patent application N° EP-0 713 016 (Affymax technologies) and also in the US patent N° US-5,202,231 (Drmanac).

Since almost the whole length of a mycobacterial chromososme is covered by a BAC-based genomic DNA libraries according to the present invention (i.e. 97% of the *M. tuberculosis* chromosome is covered by the BAC library I-1945), these DNA libraries will play an important role in a plurality of post-genomic applications, such as in mycobacterial gene expression studies where the canonical set of BACs could be used as a matrix for hybridization studies. Probing such matrices with cDNA probes prepared from total mRNA will uncover genetic loci induced or repressed under different physiological conditions (Chuang et al., 1993; Trieselmann et al., 1992). As such, the H37Rv BAC library represents a fundamental resource for present and future genomics investigations.

The BAC vectors or the polynucleotide inserts contained therein may be directly used as probes, for example when immobilized on a substrate such as described herein before.

The BAC vectors or their polynucleotide inserts may be directly asdorbed on a nitrocellulose membrane, at predetermined locations on which one or several polynucleotides to be tested are then put to hybridize therewith.

Preferably, a collection of BAC vectors that spans the whole genome of the mycobacterium under testing will be immobilized, such as, for example, the set of 68 BAC vectors of the I-1945 DNA library that is described elsewhere in the specification and shown in Figure 3.

The immobilization and hybridization steps may be performed as described in the present Materials and Methods Section.

As another illustrative embodiment of the use of the BAC vectors of the invention as polynucleotide probes, these vectors may be useful to perform a transcriptional activity analysis of mycobacteria growing in different environmental conditions, for example under conditions in which a stress response is expected, as it is the case at an elevated temperature, for example 40°C.

10

15

20

25

30

35

In this specific embodiment of the invention, Genescreen membranes may be used to immobilize the restriction endonuclease digests (*Hind*III digests for the BAC DNA library I-1945) of the BAC vectors by transfer from a gel (Trieselmann et al., 1992).

Alternatively, the BAC vectors may be immobilized for dot blot experiments as follows. First, the DNA concentration of each BAC clone is determined by hybridization of blots of clone DNAs and of a BAC vector concentration standard with a BAC vector specific DNA probe. Hybridization is quantified by the Betascope 603 blot analyzer (Betagen Corp.), which colects beta particles directly from the blot with high efficiency. Then, 0.5 µg of each clone DNA is incubated in 0.25 M NaOH and 10 mM EDTA at 65°C for 60 min to denature the DNA and degrade residual RNA contaminants. By using a manifold filtration system (21 by 21 wells), each clone DNA is blotted onto a GeneScreen Plus nylon membrane in the alkaline solution. After neutralization, the blots are baked at 85°C for 2 h under vacuum. Positive and negative controls are added when necessary. In order to perform this procedure, it may be referred to the article of Chuang et al. (1993).

For RNA extractions, cells grown in a suitable volume of culture medium may, for example, be immediately mixed with an equal volume of crushed ice at -70°C and spun at 4°C in a 50 ml centrifugation tube. The cell pellet is then suspended in 0.6 ml of ice-cold buffer (10 mM KCl, 5 mM MgCl, 10 mM Tris; pH 7.4) and then immediately added to 0.6 ml of hot lysis buffer (0.4 M NaCl, 40 mM EDTA, 1% beta-mercaptoethanol, 1% SDS, 20 mM Tris; pH 7.4) containing 100 µl of water saturated phenol. This mixture is incubated in a boiling water bath for 40 s. The debris are removed by centrifugation. The supernatant is extracted with phenol-chloroform five times, ethanol precipitated, and dried. The dried RNA pellet is dissolved in water before use.

Then labeled total cDNA may be prepared by the following method. The reaction mixture contains 15 μ g of the previously prepared total RNA, 5 μ g of pd(N₆) (random hexamers from Pharmacia Inc.), 0.5 mM dATP, 0.5 mM dGTP and 0.5mM DTTP, 5 μ M dCTP, 100 μ Ci of [α -³²P]dCTP (3,000 Ci/mmol), 50 mM Tris-HCl (pH 8.3), 6 mM MgCl₂, 40 mM Kcl, 0.5 U of avian myeloblastosis virus reverse transcriptase (Life Science Inc.) in a total volume of 50 μ l. The reaction is allowed to continue overnight at room temperature. EDTA and NaOH are then added to final concentrations of 50 mM and 0.25 M, respectively, and

15

20

30

the mixture is incubated at 65°C for 30 min to degrade the RNA templates. The cDNA is then ready to use after neutralization by adding Hcl and Tris buffer.

The hybridization step may be performed as described by Chuang et al. (1993) and briefly disclosed hereinafter. The DNA dot blot is hybridized to ³²P-labeled total cDNA in a solution containing 0.1% polyvinylpyrrolidone, 0.1% Ficoll, 0.1% sodium Ppi, 0.1% bovine serum albumin, 0.5% SDS, 100 mM NaCl, and 0.1 mM sodium citrate, pH 7.2, at 65°C for 2 days and then washed with a solution containing 0.1% SDS, 100 mM NaCl, and 10 mM Na-citrate, pH 7.2. The same dot blot is used for hybridization with both control and experimental cDNAs, with an alkaline probe stripping procedure (soaked twice in 0.25M NaOH-0.75 M NaCl at room temperature, 30 min each, neutralized, and completely dried at 65°C for at least 30 min) between the two hybridizations. Quantification may be done with the Betascope 603 blot analyzer (Betagen Corp.).

As it flows from the above technical teachings, another object of the invention consists in a method for detecting the presence of mycobateria in a biological sample comprising the steps of:

- a) bringing into contact the recombinant BAC vector or a purified polynucleotide according to the invention with a biological sample;
- b) detecting the hybrid nucleic acid molecule formed between said purified polynucleotide and the nucleic acid molecules contained within the biological sample.

The invention further deals with a method for detecting the presence of mycobacteria in a biological sample comprising the steps of:

- a) bringing into contact the recombinant BAC vector or a purified polynucleotide according to the invention that has been immobilized onto a substrate with a biological sample;
 - b) bringing into contact the hybrid nucleic acid molecule formed between said purified polynucleotide and the nucleic acid contained in the biological sample with a labeled recombinant BAC vector or a polynucleotide according to the invention, provided that said polynucleotide and polynucleotide of step a) have non-overlapping sequences.

Another object of the invention consists in a method for detecting the presence of mycobacteria in a biological sample comprising the steps of:

10

15

20

25

35

- a) bringing into contact the nucleic acid molecules contained in the biological sample with a pair of primers according to the invention;
- b) amplifying said nucleic acid molecules;
- c) detecting the nucleic acid fragments that have been amplified, for example by gel electrophoresis or with a labeled polynucleotide according to the invention.

In one specific embodiment of the above detection and/or amplification methods, said methods comprise an additional step wherein before step a), the nucleic acid molecules of the biological sample have been made available to a hybridization reaction.

In another specific embodiment of the above detection methods, said methods comprise an additional step, wherein, before the detection step, the nucleic acid molecules that are not hybridized with the immobilized purified polynucleotide are removed.

Also part of the invention is a kit for detecting mycobacteria in a biological sample comprising:

- a) a recombinant BAC vector or a purified polynucleotide according to the invention;
- b) reagents necessary to perform a nucleic acid hybridization reaction.

The invention also pertains to a kit for detecting a mycobacteria in a biological sample comprising:

- a) a recombinant BAC vector or a purified polynucleotide according to the invention that is immobilized onto a substrate;
- b) reagents necessary to perform a nucleic acid hybridization reaction;
- c) a purified polynucleotide according to the invention which is radioactively or non-radioactively labeled, provided that said polynucleotide and the polynucleotide of step a) have non-overlapping sequences.

Moreover, the invention provides for a kit for detecting mycobacteria in a biological sample comprising:

- a) a pair of purified primers according to the invention;
- b) reagents necessary to perform a nucleic acid amplification reaction;
 - c) optionally, a purified polynucleotide according to the invention useful as a probe.

The invention embraces also a method for detecting the presence of a genomic DNA, a cDNA or a mRNA of mycobacteria in a biological sample. comprising the steps of :

10

15

20

25

30

35

- a) bringing into contact the biological sample with a plurality of BAC vectors according to the invention or purified polynucleotides according to the invention, that are immobilized on a substrate;
- b) detecting the hybrid complexes formed.

The invention also provides a kit for detecting the presence of genomic DNA, cDNA or mRNA of a mycobacterium in a biological sample, comprising:

- a) a substrate on which a plurality of BAC vectors according to the invention or purified polynucleotides according to the invention have been immobilized;
- b) optionally, the reagents necessary to perform the hybridization reaction.

Additionally, the recombinant BAC vectors according to the invention and the polynucleotide inserts contained therein may be used for performing detection methods based on « molecular combing ». Said methods consist in methods for aligning macromolecules, especially DNA and are applied to processes for detecting, for measuring intramolecular distance, for separating and/or for assaying a macromolecule, especially DNA in a sample.

These « molecular combing » methods are simple methods, where the triple line S/A/B (meniscus) resulting form the contact between a solvent A and the surface S and a medium B is caused to move on the said surface S, the said macromolecules (i.e. DNA) having a part, especially an end, anchored on the surface S, the other part, especially the other end, being in solution in the solvent A. These methods are particularly fully described in the PCT Application n° PCT/FR 95/00165 files on February 11, 1994 (Bensimon et al.).

When performing the « molecular combing » method with the recombinant BAC vectors according to the inventions or their polynucleotide inserts, the latters may be immobilized (« anchored ») on a suitable substrate and aligned as described in the PCT Application n° PCT/FR 95/00165, the whole teachings of this PCT Application being herien incorporated by reference. Then, polynucleotides to be tested, preferably under the form of radioactively or non radioactively labeled polynucleotides, that may consist of fragments of genomic DNA, cDNA etc. are brought into contact with the previously aligned polynucleotides according to the present invention and then their hybridization position on the aligned DNA molecules is determined using any suitable means including a microscope or a suitable camera device.

Thus, the present invention is also directed to a method for the detection of the presence of a polynucleotide of mycobacterial origin in a biological sample

20

25

and/or for physical mapping of a polynucleotide on a genomic DNA, said method comprising:

- a) aligning at least one polynucleotide contained in a recombinant BAC vector according to the invention on the surface of a substrate;
- b) bringing into contact at least one polynucleotide to be tested with the substrate on which the at least one polynucleotide of step a) has been aligned;
 - c) detecting the presence and/or the location of the tested polynucleotide on the at least one aligned polynucleotide of step a).

The invention finally provides for a kit for performing the above method, comprising:

- a) a substrate whose surface has at least one polynucleotide contained in a recombinant BAC vector according to the invention;
- b) optionally, reagents necessary for labeling DNA;
- c) optionnally, reagents necessary for performing a hybridization reaction.

In conclusion, it may be underlined that the alliance of such BAC-based approaches such as described in the present specification to the advances in comparative genomics by the availability of an increased number of complete genomes, and the rapid increase of well-characterized gene products in the public databases, will allow the one skilled in the art an exhaustive analysis of the mycobacterial genome.

MATERIALS AND METHODS

- 1. **DNA-preparation.** Preparation of *M. tuberculosis* H37Rv DNA in agarose plugs was conducted as previously described (Canard et al., 1989; Philipp et al., 1996b). Plugs were stored in 0.2 M EDTA at 4°C and washed 3 times in 0.1% Triton X-100 buffer prior to use.
- 2. BAC vector preparation. pBeloBAC11 was kindly provided by Dr. Shizuya, Department of Biology, California Institute of Technology (Pasadena, CA). The preparation followed the description of Woo et al., 1994 (Woo et al., 1994).
- 3. Partial digestion with *HindIII*. Partial digestion was carried out on plugs, each containing approximately 10 µg of high molecular weight DNA, after three one hour equilibration steps in 50 ml of *HindIII* 1X digestion buffer (Boehringer Mannheim, Mannheim, Germany) plus 0.1% Triton X-100. The buffer was then removed and replaced by 1ml/plug of ice-cold *HindIII* enzyme buffer containing 20 units of *HindIII* (Boehringer). After two hours incubation on ice, the plugs

were transferred to a 37°C water bath for 30 minutes. Digestions were stopped by adding 500 µl of 50 mM EDTA (pH 8.0).

- 4. Size selection. The partially digested DNA was subjected to contour-clamped homogenous electric field (CHEF) electrophoresis on a 1% agarose gel using a BioRad DR III apparatus (BioRad, Hercules, CA) in 1X TAE buffer at 13°C, with a ramp from 3 to 15 seconds at 6 V/cm for 16 hours. Agarose slices from 25 to 75 kb, 75 to 120 kb and 120 to 180 kb were excised from the gel and stored in TE at 4°C.
- 5. Ligation and transformation. Agarose-slices containing fractions from 25 to 75 kb, 75 to 120 kb and 120 to 180 kb were melted at 65°C for 10 minutes and 10 digested with Gelase (Epicentre Technologies, Madison, WI), using 1 unit per 100 µl gel-slice. 25-100 ng of the size-selected DNA was then ligated to 10 ng of HindIII digested, dephosphorylated pBeloBAC11 in a 1:10 molar ratio using 10 units of T4 DNA ligase (New England Biolabs, Beverly, MA) at 16°C for 20 hours. Ligation mixtures were heated at 65°C for 15 minutes, then drop-dialysed 15 against TE using Millipore VS 0.025 mM membranes (Millipore, Bedford, MA). Fresh electrocompetent E. coli DH10B cells (Sheng et al., 1995) were harvested from 200 ml of a mid-log (OD550=0.5) culture grown in SOB medium. Cells were washed three times in ice-cold water, and finally resuspended in ice-cold water to a cell density of 10¹¹ cells/ml (OD550=150). 1 µl of the ligation-mix 20 was used for electroporation of 30 µl of electrocompetent DH10B E. coli using a Eurogentec Easyject Plus electroporator (Eurogentec, Seraing, Belgium), with settings of 2.5 kV, 25 μ F, and 99 Ω , in 2 mm wide electroporation cuvettes. After electroporation, cells were resuspended in 600 µl of SOC medium, allowed to recover for 45 minutes at 37°C with gentle shaking, and then plated on LB agar 25 containing 12.5 µg/ml chloramphenicol (CM), 50 µg/ml X-gal, and 25 µg/ml IPTG. The plates were incubated overnight and recombinants (white colonies) were picked manually to 96 well plates. Each clone was inoculated 3 times (2 X 200 μl and 1 X 100 μl of 2YT/12.5 μg/ml CM per clone) and incubated overnight. One of the microtiter plates, containing 100 µl culture per well, was 30 maintained as a master plate at - 80°C after 100 ml of 80% glycerol were added to each well, while minipreps (Sambrook et al., 1989) were prepared from the remaining two plates to check for the presence of inserts. Clones containing inserts were then designated "Rv" clones, repicked from the master plate to a second set of plates for storage of the library at -80°C. 35

10

15

20

gels.

35

6. Preparation of DNA for sizing, direct sequencing and comparative genomics. A modified Birnboim and Doly protocol (Birnboim et al., 1979) was used for extraction of plasmid DNA for sequencing purposes. Each Rv clone was inoculated into a 50 ml Falcon polypropylene tube containing 40 ml of 2YT medium with 12.5 µg/ml of CM and grown overnight at 37°C with shaking. Cells were harvested by centrifugation and stored at -20°C. The frozen pellet was resuspended in 4 ml of Solution A (50 mM glucose, 10 mM EDTA, 25 mM Tris, pH 8.0) and 4 ml of freshly prepared solution B (0.2 M NaOH, 0.2% SDS) was then added. The solution was gently mixed and kept at room temperature for 5 minutes before adding 4 ml of ice-cold solution C (3M Sodium Acetate, pH 4.7). Tubes were kept on ice for 15 min, and centrifuged at 10,000 rpm for 15 min. After isopropanol precipitation, the DNA pellet was dissolved in 600 µl RNase solution (15 mM Tris HCl pH 8.0, 10 µg/ml RNase A). After 30 minutes at 37°C the DNA solution was extracted with chloroform:isoamylalcohol (24:1) and precipitated from the aqueous phase using isopropanol. The DNA pellet was then rinsed with 70% ethanol, air-dried and dissolved in 30 µl distilled water. In general, DNA prepared by this method was clean and concentrated enough to give good quality results by automatic sequencing (at least 300 bp of sequence). For a few DNA preparations, an additional polyethylene glycol (PEG) precipitation step was necessary, which was performed as follows. The 30 µl of DNA solution were diluted to 64µl, mixed gently and precipitated using 16 µl 4M NaCl and 80 µl of 13% PEG 8000. After 30 min on ice the tubes were centrifuged at 4°C, the pellet carefully rinsed with 70% ethanol, air-dried and diluted in 20 µl of distilled water.

- 7. Sizing of inserts. Insert sizes were determined by pulsed-field gel electrophoresis (PFGE) after cleavage with DraI (Promega). 100-200 ng of DNA was DraI-cleaved in 20 μl total reaction volume, following the manufacturer's recommendations, then loaded onto a 1% agarose gel and migrated using a pulse of 4 s for 15 h at 6.25 V/cm at 10°C on an LKB-Pharmacia CHEF apparatus.
 Mid-range and low-range PFGE markers (New England Biolabs) were used as size standards. Insert sizes were estimated after ethidium bromide staining of
 - 8. Direct sequencing. For each sequencing reaction 7 μ l BAC DNA (300-500ng), 2 μ l primer (2 μ M), 8 μ l reaction mix of the Taq DyeDeoxy Terminator cycle sequencing kit (Applied Biosystems) and 3 μ l distilled water were used.

After 26 cycles (96°C for 30 sec; 56°C for 15 sec; 60°C for 4 min) in a thermocycler (MJ-research Inc., Watertown, MA) DNA was precipitated using 70 µl of 70% ethanol/0.5 mM MgCl₂, centrifuged, rinsed with 70% ethanol, dried and dissolved in 2 µl of formamide/EDTA buffer. SP6 and T7 samples of 32 BAC clones were loaded onto 64 lane, 6% polyacrylamide gels and electrophoresis was performed on a Model 373A automatic DNA sequencer (Applied Biosystems) for 12 to 16 hours. The sequences of oligonucleotides used as primers are shown in Table 1.

9. DOP-PCR. As an alternate procedure we used partially degenerate oligonucleotides in combination with vector-specific (SP6 or T7) primers to amplify insert ends of BAC clones, following a previously published protocol for P1 clones (Liu et al., 1995). The degenerate primers Deg2, Deg3, Deg4, Deg6 (Table 1) gave the best results for selected amplification of insert termini.

15 Table 1: Primers used for PCRs and sequencing

Vector specific Primers for DOP PCR- first amplification step:

SP6-BAC1: AGT TAG CTC ACT CAT TAG GCA

T7-BAC1: GGA TGT GCT GCA AGG CGA TTA

Vector specific Primers (direct sequencing, nested primer for second PCR step)

20 SP6 Mid: AAA CAG CTA TGA CCA TGA TTA CGC CAA

T7-Belo2: TCC TCT AGA GTC GAC CTG CAG GCA

Degenerate Primers:

Deg2: TCT AGA NNN NNN TCC GGC

Deg3: TCT AGA NNN NNN GGG CCC

25 Deg4: CGT TTA AAN NNN NWA GGC CG

Deg6: GGT ACT AGT NNN NNW TCC GGC

Primers used for the amplification of M. bovis DNA in polymorphic chromosomal region of Rv58:

Primer 1: ACG ACC TCA TAT TCC GAA TCC C

30 Primer 2: GCA TCT GTT GAG TAC GCA CTT CC

10. Screening by pooled PCR. To identify particular clones in the library which could not be detected by random end-sequencing of the 400 BAC clones, PCR-screening of DNA pools was performed. Primers were designed for regions of the chromosome where no BAC coverage was appearent using cosmid-or H37Rv

35

10

15

20

25

30

whole genome shotgun sequences. Primers were designed to amplify approximately 400-500 bp. Ninety-six-well plates containing 2YT/12.5 μg/ml CM per well were inoculated with 5 μl of -80°C glycerol stock cultures each from the master plates and incubated overnight. The 96 clones of each plate were pooled by taking 20 µl of culture from each well and this procedure was repeated for 31 plates. Pooled cultures were centrifuged, the pellets were resuspended in sterile water, boiled for 5 minutes, centrifuged and the supernatants kept for PCRs. As an initial screening step, the 31 pools of a total of 2976 BACs, representing about two thirds of the library were tested for the presence of a specific clone using appropriate PCR primers. PCR was performed using 10 µl of supernatant, 5 µl of assay buffer (100 mM bmercaptoethanol, 600 mM Tris HCl (pH 8.8), 20 mM MgCl₂, 170 mM (NH₄)₂SO₄), 5 µl of Dimethylsulfoxide (DMSO), 5 µl of dNTPs (20 mM), 5 µl of water, 10 µl primer (2 µM), 10 µl inverse primer (2 µM) and 0.2 units of Taq DNA polymerase (Boehringer). 32 cycles of PCR (95°C for 30 s, 55°C for 1 min 30 s. 72°C for 2 min) were performed after an initial denaturation at 95°C for 1 min. An extension step at 72 °C for 5 min finished the PCR. If a pool of 96 clones yielded an appropriate PCR product (Fig. 1A), subpools were made to identify the specific clone. Subpools representative for lane A of a 96 well plate were made by pooling clones 1 to 12 from lane A into a separate tube. Subpools for lanes B to H were made in the same way. In addition, subpools of each of the 12 rows (containing 8 clones each) were made, so that for one 96 well plate, 20 subpools were obtained. PCR with these 20 subpools identified the specific clone (Fig. 1B, lower gel portion). If more than one specific clone was present among the 96 clones of one plate (Fig. 1B, upper gel portion), additional PCR reactions had to be performed with the possible candidates (data not shown).

11. Genomic comparisons. DNA from the BAC clone Rv58 was digested with the restriction endonucleases EcoRI and PvuII, and resolved by agarose gel electrophoresis at low voltage overnight (1.5 V/cm). DNA was transferred via the method of Southern to nitrocellulose membranes (Hybond C extra, Amersham) following standard protocols (Sambrook et al., 1989), then fixed to the membranes at 80°C for 2 hours. The blot was hybridized with ^{32}P labelled total genomic DNA from M. uberculosis H37Rv, M. bovis type strain (ATCC 19210) or M. bovis BCG Pasteur. Hybridization was performed at 37°C overnight in

10

15

20

25

30

35

50% formamide hybridization buffer as previously described (Philipp et al., 1996b). Results were interpreted from the autoradiograms.

12. Computer analysis. Sequence data from the automated sequencer ABI373A were transferred as binary data to a Digital Alpha 200 station or Sun SparcII station and analysed using TED, a sequence analysis program from the Staden software package (Dear et al., 1991). Proof-read sequences were compared using the BLAST programs (Altschul et al., 1990) to the *M. tuberculosis* H37Rv sequence databases of the Sanger Centre, containing the collected cosmid sequences (TB.dbs) and whole-genome shotgun reads (TB_shotgun_all.dbs) (http://www.sanger.ac.uk/). In addition, local databases containing 1520 cosmid end-sequences and the accumulating BAC end-sequences were used to determine the exact location of end-sequenced BACs on the physical and genetic map. MycDB (Bergh et al., 1994) and public databases (EMBL, Genbank) were also used to compare new sequences, but to a lesser extent. The organization of the open reading frames (ORFs) in the polymorphic region of clone Rv58 was determined using the DIANA software established at the Sanger Centre.

EXAMPLES

Example 1: Construction of a pBeloBAC11 library of *M. tuberculosis* H37Rv.

Partial HindIII fragments of H37Rv DNA in the size range of 25 to 180 kb were ligated into pBeloBAC11 and electroporated into strain E. coli DH10B. While cloning of fractions I (25 to 75 kb) and II (75 to 120 kb) gave approximately 4 x 10⁴ transformants (white colonies), cloning of fraction III (120 to 180 kb) repeatedly resulted in empty clones. Parallel cloning experiments using partial HindIII digests of human DNA resulted in stable inserts for all three fractions (data not shown), suggesting that the maximum size of large inserts in BAC clones is strongly dependent on the source of the DNA. Analysis of the clones for the presence of inserts revealed that 70 % of the clones had an insert of the appropriate size while the remaining 30% of white colonies represented empty or lacZ'-mutated clones. Size determination of randomly selected, Dralcleaved BACs via PFGE showed that the insert sizes ranged for the majority of the clones between 40 kb and 100 kb with an average size of 70 kb. Clones with inserts of appropriate size were designated with "Rv" numbers, recultured and stored at -80°C for further use.

15

20

25

30

35

Example 2: Direct DNA sequence analysis of BACs.

To characterize the BAC clones, they were systematically subjected to insert termini sequencing. Two approaches, direct sequencing of BAC DNA and PCR with degenerate oligonucleotide primers (DOP), adapted to the high G+C content of mycobacterial DNA, were used. In a first screening phase, 50 BAC clones designated Rv1 to Rv50 were analysed using both methods in parallel. Except for two clones, where the sequences diverged significantly, the sequences obtained by the two methods only differed in length. Sequences obtained directly were on average about 350 bp long and for 95% of the clones both the SP6 and T7 end-sequences were obtained at the first attempt. Sequences obtained by DOP-PCR were mostly shorter than 300 bp. For 40% of the BACs we obtained only very short amplicons of 50 to 100 base pairs from one end. In two cases the sequence obtained with the DOP-PCR differed from the sequences obtained by direct sequencing, and in these cases E. coli or vector sequences were amplified (data not shown). Taking the advantages and disadvantages of both methods into account, we decided to use direct termini sequencing for the systematic determination of the SP6 and T7 end-sequences.

Example 3: Representativity of the library.

After having determined the end-sequences of 400 BACs a certain redundancy was seen. The majority of clones were represented at least 3 to 4 times. Maximum redundancy was seen in the vicinity of the unique rrn operon, as 2.5 % of the clones carried identical fragments that bridge the cosmids Y50 and Y130 (Fig. 3, approximate position at 1440 kb). The majority of clones with identical inserts appeared as two variants, corresponding to both possible orientations of the HindIII fragment in pBeloBAC11. This suggests that the redundancy was not the result of amplification during library construction, but due to the limited number of possible combinations of partial HindIII fragments in the given size-range of 25 to 120 kb. To detect rare BAC clones, a pooled PCR protocol was used. Primers were designed on the basis of the existing cosmid sequences and used to screen 31 pools of 96 BAC clones. When positive PCR products of the correct size were obtained, smaller subpools (of 8 or 12 clones each) of the corresponding pool were subsequently used to identify the corresponding clone (Figs. 1A and 1B). With this approach 20 additional BACs (Rv401-Rv420) were found for the regions where no BACs were found with the initial systematic sequencing approach. The end-sequences of these BACs

10

15

20

25

30

35

(Rv401-420) were determined by direct sequencing, which confirmed the predicted location of the clones on the chromosome. A 97% coverage of the genome of H37Rv with BAC clones was obtained. Only one region of \sim 150 kb was apparently not represented in the BAC library as screening of all pools with several sets of specific primers did not reveal the corresponding clone. This was probably due to the fact that *HindIII* fragments of mycobacterial DNA larger than 110 kb are very difficult to establish in *E. coli* and that a *HindIII* fragment of \sim 120 kb is present in this region of the chromosome (data not shown).

Example 4: Establishing a BAC map.

Using all end-sequence and shotgun-sequence data from the H37Rv genome sequencing project, most of the BAC clones could then be localized by sequence comparison on the integrated map of the chromosome of M. tuberculosis strain H37Rv (Philipp et al., 1996b) and an ordered physical map of the BAC-clones was established. PCR with primers from the termini sequences of selected BACs were used for chromosomal walking and confirmation of overlapping BACs (data not shown). The correct order of BACs on the map was also confirmed more recently, using 40,000 whole genome shotgun reads established at the Sanger Centre. In addition, pulsed-field gel electrophoresis of DraI digests of selected BACs was performed (Fig. 2) in order to see if the approximate fragment size and the presence or absence of Dral cleavage sites in the insert were consistent with the location of the BACs on the physical map (Fig. 3). Comparison of the sequence-based BAC-map with the physical and genetic map, established by PFGE and hybridization experiments (Philipp et al., 1996b), showed that the two maps were in good agreement. The positions of 8 genetic markers previously shown on the physical and genetic map were directly confirmed by BAC-end-sequence data (Table 2, Fig. 3). The position of 43 from 47 Y-clones (91%) shown on the physical and genetic map, which were later shotgun sequenced, was confirmed by the BAC end-sequences and shotgun sequence data. Four clones (Y63, Y180, Y251, and Y253) were located to different positions than previously thought and this was found to be due to book keeping errors or to chimeric inserts. Their present approximate location relative to the oriC is shown in Figure 3: Y63 at 380 kb, Y63A at 2300 kb, Y180 at 2160 kb, Y251 at 100 kb, and Y253 at 2700 kb. A total of 48 BACs, covering regions of the chromosome, not represented by cosmids were then shotgun sequenced (Cole et al., 1997), and these are squared in Fig. 3. No chimeric BACs

15

20

were found, which is consistent with the observations of other research groups for other BAC libraries (Cai et al., 1995; Zimmer et al., 1997). The absence of chimeric BACs was of particular importance for the correct assembly of the *M. tuberculosis* H37Rv sequence. The exact position of the BAC termini sequences on the chromosome will be available via the world wide web (http://www.pasteur.fr/MycDB).

Table 2: Identities of genetic markers previously shown on the integrated and genetic map of H37Rv (Phlipp et al., 1996b) wich showed perfect sequence homology with BAC ens sequences.

Locus	BAC end	Description of genetic marker	Organism	GenBank Accession
	sequence			п°
ара	Rv163SP6	Secreted		
		alanine-proline-rich antigen	M. tuberculosis	X80268
dnaJ, dnaK	Rv164T7	DnaJ hsp	M. leprae	M95576
fop-A	Rv136T7	Fibronectin binding protein	M. tuberculosis	M27016
polA	Rv401T7	DNA polymerase I	M. tuberculosis	L11920
ponA	Rv273T7	Penicillin binding protein	M. leprae	S82044
ps1C	Rv103T7	Putative	M. tuberculosis	Z48057
•		phosphate transport receptor		
recA	Rv415SP6	Homologous recombination	M. tuberculosis	X58485
wag9	Rv35SP6	35-kDa antigen	M. tuberculosis	M69187

Example 5: Repetitive end-sequences.

Repetitive sequences can seriously confound mapping and sequence assembly. In the case of the BAC end-sequences, no particular problems with repetitive sequences were observed. Although nine clones with one end in an IS1081 (Collins et al., 1991) sequence were identified, it was possible to correctly locate their position on the map using the sequence of the second terminus. Moreover, these BACs were used to determine the exact locations of IS1081 sequences on the map. Five copies of this insertion sequence, which

10

15

20

25

30

35

harbors a *Hind*III cleavage site, were mapped on the previous physical and genetic map. In contrast, BAC end-sequence data revealed an additional copy of IS1081 on the *M. tuberculosis* H37Rv chromosome. The additional copy was identified by six clones (Rv27, Rv118, Rv142, Rv160, Rv190, Rv371) which harbored an identical fragment linking Y50 to I364 (Fig. 3, at ~ 1380 kb). This copy of IS1081 was not found by previous hybridization experiments probably because it is located near another copy of IS1081, localized on the same 10ral fragment Z7 and AsnI fragment U (Fig. 3, at ~ 1140 kb). Furthermore, the position of a copy of IS1081 previously shown in Dral fragment Y1 (Fig. 3, at ~ 1840 kb) had to be changed to the region of Y349 (Fig. 3, at ~ 3340 kb) according to the end-sequences of BAC Rv223. The positions of the four other IS1081 copies were confirmed by the sequence data and therefore remained unchanged. In total 6 copies of IS1081 were identified in the H37Rv genome in agreement with the findings of others (Collins et al., 1991).

In addition, a sequence of 1165 bp in length containing a *Hin*dIII site was found in two copies in the genome of H37Rv in different regions. The end-sequences of BAC clones Rv48 and Rv374, covering cosmid Y164, as well as Rv419 and Rv45, that cover cosmid Y92, had perfect identity with the corresponding parts of this 1165 bp sequence (Fig. 3, at ~ 3480 kb and ~ 900 kb). Analysis of the sequence did not reveal any homology with insertion sequences or other repetitive elements. However, as each of the two locations showed appropriate BAC coverage, chimerism of the sequenced cosmids Y164 and Y92 can be ruled out as the probable cause.

Example 6: Using BAC clones in comparative genomics.

The minimal overlapping set of BAC clones represents a powerful tool for comparative genomics. For example, with each BAC clone containing on average an insert of 70 kb, it should be possible to cover a 1Mb section of the chromosome with 15 BAC clones. Restriction digests of overlapping clones can then be blotted to membranes, and probed with radiolabelled total genomic DNA from, for example, *M. bovis* BCG Pasteur. Restriction fragments that fail to hybridize with the *M. bovis* BCG Pasteur DNA must be absent from its genome, hence identifying polymorphic regions between *M. bovis* BCG Pasteur and *M. tuberculosis* H37Rv. The results of such an analysis with clone Rv58 (Fig. 3, at ~1680 kb) are shown here. This clone covers a previously described polymorphic genomic region between *M. tuberculosis* and *M. bovis* BCG strains (Philipp et

10

15

20

25

30

35

al., 1996a). EcoRI and PvuII digests from clone Rv58, fixed on nitrocellulose membranes, were hybridized with ^{32}P -labelled total genomic DNA from M. tuberculosis H37Rv, M. bovis (ATCC 19120), and M. bovis BCG Pasteur. Figures 4A and 4B present the results of this analysis, where it is clear that several restriction fragments from clone Rv58 failed to hybridize with genomic DNA from either M. bovis or M. bovis BCG Pasteur. On the basis of the various missing restriction fragments, a restriction map of the polymorphic region was established and compared to the H37Rv sequence data. The localization of the polymorphism could therefore be estimated, and appropriate oligonucleotide primers (Table 1) were selected for the amplification and sequencing of the corresponding region in M. bovis. The alignment of M. bovis and M. tuberculosis H37Rv sequences showed that 12,732 bp were absent from the chromosomal region of the M. bovis type strain and M. bovis BCG Pasteur strain. The G+C content of the polymorphic region is 62.3 mol%, which is the same as the average genome G+C content of the M. tuberculosis genome, hence indicating that this region is not a prophage or other such insertion. Subsequent PCR studies revealed that this segment was also absent from the Danish, Russian, and Glaxo substrains of M. bovis BCG, suggesting that this polymorphism can be used to distinguish M. bovis from M. tuberculosis. Analysis of this sequence showed that 11 putative open reading frames (ORFs) are present in M. tuberculosis, corresponding to ORFs MTCY277.28 to MTCY277.38 / accession number Z79701 -EMBL Nucleotide Sequence Data Library (Fig. 5). FASTA searches against the protein and nucleic acid databases revealed that the genes of this region may be involved in polysaccharide biosynthesis. Among these putative genes, the highest score was seen with ORF 6 (MTCY277.33), whose putative product shows a 51.9% identity with GDP-D-Mannose dehydratase from Pseudomonas aeruginosa (accession number U18320 - EMBL Nucleotide Sequence Data Library) in a 320 amino acid overlap. The novel M. bovis sequence of the polymorphic region was deposited under accession number AJ003103 in the EMBL Nucleotide Sequence Data Library.

As it appears from the teachings of the specification, the invention is not limited in scope to one or several of the above detailed embodiments; the present invention also embraces all the alternatives that can be performed by one skilled in the same technical field, without deviating from the subject or from the scope of the instant invention.

Table 3: End-sequences of the polynucleotide inserts cloned in the named recombinant

BAC vectors contained in the I-1945 M. tuberculosis H37Rv genomic DNA library.

RvXXXSP6 corresponds to the SP6 end-sequence of the clone RvXXX.

RvXXXT7 corresponds to the T7 end-sequence of the clone RvXXX.

RvXXXIS 1081 corresponds to a region located close to a copy of the IS1081 repetitive sequence (Insertion element).

The character « - » denotes an uncertain base residue.

Clone Rv102

AATACTCAAGCTTTCCGCCGATACCCGCCATGTCGCGCACATCCAGGACTTCTGGGGGGGATCCGCTGACAGCGGCGGGATCCCAAAGTGCGGATGATCGGGCCGCTACGTCGTGGTGACACCGCACGCGAAACCGAAACCGAAGCGTATGACTCGGTCCACGCGGTGCGGCACATGGTGGACACCACCCGCCACCGCACGGGGTGAAGGCCTATGTCACCGGTCCGGCAGCACCACACGCCACCGCACGGGGTGAAGGCCTATGTCACCGGTCCGGCAGCACCACACATGGTGATCGCAACATGGTGATCGCAACATGGTGATCGCAGCAACATGGTGATCGCAGCAACATGGTGATCGCAGCAACATGGTGATCGCAGCAACATGGTGATCGCAGCAACATGGTGATCGCAGCAACATGGTGATCACCGCGGTTCT

Clone Rv103

:::::::::::Rv103SP6.seq:::::::::::::::

AATACTCAAGCTTTCGGCGGAAACGGACACATTGCGAATATTGATGACAAAATAAAAATCATTGATGGTTTTGAGTCACCAGGCCGATCAAGCCTTCGCCGAGCCAAATTCCAATCAAGAGGCCCAAGCCCGTACCAATCAGCCCGGCAACGAGGGAACGAGGGATCCGTCATTATCAGCCAAAAATAACTGCTCTCGGGTTACACCCAAACAGCGCAATATGGCGAAAAAACGGTCGCCGTTGCACGACATTAAATGTCACGGTATTGTAGATTAAAAAGATACCCAC

TGCTCCCGAAACCTGGGGGTGTGCCTGCTCTGTATGCACGGCATACGGACATCCTTCCCCTGAGACCCGCGGTCGAACCAGCCACGTGTCCATCATAGNGGGTCAACCCCGGCCAAGGGCGACGCCAAGTTCGCCGACCGTTAACCTAGTGCTGTTAGCTTCATTTGCTGCGATCAAAACAGCTGGTCGGCCGTTAGGAACTGAATTGAAACTCAACCGATTTGGTGCCGCGTAGGTGTCCTGGCTGCGGTGCGCTGTGTTGTCCGCGTGTGGTAACGACAATGTGACCGGGGGGAGGTGCAACCGACAATGTGACCGGGGGGAAGAAGACACTCAAAGCCAGTGGCCAAAGGTCGATTGCGGGGGGGAAGAAAACACCTCAAAGCCAGTGGGT

Clone Rv104

::::::::::::Rv104SP6.seq:::::::::::::

ATACTCAAGCTTTGCCGACGACGGGCGATGTTGATGACGGGAAACCCCAGCGCACAACCGACGATTTTGGCGTAGCC
GGCGGACGTCTGCTCGATTCCGATCACGTCGGCGCTCGCATCGAGCATGGCGCCGCGCGACGGCTAGCAGCGATCCGCC
GTCGTCGAGGAGCACGACGACGCCGTACGCCCGGCCCTAAGCCGCCCCAGGATTCGGCGAAAAACCGTTCTACGTG
GCJGGTGTACTGGGTGTCGAATGATTCGTGGGGTGCGTAGGCGTCCTGCAATCGTCGACATAGATGCCGTCGGGCCG
CATCGCGTCGACAACTCCGGGTGAGTGGAATAGCACTTGCCGATCACCGCGACGTTGCGCGGATGAGGCCGAACCCGA
ATA

TCCTATGTCCCTGCCGAGCANGTGATCGAACGCGGTGACAGATTTGTCTATCCTGGACCTGACGGTGAGGTCGAAGTT
TTCCAGGAATTCGGCAAAATCGGTAAGAGCCTGAAGAATTCGGTATCGCCGGACGAAATCTGCGACGCATACGGGGGC
ATATACGCTTCGGGTTTACGAGATGTCGATGGGGCCGCTGGAGGCTTCACGTCCATGGGCCACAAAGGATGTTGTCGG
CGCGTACCGTTTTCTGCAGCGGGTGTGGCGCTTGGTCG

Clone Rv105

GGTACGCTTCGGTCGCAGTCTGCGAGTGATGCATGACGACCGGGACCTCGTCGGCATCTTCCATAGCCCGCCACACCT TCAGTTGCTCACCGGAATCCAACCGGTAGAAGGTCGGCGAGCGCTCGGCATTGGTCATCGGGATATGCCGCTCGGGAC GGTCAGAGCCCTCGGGTCCGGCCAGCACTCCGCAGGCTTCGTCGGGGTGGTCGCGACGCGCATGGGCCACCATCGCAT TCACCAGGTCTGCGCGAATCACCAGCACGTAGACGGTTCCTTTCCTAAGCAACACCGAAGTTTCAGGACCCGAATGCT CCGGGAAACATGTCACGGTAGGTCGGTATTCCGGCTACCGGCTGA

Clone Rv106

Clone Rv107

Clone Rv108

:::::::::Rv108T7D4.seq::::::::::::

TGAATTTCCCGATCCCACAATCTCGGTTCAGATACAGGTCGCCATACCCCTTACTTCGGCAACGCTGGGCGGATTGGCCCTTGCNGCTGCAGCAAACCATCGACGCCATCGAATTGCCGGCAATCTCGTTCAGCCAATCCATACCCATCGACATTCCGCCGATCGACATCCCATCGACATTCCGCCGATCGACATCCCGGCCTTCACCCTTTAACGG

Clone Rv109

:::::::::::Rv109SP6.seq:::::::::::::

GACCGNNCCATGTTTCCACAATGTGGTGCCAGTNCGGNGGCTACGTGCCATCNANACACTGGCGCAGGCTATCGCACC
CGTTATCNGCTACGAACAAATCNCGGTATGCGTTCTTTANCATGAGTCGGCGACCGNCGATCATGGTCGACACCCACG
ACNGAAATACGCAGATCGCCNTCNAGCNTGTGTGCCGCGGATTATCANGACTGACCTCCTGGCTGACCGGNNTGTNTG
GTCGCGATGCCTGGCGCCCGGCCGGCGTGNTCGTGGTCGGCTCGGATAGCGAAGTCAGCTAATTCTCGTGGCAGCTCG
AAAGGGTCCTGCCGGTGCCGGTCTTTGCGCAAACCATGCNCATGTTACGGTCCCTCGGGTGCGGCCTGGCGGCGGC

Clone Rv10

:::::::::::Rv10SP6D2.seq::::::::::::

GGGATGGCCGGCCCGCTAAACTCTTCGTGTTCCACTAACTCCGGGAGGGNCAATCTCGGGCCGTTATGGCTCACGTCGCCCCCCCGACCGCGAACATTCGGAGTTGGCAGCAACCTGGTAGCACCCTGGCCGG

NCCGTCGTTGACAAGTAAATATGTCCGCAAAAGTCTCAGCGGCCGACTTTGCTCGCAGGTGGCGGTACCGCCACCG AGTCGATGCCGTGGTCGCGGAAGAATGCCTCCCGAAATCGCACGGCCTTCCCNNTTTAAACGGA

Clone Rv110

CTACACCATCGAATACGACGGCGTCGCCNACTTTCCGCGGTACCCGCTCAACTTTGTGTCGACCCTCAACGCCATTGCCGCGCACCTCAACTCCAACTCCTACTGCCGCGCACCTCAACTTCATCCTGACGCCGGAACAAATTGACGCAGCGGTTCCGCTGACCAATACGGTCGCGCCCACGATGACCCAGTACTACATCATTCGCACGGANAACCTGCCGCTGCTAGAGCCACTGCGATCGGTGCCGATCGTGCGGAACCCACTGGCGAACCTGGTTCAACCAAACTTGAANGTGATTGTTAACCTGGGCTACNGCGACCCGGCCTATGGTTATTCNACCTCNCCGCCCAATGTTGCGACTCCGTTCGGGTTGTTCCCANAAGTCNNCCCGGTCGTCATCGCCGAANCTCTCNTCCCGGGACCCACAGGGAATCNGCNATTTCNCCTACAAATCANCCACCTCCA

Clone Rv111

GCATGATCGGCCACCTTTCGGGCCGGCCATACGGCGGCGTACCGATCTCCGCGTCATACACCCGCGGGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAAGGTGACGACTCTGATTGAATCGAGTTCCAGGGTCCAGCGGGTGGCGCACCAACGGCGAGCTCAACGACGTCAATCNCGTTGTCGCTTTCTACGGTCACCGACCCTGGTGACCGTAGTTCNCCCG

Clone Rv112

::::::::Rv112SP6.seq::::::::::::

::::::::::Rv112T7.seq:::::::::::

TCGGCGCCATCGGCACCTTCGAGGACCTGTATTTCGACGCCGTGGCCNACCTGAGGTTGGCGGTGGACNAAGTGTGCACCCGGTTGATTCGCTCGGCCTTGCCGGATGCCACCCNGCGCCTGGTGGTCGATCCGCNAANAGACAANTTGTGGTGGANGCTTCTGCTGCCTGCCGACCCCACACGTGGTGGCACCCGGCAGCTTTAGCTGGCATGTCCTGACCGCGCTGGCCGACCCCACACGCCCNACCCAATGTNCCGNANTGTCTCCGGNTCCCTTTACCNCCCAATGGGCNGTTCCACNGGTTACGGGCCCCTTCCCGGACCTCCCCAANCTACCAAATACGCCCGACNTTCCGGA

Clone Rv113

Clone Rv114

```
::::::::::::Rv114SP6.seq:::::::::::
```

CGGTTGCCACCGCTTCTGCGGTGCCGCCGCCGTCGACAATGACCGTGTCGTCCTTGCTGACCACCACGCGTCGGGCCGAGCCCAGCACCTCCAAGCCCACCCCGCGCAGCACCATGCCGGCGTTGACCACCTTGACCACCTCCAAGCCCACCTTACGGCGGTCACCACCTTGACGGCTCTCAAGGAAACGCCTTACGGCGGTCACCACGTCTTGACGCCCTTGACCGCGACCGCTTTCAACGTCTTTGCGAATCAGTACGACCACGATCAGTAGTGGCTTACCCGTTCCTGCAACCTTTTCCAGCAACAATGGCAACAGATCGGGAAGCGAACTGATCTTGTTCTTGGTGCN

Clone Rv115

```
::::::::::Rv115SP6.seq:::::::::::
```

GCCCGCNCATGGCCAATCCCCGAAGACATCATTGGCCAGTGGCCGGGCGCTAACAGGTTCCAGCCCCCCACCANTGCC GCTCGAACATGCGGTGCAACCCATTCGCAGGCCGGCAGGGAAGCCCGCGAAGGGCTGCAGTTCCGCG CCCAATAATGTCGTCCGCAACCAGATGCGCTCNAAAACCNCNCCCGGCAGTCAGCGCACCCGAGCGCANGTCGAAAGAC GTCNTCAGCGCGCCCCACATGGGGTGCCAATCGGCACCGAGCGCGCAACCCGAGCGCGTGGTGCATGCCC ACGGTCCGCANGANGCGCANCACCGCCAATGCCGCAANCCCACGAAACATCGGGCGCATCCACCTTCAACC

Clone Rv116

```
::::::::::Rv116SP6.seq:::::::::::
```

Clone Rv117

:::::::::Rv117T7D4.seq:::::::::::

Clone Rv118

GAGGCAGCTTCGCCGGCAATTCTACTAGCGAGAAGTCTGGCCCGATACGGATCTGACCGAAGTCGCTGCGGTGCAGCC
CACCCTCATTGGCGATGGCGCCGACGATGGCGCCTTGGCCCTTGCCGACGCGACGCGGTAGGTGG
TCAAGTCCGGTCTACGCTTGGGCCTTTGCGGACGGTCCGGACGCTGGTCGCGCTTGCCGCCGCGAAAGCGGCGGGTCGG
GTGCCATCAGGAATGCCTCACCGCCGCGGCACTGCACGGCCAGTGCCGCGCGATGTCAGCCATCGGGACATCATGCT
CGCGTTCATACTCCTCGACCAGTCGGCGGAACAGCTCGATTCCCGGACCGCCCAGCGCATTTGGTGATGGAATCGGCGA
ACTTGGCCACCCGCTGGGTGTTGACATCCTCGACGGTGGCAATTGCGCCTCGGTAAGCTTTTGCCGCGTAGCCTTTTC
ATC

Clone Rv119

::::::::::Rv119SP6.seq:::::::::::

TCCATCACCCGATGTGGCNGGAGCACTGCCATGTCGATCTCAACTACCACCTCCGGCCGTGGCGGTTGCGCGCCCCGGGGGGTCCGCGCGAACTCGACGAGGAGAAATCGCCANCACCCCGCTGAACCGCGACCACCCGCTGTGGGAGATGTACTTCGTTGAGGGGCTTGCCAACCACCGGATCGCGGTGGTTGCCAAAATTCACCATGCGTTGGCTGACGGTGTTGCCTCGGCAAACATGATGGCACGGGGGATCGCCCGGGACCGGGACCGGAGGTCGGCCGCTATGTGCCTGACCCCGCTCCTACCAAGCGGCA

Clone Rv11

::::::::::Rv11SP6.seg::::::::::

:::::::::::Rv11T7.seq:::::::::::::

Clone Rv120

ATACTCAAGCTTCAGTTCCTCCACGACGCGTTCCCAAATGAATTTCCCGATCCCACAATCTCGGTTCAGATACAGGTCGCCATACCCCTTACTTCGGCAACGCTGGGCGGATTGGCCCTGCCGCTGCACCAAACCATCAACGCCTTCAAATTGCCGGCAATCTCGTTCAGCCAATCCAT

:::::::::Rv120T7.seq:::::::::::

Clone Rv121

:::::::::Rv121SP6.seq:::::::::::

ATACTCAAGCTTGCCAAAGAGACCTCGTCCACCAAGCAGGACGGCGACCGTCGAGGTGGCGATCCGGCTTGGCGTCGACCCGCCTCGAGGTGGCGAAACCAGATGGTTCGCGGCACGGTCAACCTGCCCACACCGGCACTGGTTAAGAACTGCCCGCGTCGCGCTTTTCCCGTGGGGGCGGATGTTGTCGGGAGTGACAATCTGATCAAAAGGATTCAGGGCGGTTGGCTGGAATTCAATGCCGCAATCGCGAATCGCGACACCGG

CCACGGCGTGGATCAAGGTACCGGCCGGGATGTTGCGCAATGGCAGGTTGTTGCCCGGCTTGATGTCGGCGTTAGCGCCGGATTCCACCACACCCCTTGCGAAAGTCCGTTGGGTGCAATGATGTAGCGCTTCTCCCCATCGAGATAGTGGAGCAACCCAATCCGTGCGGTACGGGTCGTACTCGATGTGCGCGACCTTGGCGTTGACACCATCTTTGTCATTGCGGCGAAAGTCGATCATCCGGTAAGCGCGCTTATGACCGCCGCCTTTGTGCCGGGTGGTAATCCGGCCATGCGCGTTGCGTCCACCGCGACGTGCAGCGGCGCACCAGCGACCTTCTCCGGGGTTGACCGGGTNATCTC

Clone Rv122

:::::::::Rv122SP6D2.seq:::::::::::

Clone Rv

GGGACACCTCGATGCTGCCGCNATGGACGCGGTCGAACGCAAGCAGCTGATCGAGCTACAACGCCGCGGGAACGC TTCCGCCGCGGGGCGTGACGCATCCCGTTGACCGGCCGGANCNCTCTCTA

Clone Rv124

:::::::::Rv124SP6D2.seq::::::::::::

ACGGCCGATGAGCTGACCGAGGTCGACAGCGCCGTGTTGGCTGACTTGGAACCGACATGGAGTCGCCCCGGTTGGCGT CACCTCAAGCATTTCAATGGTTATGCGACCAGTTTTTGGGTTACGCCGTCAGACATCACGTCGGAGACTTGGATGAGC TGTGTCTGCCAGATAGCCCCGAATCGGGACGACCGTGGTCACGGTGCGTTGACCACTCGGGTCGGGTCGCCCGCGCT ATCGGCATGGGTGCGTNATCACAGCGACACGCGCCTGCCCAAGGANGTNCGGNCGGACC

Clone Rv126

:::::::::::Rv126SP6.seq::::::::::::

:::::::::Rv126T7.seq::::::::::::

Clone Rv127

:::::::::::Rv127SP6.seq::::::::::::

::::::::::::Rv127T7.seq::::::::::::

CTTTCCGCGGTACCCGCTCAACTTTGTGTCGACCCTCAACGCCATTGCCGGCACCTACTACGTGCACTCCAACTACTT CATCCTGACGCCGGAACAAATTGACGCNGCGGTTCCGCTGACCAATACGGTCGGTCCCACGATGACCCAGTACTACAT CATTCGCACGGAGAACCTGCCGCTGCTACAGCCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGT TCAACCAAACTTGAAGGTGATTGTTAACCTGGGCTACGGCGACCCGGCCTATGGTTATTCGACCTCGCCGNCCAATGT TGCGACTCCGTTCGGGTTGTTCCAGANGTCAGCCCGGTCGTCATCGCCGACGCTCTCGTCN

Clone Rv128

:::::::::Rv128SP6.seq:::::::::::

:::::::::Rv128T7.seq:::::::::::

Clone Rv129

:::::::::::Rv129SP6.seq::::::::::::

GCGAAAGTCCGTTGGGTGCAATGATGTAGCGCTTCTCCCCATCGAGATAGTGGAGCAACGCAATCCGTGCGGTACGGT TCGGGTCGTACTCGATGTGCGCGACCTTGGCGTTGACACCATCTTTGTCATTGCGGCGAAAGTCGATCATCCGGTNNG

Clone Rv130

:::::::::Rv130SP6.seq:::::::::::

Clone Rv132

:::::::::Rv132SP6.seq::::::::::::

Clone Rv134

GCTTCCGGCTCGTATGTTGTGTGGAATTGTGACCGGATACCAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAGCTAGTTAGGTGACACTATACAATACTCAAGCTTGCCGGCTGGTGGGCCGACCACTTCGATGGCACGACCGTGAACTGCTGCCCGGCCCAATTCTTCTTGGTCGCCCGGACCGATGGACCGCGGCTGGGATTCCAGAAGGTGCCCGATCCCGCCCTGGGAAAAACCGCGTGCACCTCTACTTCACGACCAACGAC

Clone Rv135

Clone Rv136

::::::::::Rv136SP6.seq::::::::::::

TGCTTCCGGCTCGTATGTTGTGGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACG
CCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTCCGTACAGGTCGCCTCCAACACGGCGGGGAAGCGACACCA
GCCTACCGAGCTTGGAGTCCAGGACGCCAGCGGCGGCGTCGGTCTGCGTCGTGGTGCCGCCGGGGTGGCGTTGGCTGG
CAACGATCTCCACCCAGCCGGTCGGGTTACCCACGATCTCGGCATAGACGCGGGCCGAGGCCGGTGCGATACCGTATT
GCGTCAATTGGGACGCGGTTGTGCATTCGGCTAGCTCGGTTGCCACACCCGTCAGGGGTTCGACGTTGGCGGGTTCGG
CGGGCCCCAGCACCGCTGTCACCATGCCCGCCAAGCCGACCTGCGGCGCCACCAACT

Clone Rv137

,

TTCCAACCCTAATTGGCTTTCGGCCCCATCCGTGAGGACGGGGTGCCGGGTGCTCAACAACAACGTCGTCCGCGGGACA
CACCTCTATGCTGCCGCCATGGACGCGGTCCAACGCAAGCAGCTGATCGAGCTACAACCCCGCGGGAACGCTTCCGC
CGCGGGCGTGACCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGACGGCATCGCCACCGGAGCGACGGCC
AAGGCGGCGTGCCACGTCGCCCGGGCGCACGGTGCGACAACGACATC
GTGGCGAGATTCGCCGGGTACGCCGATGAGGTGGTGTTCTTGGCGCTTGTTCTTCGCCCTCGGGCAGGGT
TACCGCAACTTCAC

:::::::::Rv137T7.seq::::::::::

CAGGCATGCAAGCTTTCCGCCGATACCCGCCATGTCGCGCACATCCAGGACTTCTGGGGGGGATCCGCTGACAGCGGCGGGGGGATCCCAAAGTGCGGATGATCGCCCTACGTCGTGGTGTTACCTCGTCGGTAACAACGAAACCGAAGCGTATGACTCGGTCCACGGGGTCCACGGGGTGCGGCACACGGCCACGGCGCGAGGCCGACGCGCACGGGGTGAAGGCCTATGTCACCGGTCCGGCAGCCACTCAATGCCGACCAGGCCGAGGCCGAGGCCGAGCCAAAAAGTATCGCTAAGGTCACCGCCGATCACNAGCATGGTGATCGCAACAATGTTGCTAGTGATCTATCGCTCGTCATTTCACATTTGATCATCGCCAACCTGCTCTTCACATTTCACATTTGCACCAACCTGCTCTTCTCAT

Clone Rv138

::::::::::Rv138SP6.seq::::::::::::

CACTACTCAAGCTCTCTCNTCATTACCACCCCTGTAATTTGGGATGGGCAAAAAGGCGAAGCACCGCTTGGCCACNAA CGCCGGGAGGGACAATCTCGGGCGGCTTTGCCTCCCGGGAAGGCCCCAACGTACGCGTTTCAACACGTCGCGTC GCCCTCCGACCGCGAACATTCGGGGATTGGCACCAACCTGNTACCACCCTGGCCGGGCGATGATCTGCAGCGTCGCCG CGGGTAGTCCCCGGCCGGGCGGTACACGTCCGACGCAACCGTTCCTACACGGCGGATATTCTCCTCGCTGCCGCCGGTGGACCGTTGTTTTCCCCTGAAACCGACATCCCN

:::::::::Rv138T7.seq::::::::::

CAGGCATGCAAGCTTTCGTCAGTTCATTGCGCCAGCAGACCAACAAGAGCATCGGGACATACGGAGTCAACTACCCGG CCAACGGTGATTTCTTGGCCGCCGCTGACGGCGCGAACGACGCCAGCGACCACATTCAGCAGATGGCCAGCGCGTGCC GGGCCACGAGGTTGGTGCTCGGCGGCTACTCCCAGGGTGCGGCCGTGATCGACATCGTCACCGCCGCACCACTGCCCG GCCTCGGGTTCACGCAGCCGTTGCCGCCCGCAGCGGACGATCACATCGCCGCGATCGCCCTGTTCGGGAATCCCTCGG GCCGCGCTGGCGGGCTGATGAGCGCCCTGACCCCTCAATTCGGGT JCAAGAACATCAACCTCTGCAACAACGGCGACC CATTTGTTCGGACGCCAACCGGTGGCAACGCACCTAAGCTACTTGCCCGGGATGA

Clone Rv139

:::::::::Rv139SP6.seg:::::::::::

Clone Rv13

ATACTCAAGCTTGGGTGTAGCCGATCACCGGAAGTCNCATGATCAGCCACGTTCCGCGCCCCGGCATACGGTGGTGTACCGATCTCCGCGTCATACACCCGCGGGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAA

::::::::::::Rv13T7.seq::::::::::::

Clone Rv140

TCAACACGCCGCCAGCCACCACGGGGGTCGGGCCCGGGCCCGGGCCTCCAGGCTNCTCCGCTCGGTGATGGCACG CCACCGCGACACCACCCGGCTACGTCGAGCCATACCGGGCGGAGCTACATCGGCCCGGCCCCAGTGTTCGG GCCCTCTCGCCCAGGTCGAGGTCGACACCGATTTGCGCATCCGCAGCCGCACCCTGCGACACAGAACCGCGGCCCTA CCCACTGCTTGTCGGGCGGGGCCAAAGAACCAGCTTGNCATCCTGCCACAATTGGCCGGCCCCG

:::::::::Rv140T7.seg:::::::::::

CAGGCATGCAAGCTTCACGTCCGTACGGCTCGGGTACGCTTCGGTCGCAGTGTGCGAGTGATAGATGACGACCGGGACCTCGTCGGCATCTTCCATAGCCCGCCACACCTTCAGTTGCTCACCGGAATCCAACCGGTAGAAGGTCGGCCAGCGCTCGGCATTGGTCATCGGGATATGCCGCTCGGGACGGTCAGAGCCCTCGGGTCCGGGCCAGCACTCCGCAGGCTTCGTCGGGGTCGCGACGCCATGGGCCACCATCGCATTCACCAGGTCTGCGCGAATCACCAGCACGTAGACGGTTCCTTTCCTAAGCAACAC

Clone Rv141

:::::::::Rv141SP6.seq:::::::::::

AATATTCAAGCTTTCGGCGGAAACGGACNCCTTGCGAACATTGATAACAAAATAGAAATCATTGATGGTTTGAGTCAC CAGGCCGATCAAGCCTTCGCCGAGCCAAATCCAATCAAGAGGCCCAAGCCCGTACCAATCAGCCCGGCAACGAGGGA TTCCGTCNTTATCAGCCNAAATAACTGCTCTCGGGTACCACCCCAAACAGCGCCAATATGGCGAAAAACGGTCGCCGTTG CACAACATTAAATGTCTCGGTATTGATTAAAAAGATACCCACCACCAGGGCAATCCAACTGAGAGCGGTTAAATT GACCGTAAAAACCTCCCGTCATCTGTTT

:::::::::::Rv141T7.seq::::::::::::

Clone Rv142

GAAAGTGCCCCAAGGTGTTGGTGAAACTCGCTGGACGGTCCCCAGGATGTTGGCAGCACATTCACCGGACATGACCGG
AGCAAGACCGGACATCCTCCCATACCGTCGTCGCCGTGTACATCCGTAGCCCGTCCTGGCAGGTGCTGGGTTGAACAA
AATCAGCCCAACACCTGCCACGACGAAGAAGCGGGTTGCGCTGGCATGTCTTGTCGGCTCGGCGATCGAATTCTACGA
ATTCCTTATCTACGGGACCGCTGCGGCGCTGTTTTCCCACCGTGTTCTTCCCACCCTGGATCCCACGGTGGCCGC
CGTGGCCTCCAAGGGGACATTTGCTGTGGCGTTCCTATCCCGGCCGTTCGGCGCGCCGTCTTTGGATACTTTGGAGA
CCGCCTCGGCCGCCAGAAGACCCTGGTCGCCACACTGTTGATCATGGGCCTGGCAACCGTGACTGTTGGGCTGGTTCC
ACGACAGTGGCCATCGCGC

:::::::::Rv142SP6.seq:::::::::::

::::::::::Rv142T7.seq:::::::::::

CAGGCATGCAAGCTTTTTGAGCGTCTCGCGGGGCAGCTTCGCCGGCAATTCTACTAGCGAGAAGTCTGGCCCGATACG
GATCTGACCGAAGTCGCTGCGGTGCAGCCCACCCTCATTGGCGATGGCCCGACGATGGCGCCTGGACCGATCTTGTG
CCGCTTGCCGACGGCGACGCGGTAGGTGGTCAAGTCCGGTCTACGCTTGGGCCTTTGCGGACGGTCCCGACGCTGGTC
GCGGTTGCGCCGCCAAAGCCGGCGGTCGGGTCCATCATGAATGCCTCACCGCCGCCGCACTGCACGGCCAGTGCCCC
GGCGATGTCAGCCATCGGGACATCATGCTCGCGTTCATACTCCTCGACCAGTCCGCGGAACAGCTCCATTCCCGGACC
GCCCAACGC

Clone Rv143

:::::::::Rv143SP6.seq:::::::::::

Clone Rv144

::::::::::Rv144SP6.seq::::::::::::

ATACTCAAGCTTCCCGGCCGCAGGTGACGGCGCGGCCTAGCGCCACTTGATGCCGCACCGATCGACGGNCGTTGGTC
GGGGTTGACTGGCCGCCGGCGAGCAGGGCGTCAACCGCGGCCGGACGTCGGCGGCCGTCACCGGTCGGCCATTGCC
CGGGCGGGAGTCGTCGAGCTGACCACGGTAGACAAGTCGGCGCTGGCCGTCGAAGACAACGTGTCGGGTGTGCAGGC
CGCGGAGAAGGCCGNGGCGACGTCTCGGGTTTCGTCGTAGAGATACCGGAACGTCCAGCCGTGGCGGCGGCCTCGGC
GACCATCTGATCGGGCCCGTCCTGCGGGTAGGTGACCACGTCCTTACTGGAGATACCGACCATCGGGACCCTTTGATC
GGCGAGGTCCCGGCCGACCGTGGCCAATCCGGCGGCGACGTGTCCCCGTACCGGCCAGTGGTTC

Clone Rv145

:::::::::Rv145SP6.seq::::::::::::

CAGGCATGCAAGCTTCATGCCCGCGGCATGATAGCCACATGCACGCAATCGAACTCAGCGAAACCGGCGGCCAGGCGTCTTACGCCACCTCACCAGCGCGAACCTCAACCCGGCCACGGAGACCTCTGATC

Clone Rv146

::::::::::Rv146SP6.seq::::::::::::

CAGGCATGCAAGCTTGGCGTGCCGTTCCAACCCGAATTGGCTTTCGGCGCCCATCGGTGAGGACGGCGTGCGGGTGCTC
AACGACGACGTCGTCCGCGGGACACACCTCGATGCTGCCGCCATGGACGCGGTCGAACGCAAGCAGCTGATCGAGCTA
CAACGCCGCGGGGAACGCTTCCGCCGCGGGGCGTGACCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGAC
GGCATCGCCACCGGAGCGACGGCCAAGGCGGCGTGCCAGGTCGCCGGGCGCACGGTGCGGACAACGTGGTGCTGGCG
GTCCCCATCGGCCCAGACGACATCGTGGCGAGA

Clone Rv147

::::::::::Rv147T7.seq:::::::::::::

Clone Rv148

:::::::::Rv148SP6.seq:::::::::::

CAGGCATGCAAGCTTGGCGTGCCGTTCCAACCCGAATTGGCTTTCGGCGCCATCGGTGAGGACGGCGTGCGGGTGCTC
AACGACGACGTCGTCCGCTGGACACACCTCGATGCTGCCGCCATGGACGCGGTCGAACGCAAGCAGCTGATCGACGCTA
CAACGCCGCGCGGAACGCTTCCGCCGCGGGCGTGACCGCATCCCGTTGACCGGCGGATCGCGGTGATCGTCGATGAC
GGCATCGCCACCGGAGCGACGGCCAAGGCGGCGTGCCAGGTCGCCGGGCGCACGGTGCGACAAGGTGGTGCTGGCG
GTCCCGATCGGCCCAGACGACATCGTGGCGAGATTCGCCGGGTACGCCGATGAAGTGGTGTTTTTTGGCGACCCGGCG
TTGTT

Clone Rv149

Clone Rv14

AGCTTCGGTGTAGCCGATCACCGGAAGCCGCATGATCAGCCACGTTTCGCGCCGCCCGGCATACGGCGGCGTACCGAT CTCCGCGTCATACACCCGCGGGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAAGGTGACGACGCTGATTGAATCGAG TTCCAGGTCCAGCGGGTGGCGCAGCAACGGCGCGAGCTCAACGACGTCATCACGTTGTCGCTTTCTACGGTCACCGA CCCGGTGACCGTAGTCGCCCGGTGCGCTCGGCCGAGAAGTTGCACCGCCACCACCGCGGACCCCGCGCCCACGAC GCCACCCCGGATCGGTTGTTGGCCAAGGTAATTGGGTCATTCCATTTGACGGGACGCCGACCCCCGAGCCCAGTAC CGCCCACGACCACCGCCGGCTGACCCACCACTGTACGAACACCAAGGCGACGCCGA

Clone Rv15

Clone Rv151

Clone Rv152

:::::::::::::::Rv152SP6.seq::::::::::::

Clone Rv153

TAACTCAAGGCTTGCGTTGAGGCCCCAGGCCCATCGACGGTTTGGCGGCCTTAAATGCACTGAGGTCGTCAATTGACC
CCACAGCGGAAATGCCGACTATTCGCAGGCCTCCTTCGCCTTGGCTGCCGGAGAGGGGCTCCGCGGGAACCGCATGCA
GGTATATGACCTCGGTTTCTCGGGTGCTACCGCGTGCCTTGTCGAGGATGAACTCGGCGTTGGAATTGTCCAGCCGGC
CCAATTCATCGAGCGCAGATTCGTACACATGGCCGGCGGCGACATACGCTTCACCGTGGATCTGCTCCACACGGACCG
CCCTGTCGGGATCCTGCTCACGGGTAAAGGAACTTACNTGGCNCTCGGTGCC

Clone Rv154

:::::::::::Rv154SP6.seq::::::::::::

ATACTCAAGCTTGATTTTGATCATCATGATGATCATCACCCGAAGTGTGGTAGCCGCAGTGGTTATCGTGGGTACCGT CGTGCTTTCCATGGGCGCCTCTTTCGGGCTTTCCGTATTGGTCTGGCAGGACATTCTGGGTATCGAGTTGTACTGGAT GGTGTTTGGCGATGTCGGTGATCCTCCTGGCGGTGGGATCCGACTACAATCTGCTGCTGATTTCCCGGTTGAAAAA AGAAATTGGGGCCGGATTGAACACCGGAATTATCCGTGCCATGGCTGGTACCGGGGGAGTGGTTACCGCTGCCGGCAT GGTGTTCGCCGTTACCA

ATTGNCTTTCGGCGCCATCGGTGAGGACGGCGTGCGGGTGCTCAACGACGACGTCGTCCGCGGGACACACCTCGATGC
TGCCGCCATGGACGCGGTCGAACGCAAGCAGCTGATCGACGACGCCGCGGGAACGCTTCCGCCGCGGGGCGTGA
CCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGACGGCATCGCCACCGGAGCGACGCCAAGGCGGCGTG
CCAGGTCGCCCGGGCGCACGGTGCGGACAAGGTGGTGCTGCCGGTTGTTCTTCTCGCCGTCGGGCAGGGTTACCGCAACTT
CGCCGGGTACGCCGACGAAGAAGTGGTGGCGTTTTTCTGGATCGTCCCCACCGACGACGACGACACTT
CACCCAGACCTCCGACGAAGAAGAAGTGGTGGCGTTTTTCTGGATCGTCCTC

Clone Rv155

::::::::::Rv155SP6.seq:::::::::::

GCACGGAGAACCTGCCGCTGCTAGAGCCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAACCTTGAAGGTGATTGTTAACCTGGGCTACGGCGACCCGGCCTATGGTTATTCGACCTCGCCGCCCAATGTTGCGACCTCCGTTCGGGTTGTTCCCAGAGGTCAGCCCGGTCGTCATCGCCGACGCTCTCGTCGCCGGGACCAGCAGGGAATCGGCGATTTCGCCTACA

Clone Rv156

:::::::::::Rv156T7.seq::::::::::::

Clone Rv157

Clone Rv159

:::::::::Rv159T7.seq:::::::::::

Clone Rv15

GACACTATATNATACTCAAGCTTCAGGTCAATGTGCGCCAAGCCCTGACGCTGGCCGACCAGGCCACCGCCGGANCCTNTCTAGA

::::::::::Rv15T7.seq:::::::::::

Clone Rv160

::::::::::Rv160SP6.seq:::::::::::::

:::::::::::Rv160T7.seq:::::::::::::

Clone Rv161

ATACTCAAGCTTGGGTGTTGCCGATCACCGGAAGCCGCATGATCAGCCACGTTTCGCGCCCGGCATACGGCGGCG TACCGATCTCCGCGTCATACACCCGCGGGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAAGGTGACGACGCTGATTG AATCGAGTTCCAGGTCCAGCGGGTGGCGCAGCAACGGCGCGAGCTCAACNACGTCAATCACGTTGTCGCTTTCTACGG TCACCGACCCGGTGACCGTAGTCGCCCGGTGCGCTCGGCCGAGAAGTTGCACCGCCACCACCGCGACAACGTCTTGCA CGCGGACGCCACCCCCGGAT

:::::::::Rv161T7.seq::::::::::::

GCGCNAACAGCTCGCGGCAGCCCACGACGTGCTGCGTCGGATTGCCGGCGGCGAGATCAATTCCAGGCAGCTCCCGGA CAATGCGGCTCTGCTGGCCCGCAACGAAGGACTCGAGGTCACCCCGGTGCCCGGGGTCGTGGTGCACCTGCCGATCGC ACAGGTTGGCCCACAACCGGCCGCTTGATGCCCGGTCGGCAAGCCCGGCAGTTGCCAAACCCAGCGTGATCAGGCTCG GCTCGCGAGTTCGGCGAAAAAGTGGCTCGCCTGATCACCTACCATCGGCCAGGATCTGCGTGTCATCACGACGCTCGC CAAGGAGGTTGTTGTGGTGCTATCGACGGCCTTTAGCCAGATGTTCGGAATCGACTATCCGATAGTGTCCGCGCCAAT GGACTTGATCGCCGGCGGTGAGCTGCCGCNGT

Clone Rv162

::::::::::Rv162SP6.seq::::::::::::::

Clone Rv163

:::::::::::Rv163SP6.seq::::::::::::::

::::::::::Rv163T7.seq::::::::::::::

CCAAGATCTACACCATCGAATACGACGGCGTCGCCGACTTTCCGCGGTACCCGCTCAACTTTGTGTCGACCCTCAACGCCATTGCCGGCACCTACTACGTGCACTCCAACTTCATCCTGACGCCGGAACAANTTGACGCAGCGGTTCCGCTGA

CCAATACGGTCGGTCCCACGATGACCCAGTACTACATCATTCGCACGGAGAACCTGCCGCTGCTAGAGCCACTGCGAT CGGTGCCGATCGTGGGGANACCCACTGGCGAACCTGGGTTCAACCAAACTTGAAGGTGATTGTTAACCTGGGCTACGG CGACCCGGCCTATGGTTATTCGACCTCGCCGCCCAAATGTTG

Clone Rv164

AGCTTCCCGAGTTCGGCTTTGGATCAAGACCCCAGTCCGCGGGCGCGATCCGGCNGCTCGGTGACTACATCAAGCCAC AAATCGACGGCTTTCGGGGTGCCGATACCGATGACGTGGCGGATGTCGAGTGTTGAGTTCTCGGCGGGGCGGATGCTC ACCTGGCGATCACCTCGCTTGACGATCGATCGTCTATGCCGCCGTCTCTGCGGGAACAGGCCNCCAGTACATC GCCACAGACGGGATCCACCCGCATTTCGGCTACGGTTGCTCGTTTCGGTGTTCGGACTAGTCGGTGACGTGCCGGTGATGCGGACCGGTCCTAGCACTGACCAATGGCCAAAATGCGGGC

:::::::::::Rv164T7.seq::::::::::::::

CGGGGGGCCTCTTAATAGTGTAGGAAAGAAGCTCTACATATTCAGGAGGATTCACCATGGCTCGTGCGGTCGGGATCG
ACCTCGGGACCACCCAACTCCGTCGTCTCTGGTTCTGGAAGGTGGCGACCCGGTCGTCGTCGCCAACTCCGAGGGCTCCA
GGACCACCCCGTCAATTGTCGCGTTCGCCCGCAACGGTGAGGTGCTGGTCTGCCAGCCCGCCAAGAACCAGGCAGTGA
CCAACGTCGATCGCACCGTGCGCTCAGCCAACGGTCAAGCGACACATGGGCAGCGACTGGTCCATAGAGATTGACGGCAAGAAAT
ACACCGCGCCGGAGATCAGCGCCCGCATTCTGATGAAGCTGAAGCGCCAGCGCCGAGGCCTACCTCGGTGAGGACATTA
CCGACGCGGTTATCACGACGCCCGCCTACTTCAATGACGCCCAGCGTCAGGCCCAAGGACCCGGCCAGATCGCCGG
TCTCACGTGCTGCGG

Clone Rv165

::::::::::Rv165SP6.seq:::::::::::::

CTGGTGCTGGACGGAGCCTAGTACAACTTCCTCTCCAATGCTCTTGCCCCGATCGCGGCGACCAGGATGACCCAGGAC ATCCTGCCGCCCGAAGTACTGGAAAAGCTCACACCCGAGTTCGTCGCACCGGTGGTGGCCTACCTGTGCACCGAGGAG TGTGCCGACAACCCATCGGTGACGTCGTCAGTGGTGGTTAGGTGCAGCGAGTTGCGCTGTTTGGCAACGACGACGCCC AACTTCGACAAACCGCCGTCNGTACAAGATGTTGCGGCGCGGTGGGCCGAGATCNCCGATCTGTCCGGTGCGAAAATT GCTGGATTCAAGTTGTAGAACTAAAT

Clone Rv166

Clone Rv167

GTGTGCTGTCAATTCAGAGCTGAGCCTGATGCACTCAACTTACTGAGCATGCTAACGCTGGTCGTGCGGGTCTTGTTCCCGCGTGTCGGCAGGCCACACGCTCGGGGCGTAGCTGGGAGAGGCCCCGGTCAAGCCCGGAGAGCAGTGCTCAGTCCG

CCAGCTTGACCGACTTTCGATGAGAACGCGCTTCTCGCCGTATTGAACTGGCGTGCTGACGGTCGCTGAGCAGCGCTC
GCCGAGTGCGGCCGCTGATTCTTTCATCGAGCCAGGAGCGCCATTCGTGTTCGGCCGCCTGCGGGTCGGCCCCATCGT
CGACGCGATCCGTCACCCACTCCTCGATCAGGTCTGCCTCATCGAACGGGCCCAACGGTGCTGTCGGAGTATGTGTGCG
TGGGCACGGCGAGCCGGGTGCTGTGGTACACCCACCGTTGCATGACCAAGTTGACGCCTGACTGGCTGAGCACCGCGA
TCCGCTCACAGGTCGGAACGTTGGTG

Clone Rv169

Clone Rv16

CCGCTATCGGTCGGTGTCCTTGGCGGCGTCGGTATCAACACCGCCCACGAAATGGGGCACAAGAAGGATTCGCTGGAG CGGTGGCTGTCCAAGATCACCCTCGCCCAGACCTGCTACGGGCACTTCTACATCGAGCACAACCGTGGCCATCACGTC CGGGTGTCCACACCGGAGGACCCGGCGTCGGCGCGGTTCGGCGAGACGTTGTGGGAGTTCCTGCCCCGCAGTGTTATC GGCGGCTTGCGCTCGGCCGTTCATTTGGAGGCCCAACGGCTGCGTCGGCGTCAGCCCCTGGAATCCCATGACG TATCTGCGCAACGACGTGCTCAACGCGTGGCTGATGTCGGTGTGTTGTGGGGTTGGGCTGATCGCGGTCTTCGGCCCG GCGCTGATCCCGTTCGTCATCATCCAGGCAGTCTTCGGCTTCAG

Clone Rv170

Clone Rv171 ATACTCAAGCTTCGGCCTCGCTGCAGGAGTGGGAGCCGCAGGGCTGGAAATCCGAAAAACGAGCCGGTGATCGCACTG TCGCCGATCGGGGCCGCACCTGGTTGGTGTTACCGATGAATCCGCACCCAAAATGTGGCTGCGGTGGCGTTTCTTGAC TCCTTGGCGTCGACTCTTGTGGCAGCCACCGAGCGGTTGGTCCAGGATCTGGATGGGCAAAGTTGTGCGGCCCGGCCG GTGACGGCCGATGAGCTGACCGAGGTCGACAGCGCCGTGTTGGCTGACTTGGAACCGACATGGATTCGCCCCGGTTGG CGTCACCTCAAGCATTTCAATGGTTAT ATGCGTCACCCCGATGCGCCCAGATCGGGGCTTCGCAAATAAAGCACGAACAGGCGGGCAAAACGTCTATCTCGGAGC ACGCCTCCGTTGATAAGGCTTTCCGTCTCTCCCCGGTCATCCCAAGCACCTTGCGGCAAATTTGAACGCTTTCCTGT CCGGGCACCGGCCCCGGGCTTTGGGGTCCNTCCGA Clone Rv172 ATACTCAAGCTTCAATCGCGCCGCCACAATCCAAATATGCGTCTAGCGTCTCGATGAGCGTCCGGTCCGGCATCGGCTA GGGGCCGCATCACGTCGGTATGCAGGGCCACGATCGCCCAAGGCGTCGCCCATCAAGGGCGCGTTCGGGCAAAAATTC CCCTATCCAGCACGGGCCGCGCGCTCCGCNCCAGCCGGCGACGCGTTCATCCCGGAGATCGCCTCGCTAGCGCTGC GGTGCGCCGCGGTCAGCATGGGCGCCGTGGGGCCGATGACCACCGGGGCGT ::::::::::Rv172T7.seg:::::::::::::: Clone Rv173 GCGCACCATCGCCAGTAGGTGCCCGTGGTCGGGCGCGTCGAGCCACCCGAGCGGAAACGCGAGTCCGAACAGCAACAG CAGGACGGCGCAACCAGGGCGGTGACCATGCCCCCGGCGCTGAACATCAACCACAGGAAGGGCTCCGCCGAGCGTCC GCGCGACC GTTCCTGACGCTGGCGTCAACTCGAAACTGCCTCGGAAGTCAATGATGATCCATCAGTCAATATTAAAGTCG Clone Rv174 ::::::::::Rv174SP6.seq:::::::::::: ATACTCAAGCTTGTCTGCCTCAGCGTATGCATCCAACAGCGCATCGCGATCAACGATCAGGCGCGCCGATTTCGG GCCGCGGCCAGTGGCCACAGATGGCCGTTTTTTTCGAGAAACTTCAACGCCTGAGCGCTGCTTCCCATCGAGAG ACCGGTGGCCTCTACAACCGATGCGACAGTTGGACCGGCGATGTTCGCCAGCAGCGCTTCACATACGGCAAGTNTGGC GCGG

::::::::::Rv174T7.seq::::::::::::

Clone Rv175

::::::::::Rv175SP6.seq::::::::::::

::::::::::Rv175T7.seq::::::::::::

CGCCAATTCACGATATCGTTAACCGATATCCCGAGCCGATAGCTGGCGGGCTCGGGTGGTGGCCAGCGGCGCTGCGACGAAAGGTGTGACCGTCATGAAACAGACACCACCGGCGGCCGTCGGCCGTCGTCACCTGCTCGAGATCTCAGCATCCGC

AGCCGGTGTGATCGCGCTTTCGGCGTGTAGTGGGTCGCCGCCCGACCCCGGCAAAGGCCCGGCCCGACACAACCCCGGAACACGCATCCTGATGCGCAACACGCATCCTGCTGAT

Clone Rv176

ATACTCAAGCTTGGGCACTGACTTCGGTACCCCCTCCGCCTTTGGCCAGCAGCAGCAGCAGCGCGGTTCGCGGACCGA ACGTGGACATCAATAGCCCGGAATCGGTGTGTGCAAGTTGGTAAACGGTGTTGATCCCAAGCTTTTGCCAGCCTTTTCG TAGTCTTGGGCCCCACACCCCACAGTGCTTCGACGGTACGGTCACCCATGATGGCCATCCAGTTGGCATCGGTGAGCT GATAAATGCCAGCTGGTTTCGCCAACCCGGTAGCGATCTTGGCGCGCTTGTTGTCACTGATACCTATCGAGCAAG ACAGCCCGGTTTGCGACAAAATGACTTTTCGGATCTCTTCGGCGACTTCGATGGGGTCGTCGGGA

::::::::::Rv176T7.seq::::::::::::

AAAGTCCTGTGCCGGTTCGCTAAACACCCGGCGGACACTCAGACGGTGCTGGTGGTGCGGCATGGCACCGCGGGCAGC AAAGCGCACTTCTCCGGGGGACAGCAAGCGACCGCTAGACAAGAGGGGTTCGTGCGAGCAGAAACGTTGGTACA CAGCTGCTGGCGTTCGGCGCCACCGATGTTTATGCCGCCGACCGGGTGCGCTGCCACCAGACGATGGAGCCACTCGCC GCGGAACTGAACGTGACCATACACA

Clone Rv177

ATACTCAAGCTTGGGTTCCACGCCGGCGCAGCCACGCCGTCACCTTTCCACGAGACCTCACCTGCCGATCCGAAATGG
AATCGGCCGTGACGGAATTGGCGCACCGAACACCCAACGAGGTGGTGGCTTCGTCGCGAACCGTCACCCGAGTCGCGG
CCACCGTGCGCACGGCGCACGTCCTTACACCCGCACCAAGATCCGAAAGCTGCAAGCTCCCAGCACCGATCCCGACGTCA
TCACCGCTGCCGCCCGGCACGTCCTTGACCTATTCGAGCTGGATCCGGCCCGTTCCGGTTGCTGGGAGTGCGGTTAGAAC
TGGCCTAGAACCGGCGGGCACACCGCNCCTGGGCGGGCGAATTCTTGACCGCNCCGGCC

:::::::::::Rv177T7.seq::::::::::::::

Clone Rv178

Clone Rv179

Clone Rv17

:::::::::::::Rv17T7.seq:::::::::::

Clone Rv180

 $\tt CCGAAGGCCCGTTCCCGGGCGTTCAGCAAGCGATCGTCGGTTGGCCCACTGCGGGTCGAATCTTGCGGCCGCGCGGTCGAACGCCCAGGTCACCCGGCGGCGTACC$

Clone Rv181

Clone Rv182

CTCAAGCTTGGTGCCGACATGGCCGGGCTGGAGCCCGCGTATGGCAAGGTTCCGCTCAATGTGGTTGTGATGCAGCAGGACTACGTTCGCCTCAATCAGCTCAACGTCACCCCCGTGGCGTGCTGCGCAGCATGAAGGTCGGCGCCCGCACGATGTGGGCGAAGGCAACAGGTAAAAACCTGGTCGGCATGGGTCGAGCCCTCATTGGGCCGTTGCGGATCGGGTTGCACCGCGCGGAGTGCCGGTCGAACTCAACACCGCCTTCACCGATCTTTTCGTCAAAAATGGCGTCGTGTCCGGGGTATAC

CCGAAGCGTGGGAAATCCTGACCGAATACCGCGACGTGCTGGACACTTTGGCCGGCGAGCTGCTGGAAAAGGAGACCC TGCACCGACCCGAGCTGGAAAGCATCTTCGCTGACGTCTAAAAGCGGCCGCGGCTCACCATGTTCGACGACTTCGGTG GCCGGATCCCGTCGGACAAACCGCCCATCAAGACACCCGGGGGAGATCGCGATCGAAACGCGGCGAAACTTGGGCC

::::::::::Rv183SP6.seq::::::::::

Clone Rv183

::::::::::Rv183T7.seq:::::::::::

GCGGTNTAGCTTCCCGTCGTACCGGCGACCGCCAGCCGAGAAGCTCGTTTTCCCAGTGTTGCTGGGGATTCTCACGCT
GCTGCTGAGTGCGTGCCAGACCGCTTCCGCTTCGGGTTACAACGAGCCGCGGGGCTACGATCGTGCGACGCTGAAGTT
GGTGTTCTCCATGGACTTGGGGATGTGCCTGAACCGGTTCACCTACGACTCCAAGCTGGCGCCGTCTCGTCCGCAGGT
CGTTGCTTGCGATAGCCGGGAGGCCCGGATCCGCAATGACGGATTCCATGCCAACGCTCCGAGTTGCATGCGGATCGA
CTACGAATTGATCACCCAGAACCATCGGGCGTATTACTGCCTGAAGTACCTGGTGCGGGTCGGATACTGCTATCCGGC
GGTGACGACCCCCGGCAAGCCGCCATCCGTGCTGCTGT

Clone Rv184

::::::::::Rv184SP6.seq:::::::::::::::

Clone Rv185

::::::::::Rv185SP6.seq:::::::::::::

NCTTGATATTGGCGTCAACGGTGTCGGCACCGGCGTCCTGCAGTTGGTAGGCCTGCAGTTTGTGCATCAGGCCGATGCCGCGCCCCTCGTGGCCACCGCGCGCCCCCTCACGGGCGACCATCGCCAGCGCGGCGTCCAGCTCGAGCCCCGCAATCGCCAGCGGCGTGACCCAAACACACTCGCCGGTCAAGCACTCCGAATGCACCCGGACCAGCACGTCGTCACCGTCGTCGTGGCGTTGGGCCCGGGATCTCGCCGGGACCAGCGCGACATGTTCCACGTCCTCGTAGATGCTGGTGTAGCCCGATGGCGCGAAACTCCCCCATGACGAGTCGGAATCCGCGCCTCGGCGACCCGCTCAATGTCTTCTCGTGCTTGCGCCGCCATTCGATCAAGTCAGCAATGTTCAGCGCCCAGACCGTCTCATCGGCG

Clone Rv186

:::::::::Rv186SP6.seq::::::::::::

CGTCCTTTTCCCCAAGATAGAAAGGCAGGAGAGTGTCTTCTGCATGAATATGAAGATCTGGTACCCATCCGTGATACA
TTGAGGCTGTTCCCTGGGGGTCGTTACCTTCCACNAGCAAAACACGTAGCCCCTTCAGAGCCNNATCCTGAGCAANAT
GAACAGAAACTGAGGTTTTGTAAACGCCACCTTTATGGGCAGCAACCCCGATCACCGGTGGAAATACGTCTTCAGCAC
GTCGCAATCGCGTACCAAACACATCACGCATATGATTAATTTGTTCAATTGTATAACCAACACGTTGCTCAACCCGTC
CTCGAATTTCCATATCCGGGTGCG

Clone Rv187

:::::::::Rv187SP6.seq:::::::::::::

CTCAAGCTTCATGTCCGTACGGCTCGGGTACGCTTCCGTCGCAGTGTGCGAGTGATAAATGACGACCGGGACCTCGTCGCGCATCTTCCATAGCCCGCCACACCTTCAGTTGCTCACCGGAATCCAACCGGTAGAAGGTCGGCGAGCGCTCGGCATTGGTCATCGGGATATGCCGCTCGGGACGGTCAGAGCCCTCGGGTCCGGCCAGCACTCCGCAGGCTTCGTCGGGGTGGTCGCCACCATCGCATCGCATCAC

Clone Rv188

:::::::::::Rv188SP6.seq::::::::::::

CGCCACGTTCATGGGCAACACCCCGATCACCGGTGGAAATACGTCTTCAGCACGTCGCAATCGCGTACCAAACACAT CACGCATATGATTAATTCGTCCAATTGTATAACCAACACGTTGCTCAACCCGTCCTCGAATTTCCATATCCGGGTGCG GTAGTCGCCCTGCTTTCTCGGCATCTCTGATAGCCTGAGAAGAAACCCCAACTAAATCCGCTGCTTCNCCTATTCTCC AGCGCCGGG

Clone Rv189

:::::::::Rv18SP6.seq::::::::::::

ATACTCAAGCTTCAACCGATTGACGCATTGTGCGAACTGACGGCGCCCGCGCATGGCCAATCCGGAAGACCATCATTG
GCCAGTGGCCGGGCGCTAACAGGTTCCAGCCCCCCACCAGTGCCGCTCGAACATGCGGTGCAACCCATTCGCAGGCCG
GCAGGGAAAGCACCGCGGAAGCCGCAAAGGGCTGCAGTTCCGCGCCCCAATAGTGTCGTCCGCAACCAGATGCGCTCGA
AAACCGCCCGGCAGTCAGCGCACCCGACGCGAGGTCGAGAGACCTCGTCAGCGCGCCCACATGGGGTGCCAATCGGC
ACGCCAGGTAGGCCGCGCCAACCCGAACGCGTGCTGCACCCACGGTCCCAGGAGGCGCAGCACCCGCCAATGCC
GAAGCCCACGAACATCGGGCGCATCCACGCTTCAACCTC

Clone Rv18

AGCTTTTGGCAGGGTCTCCTTCGAATTCGGCGTGCACCGCTATGGGTTGCAGCAGCGGCTGGCGCCGCACACCCCACT
GGCCCGGGTGTTTTCGCCCCGAACCCGGATCATGGTGAGCGAAAAGGAGATTCGCCTGTTCGATGCTGGGATTCGCCA
CCGCGAGGCCATCGACCGATTACTCGCCACCGGGGTGCGAGAGGTGCCGCAGTCCCGCTCCGTCGACGACGA
TCCATCCGGCTTCCGCCGTCGGGTGGCGGTAGCCGTCGATGAAATCGCTGCCGCCGCTCCACCACAAGGTGATTCTGTC
CCGTTGTGTCGAAGTGCCTTTCGCGATCGACTTTCCGTTGACCTACCGGCTGGGGCGTCGGCACAACACCCCGGTGAG
GTCGTTTTTGTTGCAGTTGGGCGGAATCCGTGCTCTGGGTTACAGCCCGAATCGTCAC

Clone Rv190

:::::::::::Rv190SP6.seq::::::::::::

CCTTAAGCCCCGCAGGGCCCGGCACGCGCGGTACCGCCCAGGTCGCCCAACAGATCGTCGATGTTCGCGTCGTCCGCC
TCGCGCACGTGGTCTGTCACCAGTCAACGTTAACGCCGCCGCACATGTCCTGCGGCCGGGCAAAAACGTGAAAAACGA
GCGGGCGACTGCAATGTCATGACACCGACGGCCGCCGATGGGCCCAGGGTCTGGCAGATTCGATCTGTGCGGCCAGTG
CCAGCAGCGTCGCCTCGTCATACGGCCGGCCGACGAGTTGAACCGACATGGGCAGGCCGTCGCCGTCGAAGTCCCACG
GCACCACGGCCGCGGGCTGGCCGGTCAGATTCCAGACTTGAAAGTACGGAACCCGCTGCACCACCAGCAGCAACGTCG
AAACTGCACCCCGGCGTTGGTAGGCGCCGATGCGGGACGGGCCGGTCGCGCCCTGCACCAACTACGTCGACAT
CGTCGAAGATCGACTGGATCGGCTGCTCACACCACTCGGCGCCCCCATCCGCCGCC

Clone Rv191

 $\tt TTGGTGATGGAATTGGCCACCCGCTGGGTGTTGACATCCTCGACGGTGGGCAATTGCCCCCGGTAACGTTTGCCGCCT$

:::::::::::::::Rv191T7.seq:::::::::::::

CGGTCCGACCCTGTTCGACGGCTACCTGAATCAACCCGATGCCACCGCGGGGGGTTCGACGCCGACAGCTGGTACCGCACCGGCGACGTCGTCGACGTCGTACCGCACCGCGCGACGTCGTCGACTTGATCAAGTCGGGTGGATACCGGGTCGGCGCGGTGAAATTGAAACGGTGCTCCTCGGGCATCCGGACGTGGCGGAGGCGGCAGTCGTCGGGGTGCCCGACGATGATCTAGGCCAGCGGATCGTTGCCTACGTAGTCGGCTCAGCGAATGTCGATGCGGACGGCCTTATCAACTTTGTTGCCCAACCACTTTCGGTGCACAAGCGCCCGCGCGAGGTGCGTATCGTANATGCGCTGCCGCAACCATCTTGGGGAAAGTGCTCCAGAACATTTCCTGTCAGAAGCTGANCTACCGCGAATTATCGTGTTACGCTGGA

Clone Rv192

:::::::::::Rv192SP6.seq:::::::::::

::::::::::Rv192T7.seq::::::::::::

CGGTGTCGGCACCGGCGTCCTGCAGTTGGTAGGCCTGCAGTTTGTGCATCAGGCCGATGCCGCGGCCCTCGTGGCCAC
GCATGTACAGCACCACGCCGCGCCCCTCACGGGCGACCATCGCCAGCGCGGCGTCCAGCTGAGGCCCGCAATCGCAGC
GGCGTGACCCAAACACATCGCCGGTCAAGCACTCCGAATGCACCCGGACCAGCACGTCGTCACCGTCGGCGTTGGGCC
CGGCGATCTCGCCGCGGACCAGCGCGACATGTTCCACGTCCTCGTAGATGCTGGTGTAGCCGATGGCGCGAAACTCCC
CATGACGAGTCGGAATCCGCGCCTCGGCGACCCGCTCAATGTGCTTCTCGTGCTTGCGCCGCCATTCGATCAAGTCAG
CAATGGTGATCAGCGCCAGACCGTGCTCATCGGCGAACACCGCAATTCATCGGTGTTTGCGCCATCGAGCCCTCATCTT
TTTGGCTGACGATCTCGCAAATCGCCCCCGCGGGTTGCAGCCGGCAT

Clone Rv193

::::::::::Rv193SP6.seq:::::::::::::

::::::::::Rv193T7.seq:::::::::::::

Clone Rv194

:::::::::::Rv194SP6.seq:::::::::::::

ATACTCAAGCTTGCTGCAGCTTCCTATGACTGCTCCCGAAACCTGGGGGTTGCCTGCTGTTGTATGCACGGCATACGG ACATCCTTCCCCTGAGACCCGCGGTCGAACCAGCCACGTGTCCATCATCAGGGGTCAACCCCGGCCAAGGGCGACGGC ACGCCAAGTTCGCCGACCGTTAACCTAGTGCTGTTAGCTTCATTTGCTGCGAGCAAAACAGCTGGTCGGCCGTTAGGA ACTGAATTGAAACTCAACCGATTTGGTGCCGCCGTAGGTGTCCTGGCTGCGGTGCGCTGTGTTGTCCGCGTTTGGT AACNACNACAATGTGACCGGGGGAGGTGCAACCACTGGCCAGGCGTCGGCGAAGGTCGATTGCGGGGGGAAGAACAC TCAAAGCCAGTGGGTCGACGCGCAGGCCAACGC

:::::::::::Rv194T7.seq::::::::::::

AGCTTGACGCGGAGACGGACACATTGCGAACATTGATGACAAAATAGAAATCATTGATGGTTTGAGTCACCAGGCCGA TCAAGCCTTCGCCGAGCCAAATTCCAATCAAGAGGCCCAAGCCCGTACCAATCAGCCCGGCAACGAGGGATTCCGTCA TTATCAGCCAAAATAACTGCTCTCGGGTTACACCCAAACAGCGCAATATGGCGAAAAACGGTCGCCGTTGCACGACAT TAAATGTCACGGTATTGTAGATTAAAAAGATACCCACCAACAAGGCAATCAAACTGAGAGCGGTTAAATTGACCGTAA

Clone Rv195

::::::::::Rv195T7.seq::::::::::::::

Clone Rv196

::::::::::Rv196SP6.seq::::::::::::

:::::::::::Rv196T7.seq::::::::::::

CCGGAAGCCGCATGATCAGCCAAGTTTCGCGCCCGGCCTACCGGCGTACCGATCTCCGCGTCATACACCCGCG
GGTAATCGCCGACGGTGCCGGTTCGCGAGCCGAAGGTGACGACGCTGATTGAATCGAGTTCCAGGTCCAGCGGGTGGC
GCAGCAACGGCGGAGCTCAACGACGTCAATCACGTTGTCGCTTTCTACGGTCACCGACCCGGTGACCGTNGTCGCCC
GGTGCGCTCGGCCGAAAANTTGCACCGCCACCACCGCGAAACCGTCTTGCACNCCGGAAGCCACCCCCGATCCGTTGT
TGGGCCAGGTTATTGGGT

Clone Rv19

CCGGAACCGCCGACGGCACGGTATAACGCCTCCGCATATGGGTCGACAACCAGCGGGTCGGACTTCTGGGCTTCTAGCGTTCGCGCNGTCGCGACAAACAGCGCGGTCGAACCGACACTCGTTGTGATGTCCTAGCTATCACGTTCGGTACGCACCCAATCGAGTCTAGCGCGGGTAGNTCAGCCCCGATCTCCANGCTCCGCCGAGCCAGGCGC

CTGGTTTATGTCCCGTTGAAGTTCCATCACCCGATGTGGCGGGAGCACTGCCAGGTCGATCTCAACTACCACATCCGG CCGTGGCGGTTGCGCGCCCCGGGGGGTCGGCGCGAACTCGACGAGGCGGTCGGAGAAATCGCCAGCACCCCGCTGAAC CGCGACCACCCGCTGTGGGAGATGTACTTCGTTGAGGGGCTTGCCAACCACCGGATCGCGGTGGTTGCC

Clone Rv1

CCGAGCAGTTGGGAATCGCTCTGCANCAAACCAATATTCTGCGCGACGTCGCGCGACGACTGGACCGATTAGGCGTACGCCTCCGNCTGGACGACACCGGGGCACTCGATGACCCCGACGCCTACGCTCGCAGGATATTGTTCGCCGGACCCCTCTCTAG

::::::::::RvlT7.seq::::::::::::

TATATAATACTCAAGCTTGCCGACGCCAACGCTCGCGCGATGTTGTTAGCCCGACCCGGCTCTTACATGGCACCGGTGCCCCACACGTCAGCCTGTGACGTCCTGCACCGCGACTCTTTACATAGAATGTGGATTGCCGGATTGGGGATGTCCGGCACCCCAATCTGTAGTCCGCGTTGTCCCGCGAGGGCCATGTGGATGGGGGGAAGGATCCGTGGCGTCCGGGATCACCATGGGG

Clone Rv201

Clone Rv204

::::::::::Rv204SP6.seq::::::::::::

TGGTCCGTGTGCGCATACCAATACAACGCGCCGGGCACCTGACGGCGGCCGCAACCAATCGGTGGCCATCGCCATC
TTCTGCTACCCGGTCAACGGACGCACCTTCTCCTGGCCGACGTAGTGCGCCCACCCGCCGCCGTTGCGTCCCATCGAT
CCGGTCAAC

Clone Rv205

Clone Rv207

:::::::::Rv207SP6.seq:::::::::::

Clone Rv209

:::::::::Rv209SP6.seq::::::::::::

TGACACCCAACAGAGGGCACTTAAGATGGCAATGCGGCCGCCTACCTGCACGTTTTCGCGATGTCAGAGGATGCCGAGGAGAACAATGCGAGCACGCCGCTGACNTTGCTCACCGCTTTTGGCGGCGGTGACATTGGTGGTGGTTGCGGGCTGCNAGGCCCGANTCNAGGCCGAAGCATATAGCGCGGCCGACCGCATTTCGTCTCGACCGCAAGCGCGACCTCAGCCGCAGCCGGTGGAGCTACTGCTGCGCGCCATCACGCC

:::::::::Rv209T7.seq:::::::::::

GGTGACCCCTCTATGACGCGGCGGTGGGACACTGTGATCTAAGACCGGTCTGGGTCTTCTCCGGGCAAGGGTCTCAGTGGGCGGCGATGGGCACCCAATTGCTCGCCAGCGAACCAGTGTTCGCGGCCACCATCG

Clone Rv20

ATACTCAAGCTTCGCGAGATCCGGATGGCACTCACGCTGGACAAGACCTTCACAAAATCTGAAATCCTGACCCGATAC
TTGAACCTGGTCTCGTTCGGCAATAACTCGTTCGGCGTGCAGGACGCGCGCAAACGTACTTCGGCATCACCGTTCC
GACCTGAATTGGCAGCAAGCGGCGCTGCTGGCCGGCATGGTGCAATCGACCAGCCCCCAACCCCC
GACGGCGCGCTGGCCGGGAACGTGGTCCTCGACACCATGATCNAAAACTTCCCGGGGAGGCGGTGCGTGCGTG
CCGCCCAGGGCGAACCGTGGGGTTCTGCCGCAGCCCAATGATTGCCGCGGCGCTGCATCGCGGGCGCGCCCCA
TTCTTCTGCGAATACGTCCAGGAGTACTGTCTCGGGGC

```
::::::::::Rv20T7.seq::::::::::::
```

Clone Rv214

CCGGGGTAGAACGATGCGATCTGGGCCATGTCGACATCGGTGGTACAGGTAAACCGCGCCGTGTGCGCGGTCTCGGAGATCAGAACGTGGTCGCAGTTGACACCGCGGGCTTTCAGCCAGTCGCGATAATCGGCGAAGTCGGCGCCTGCCCCCAACTAGCGCGACCTCGCCACCTAGCACCCGATGGCGAAGGCCATGTTTCCGGCCACGCCGCCGCGGTGCATCATCAACTC

Clone Rv215

```
::::::::::Rv215SP6.seq:::::::::::
```

ATACTCAAGCTTGGCGGCAACGCCACTACCGGGCTCACCAGGTCCTGTGCCGCCACCGCCGCCGAAAGCACCATC AGGTCGTAGTTGTCTGGACGTTCGACACCGTAAGCGAACACAATGCCGCCGCCCATGCTGTGCCCGAGCACGATGCGC TTGCACCCGGGATATTCCCGGGTGGCGATCCCAACGAGGGTGTCGAAGTCAGCGGTGTATCTGAGATGTCTCACTA TCATCCGTTTGGCACCCGAGCGGGCATGCCCGCGGGGGGGTCAAC

Clone Rv217

```
:::::::::::Rv217SP6.seq::::::::::::
```

ATACTCAAGCTTGCGTTCGATGAAGTAGTCGTCGGTCAGCGCCGCCTCTTCGAGCTCCTTGGCGATGCCCAGCAAGGA GTCATCGCCGCCGAGCTTGGCCAGGATCTTGTCGGCCTGTTCCTTGACGATGCGGGCCCGCGGATCGTAGTTCTTGTA GACACGATGACCGAAACCCATCAATTTGACCCCGGCCTCGCGGTTCTTGACCTTGCGTTACAAACTCGCTGACGTCGT CGCCGCTGTCGCGAATGCCCTC

```
::::::::::Rv217T7.seq:::::::::::
```

Clone Rv218

::::::::::Rv218SP6.seq:::::::::::::::

CGATAATCGCTTCCGGTAAGTGCAGCAGCTTTACGACGGCGACTCCCATCGGCAATTTCTATGACACCAGATACTCTT CGACCGAACGCCGGTGTCTTGACCAGTCAGTAGAAAAGAAGGGATGAGATCTCCCCGTGCGTCCTCAGTAAGCAGC TCCTGGTCGCGTTCATTACCTGACCATACCCGAGAGGTCTTCTCAACACTATCACCCCGGAGCACTTCTAGAGTAAAC TTCCCATCCCGACCACATATAGGCTAAGGTAATGGGCATTACCGCGAGCCATTACTCCTACGCGCGCAATTAACGAAT CCACCATCGGGGCCGCTGGTGTCN

Clone Rv219

::::::::::Rv219SP6.seq::::::::::::

NAATACTCAAGCTTTCTCGTGATTACCACCCGTGTAATTTGGGATGGGCAAAAAGGCGAATCACCGCGTGGCCACAAA CGCCGGGAGGGACAATCTCGGGGGGCTAGGGCTTCTCGCGGGAAGGCCCGAACGTACGGCGTTTCAACACGTCGCGTC GCCCTCCGACCGCGAACATTCGGGGATGGCAGCAACCTGGTATCACCCTGGCCGGCAATGATCTGCAGCGTCGCCGC GGGTAGTGNCCGCCCGGGCGGCTAC

Clone Rv21

ATACTCAAGCTTGCTGCAGCTTCCTGTGACTGCTCCCGAAACCTGGGGGTTGCCTGCTGTTATGCACGGCATACGG ACATCCTTCCCCTGAGACCCGCGGTCGAACCAGCCACGTGTCCATCATCAGGGGTCAACCCCGGCCAAGGGCGACGGC ACGCCAAGTTCGCCGACCGTTAACCTAGTGCTGTTAGCTTCATTTGCTGCGAGCAAAACAGCTGGTCGGCCGTTAGGA ACTGAATTGAAACTCAACCGATTTGGTGCCGCCCGTAAGTGTCCTGGCTGCCGGTGCGCTGGTTGTT

AGCTTGCGCGGCGTGCCGATCGCGGTTCAAGGCGCGCTCTTCGAGCACAACGAGCGAAGACAGCTCGGCGACGGAGCC
TTTATCGACATCCGTTCGGGCTGACCGGCGAAGAACTGCTGGACGCGTTGTTGTCGACGGTGCCGTGGCGA
GCCGAGCGCCGTCAGATGTACGACCGGGTGGTCGATGTGCCGCGGCTGGTGAGTTTTCACGACCTGACCATCGAAGAT
CCGCCGCATCCGCAGCTGGCGCGGATGCGCC

Clone Rv220

:::::::::::Rv220SP6.seq::::::::::::::

Clone Rv221

ATACTCAAGCTTTTCGACCCGCAAGCCGGCGGTGCCCCTCCTCGTTCCGCTGCCCGGTCTGCTCGATCGGTTCGGGGT CGCCGCGCTAGGCCCAATTGCCCGGCTCCTCCTCGGGCCGTTCCACAACCCGCATCGTCGCCGGGCTAGGTTCAAGCC ATGCCGGTAAACCCCAGGACGCCAGTGCTGATCGGCTATGGACAGGTCAACCACCGAGGCGACATCGACGCCNAAAAT ${\tt CAGTCCATCGAACCCGTCGACCTGATGGCCNCCGCGGCCCGGAAAGCCGCCGAGTCCACCGTGCTCGAAGCGGTGGATTCCATCGTTGTGGTGCACATGCTGTCGGCGCATTACCGGAATTCCCGGGCGTCTCCTCGGC$

Clone Rv222

Clone Rv223

:::::::::Rv223IS1081N1400.seq::::::::::::

Clone Rv224

Clone Rv225

:::::::::Rv225SP6.seq:::::::::::::

ATACTCAAGCTTCCTTTGACCGAACGCGTCCACCGCACCGTGAGATTGGTGGCGCCCATTCGTCGTGGTGTAGCTGCTG TTGGCGGCGTCGCCGTATTGTGCGGGGCCAGCCTTGTGCGGGGGCCGCTTCTACCCACAAGTCGGCACCTTCCGCAACCG CCCAGCTCGACCGCGAATTACCGGCCGCAACGGCCGCCGGAAGGCGTCACGCAATCGCTTATCCTTTCCAGGTTCC CAAATCCTCCGCTTACTTGGGTCCTTCATCGG

:::::::::Rv225T7.seq:::::::::::

GGCAGCGGCGACAACCGGAACGTCCGCACGGTGCTCAATCACGGGTGCACGGTGTCATCAGAATGGCGGGGGTTCGT TGTCGCGGTGAGGCGTTCGGCGAGGAGTAGTGTCTACCCCTTGCCCGCGGGTTCGTGCGGACTGAAAGGGATTTCAT TGGGAACCCACGGCTGCGTATCGCAGGGCCTCGGTGACGTCTGCTTCCTCNAGCTCAGGAAGTTCGGCGAGAATCTCG GTGGATGTTATTTGGTCCGCCTAC

Clone Rv226

:::::::::Rv226SP6.seq:::::::::::

Clone Rv227

Clone Rv228

Clone Rv229

::::::::::Rv229SP6.seq:::::::::::::

Clone Rv22

GCCTGGCCCAGGTGAAGGCCGACCTCGACGCCAAAGCCGCTGATCCGGCACATGAGTCGGTGGACTGGACTTGAAGT
CGCTGCGATGGGCGTGGAACCGAGCCAAAGATGACGTGGCGCGTGGTGGGCCGAGAATTCCAAGGAGTGCTACTCGT
CGGGGTTGGCCGATCTGGCCCAGGGCCTGGCTAATTGGAAAGCTGGCAAGAACGGGACCCGCAAAGGCCGGCGGGTGG
GCTTCCCGCGATTCAAATCCGGGCGGCGTGATCCTGGCAGGGTGCGGTTCACCACCGGCACCATGCGCATAGAGGATG
ACCGGCGCACGATCACGGTCCCGGTGATCGGGCCGCTGCGGGCCAAGGAGAACACCCGCCGGGTGCAACGCCACCTCG
TGAGCGGGCGCGCGCAGATCCTGAACATGACCTTGTCGCAGCGGTGGGG

Clone Rv230

Clone Rv231

Clone Rv232

::::::::::Rv232SP6.seq::::::::::::

::::::::::Rv232T7.seq::::::::::

Clone Rv233

CGGCATCTGGCGGCTGAACCTGTTCTTGGGCAACATGCCGAGGATCGCCTCTTCCACCACGCGGTCGGGGTGGCGTTGCATTACCTCACCGATGGTGCGCTTGTGCAGGCCGCCGGGATACCCCGAGTGCCGGTAAACCATCTTGTGCTGCAGTTTGTCGCCGCTGATGGCGACCTTGTCGGCGTTGATCACGATNACNAATCACCGCCANCGACATTGGGGGCGAACGTCGGCTCGTTGCCGCGCAGCAGCAGCCACCACCACCACCACCACCGTCGATGACGTACCACCATCGCGTGGTGTCACCCGCCTTGGGCCTCGATGACGTACCACCATCGCGTGGTGTCACCCGCCTTGGGC

::::::::::Rv233T7.seq:::::::::::

Clone Rv234

:::::::::::Rv234SP6.seq::::::::::::

CGCGTTGAACTGAAGGGGTGCCGCCCGGCTCGAGCAGGCAAGCCATTTGTTCGATGCGGTTACCGAAGATCTCTTCGG TGACTGCCCGCCGCCGGCCAGCTCGGCTCAGTGTCCGGCGTTGGTCGCCGCGGGGGACAATCTTGGCGTCCACGGTGGT CGGGGTCATGCCCGCGAGCAGGATTGGCGAGCGGNCGGTCAGCCGGGTGAACTTCGTCAAGAGCTGACGCTGCGGTTG GGGAGGCGAATCATGGTCGGTGCGTAGCCTCGACTAGGCCCGGG

TGACAACGCGGCGGCGATTACCCCGCTACCGCAGCAGCATGACGCGGTAGCGAACACCGCCGGATGCAGCGCAGGTGC
GTCGATGTGCTCACGGAATCGCCCCGGCACCGCGATCTCGAGGATCACCAGTGCCACCCCCTGCAGCGCGACACCGAC
GATTCCGTACACCGCCACGCCGATCAGGCCCTGGGCCAGCTGATTGGAGCTGGCGTATATGGCGGCGATGGTGACGAT
GGTCATCGCCTCTTACATTGTGGCGGCCAGAACCACGGCGTTGGGGCGGCGGTCGATGAACACTAGGCGACCANATCC
CCGGGGTCAACAGGTTGACCATCC

Clone Rv235

:::::::::Rv235SP6.seq::::::::::

CGCGGACATCCCGAACGAGGACACGCGACCGCTTCGGTGTGTGATCTATCAGGGCTCGCACCACGCGCAACCGCTTCCGGCTACCTAGACGCGGT

GCATGCGGGTGATGCCGTTCTCAGTGCGCAACAGCGTTCGACGCGGCATACCCAGCCGCACATGCCGTGCACGCCGGN

Clone Rv237

Clone Rv23

AGCTTCGCGGCGTGGCGATCGCGGTTCAAGGCGCGCTCTTCGAGCACCAACGAGCGAAGACAGCTCGGCGACGGAGCCT
TTATCGACATCCGTTCGGGCTGGCTGACCGGCGGCGAAGAACTGCTGGACGCGTTGTTGTCGACGGTGCCGTGGCGAG
CCGAGCGCCGTCAGATGTNCGACCGGGTGGTCGATGTGCCGCGGCTGGTGAGTTTTCACGACCTGACCATCGAAGATC
CGCCGCATCCGCAGCTGGCGCGGATGCGCCGGCGGCTCAACGACATCTACGGCGGCGAACTGGGTGAGCCCTTCACCA
CCGCCGGGCTGTGCTACTACCGCGACGGCTCTGACAGCGTCGCCTGGCATGGCGACACCATTGGTCGCGGCAGCACTG
AGGACACTATGGTGGCGATCGTCAGCCTCGGCGCCACCCGCGTCTTCGCGCTGCGCCGCGTGG

Clone Rv240

::::::::::Rv240SP6.seq:::::::::::

CTGGTCATGGACGTTGCTCCGGTAGTGGCTCACTGCCGATCCTCCTCGTTGAGAGTGCCACCTCAGGGTTGGGTAGGG TTGGGTACTCGAAACCAAGTTACCCACCAGTAACACCGTCAAAATATATCCGTTGCATAGGTCAATGCAAGTTGATGT GAGCTACATTGCACCAACTAACTAACCAACCGGTTGGGTTAGCGGTGATCCTGGCCGTGTCGGTCCTCTCACCTGCGG TGATAGCGATCAAATGAAGAATATGCGGAGTCTAGGGCGGCAGCGCCTGGCANCGTAGATCATCGGCTCACCGGGATG CGGCCTCTTGGTACGGACATGCGCCGC

Clone Rv241

Clone Rv243

Clone Rv244

:.:::::::Rv244T7.seq:::::::::::

CCGATATCCGAGCCGATAGCTGGCGGGCTCGGGTGGTNGCCAGCGGCGCTGCGACGAAAGTGTGACCGTCATGAAACA
GACACCACCGGCGGCCGTCGGCCGTCACCTGCTCGAGATCTCAGCATCCGCAGCCGGTGTGATCGCGCTTTCGGC
GTGTAGTGGGTCGCCGCCCGAGCCCGGCAAACGCCGGCCCGACACACCCCGGAACAGGAAGTCCGGTCACCGCGCC

Clone Rv245

GCTTCAGGACAAATTGNATCCCTATGCACCCGTTGTCACGCCGATGAGGTGAAGACTGCACGCAATCGCCGGAATCCGGCAAAACCCTGCACAAGCGAAATCAACCGGAGGCTGACAAGGCAACGTCGGTGATCCGTTCGGTTGGACAAACCGGCAGAAGGCGCCTCGTCCGGTCCATCTACGCCGAGCACACTGGTGATAGCGCCATCGGCATCGGTGCCACGGTGGAGAACGTCCGCCGCGCGCCACGGTGGACAACGTCCGCCGCGCGCCACGGTGGAGCAACGTCCGCCGCGCGCCACGGTCGGCCACGTTCTCCAAC

GTTTGGCGGCCTTATTGCACTGAGGTCGTCAATTGACCCACAGCGGAAATGCCGACTATTCGCAGGCCTCCTTCGCCT TGGCTGCCGGAGATGGGCTCCGCGGGAACCGCATGCAGGTATATGACCTCGGTTTCTCGGGTGCTACCGCGTGCCTTG TCGAGGATGAACTCGGCGTTGGAATTGTCCAGCCGGCCCAATTCATCGAGCGCAGATTCGTACACATGGCCGGCGGCGAACACCCTCCACCGGGTGCCTCACCGGGTAAAGGAATTA

Clone Rv246

GCGCACTCCTCATCGCTCCGCTCTGCATCGTCGCGGCGCGGTCAGGTGCAAACGCCTTCGGGGGTGGGGGTCCTGCGAGCACACCGGATACGGAGCGCAACGCGTCGCGTTGTGCGGGCAAACAAGTGTGCAGGNNCCAATGCCATGTCCAGCAGCTTATCAGTGTCGAACGTGCGAACGTCGCGCCTTCGCCGGTGCCTGAATCTCTACAAG

:::::::::Rv246T7.seq::::::::::

CGCTGAAAGCCACCATTCGCGGGTCGGGCCCGGGCTCGGGCCGCCAGGCTCCGCTCGGTGATGGCACGCCACCG CGACACCACCCGGCTGCGCTACGTCGAGCCATACCGGGCGGAGCTACATCGGCTCGGCCGCCTAGTGTTCGGGNCCTC TTTCGAGGTCGAGGTCGA

Clone Rv247

 ${\tt TGTAATTTGGGATGGCCAAAAAGCAAANCACCGCGTGGCCACAAACGCGGGGAGGGACAATCTCGGGCGGCTAGGGCTTCTCGCGGGGAAGCCCGAAACGTACGGCGTTTCAACACGTCGCGTCGCCTCCGACGCGAAATTCGGG$

:::::::::::Rv247T7.seq::::::::::::::::

 $\tt CTTGGGCAACATGCTGAGGATCGCCTTTTCACCACGCGGTCGGGTTGCATTAGCTCACCGATGGTGCGCTTGTTGCAGGCCGCCGGGATACCCGAGTGCCGGTAAACCATCTTGTGCTGCAGTTTGTCCCGCTGATGGCGACCTTGTCGCGTTGATCACGATGACGAAGTCACCGCCATCGACATTGGGGGGCGAACTCGGCTTGTGCTTG$

Clone Rv249

:::::::::Rv249SP6.seg::::::::::

GCATGCTTCATTATCTAATCTCCAGCCGTGGTTTAATCAGACGATCGAAAATTCATGCAGACGGTCCCAAATAGAAAGACATTCTCCAGGCACCAGTTGAAGAGGGTTGATCAATGGTCTGTTCAAAAACAAGTTCTCATCCGGATTGAACTTTACCAACTTCATCCGGTTTCATGTACAACATTTTTAGAANCATGCTTC

Clone Rv24

TCCGTACTGGTCGGGTACGCTTCGGTCGCAGTGTGCGAGTGATAGATGACGACCGGGACCTCGTCGGCATCTTCCATA GCCCGCCACACCTTCAGTTGCTCACCGGAATCCAACCGGTAGAAGGTCGGCGAGCGCTCGGCATTGGTCATCGGGATA TGCCGCTCGGGACGGTCAGAACCTCGGGTCCG

Clone Rv251

:::::::::::Rv251SP6.seq::::::::::

GTTCTCGCACGATTTCGGATTAGCGGGATGGTCTCAATTGGGTATGCGGGGAAGGCGCTGACATTCGCCGCGATTAGC
TGTTTGATGGACCGGGGGTGATTTTTGATCACGGAAATGGGTGTTTATNCAGGTCGCACGCTTTCATCCGGGGCGGAA
CG

GGGTGTGCCTGCTGTTATGCACGGCATACGGACATCCTTCCCCTGAAGACCCGCGGTCGAACAGCCACGTGTCCATC
ATCANGGGGTCAACCCCGGCCAAGGGCGACGGCACGCCAAGTTCGCCGACCGTTAACCTAGTGCTGTTAGCTTCATTT
GCTGCGAGCAAAACAGCTGGTCGGNCGTTAGGAATGAATTGAAACTCAACCGATTTGGTGCCGCCGTAGGTGTCCTGG
CTG

Clone Rv252

ACTACCCGGCCAACGGTGATNTCTTGGCCGCCGCTGACNGCGCGAACGACGCCAGCGACCACATTCAGCAGATGGCCAGCGGTGCCGGGCCACGAGGTGCCGGGCCACGAGGTGCCGGGCCACGAGCGTGCCGGGCCACGCACCACGCCGCACCACGCCGGCCCCGGGCCTCGGGCTCACCAGCCGCTGCCGCCGCAGCGACGATCACATCGCTTTATTTNNTNTTCNGGAATCCCTCGGGCCGCGCGCGCGGGCTGATGA

Clone Rv253

::::::::::::Rv253T7.seq:::::::::::

Clone Rv254

CGATACCGGCTGCTTACCGAGACATCCACCATGCCACCCGAATCACCGCACGCGCCGCAAATCGCACAACAGCTTGACG CCTTGCAGGTTCCGCGATTGGAATTGCCGACGGTCTCTGACGGCGTCGACCTTGGCAGCCTCTACGAGCTCTCGGAAT CACTTGCCCAGCAGGGGGTTCGATGAGTGTCACACCGAAGACCTCGATATGGGCGCAATCCTGGCCGACACATCCAAC CGGGTGGTTGTGTGCTGCGGCGCCGGTGGGGTCNGCAANACACTACCGCGGCCGCGCTGGCGTTGCGCGCGCCGAAT ATGGCCGCACTGTGGTCG

CGTCGTCGTCGTGGTATGCGATAGCCATCCCGTCGGGCTACTCGCCATCACCGATCAGCTTCGCCCGAAGCCGCCGCGAGGCCGCCGCGAGGCTCGCGCGAAACTGACCGGGGCCAAACTGACCGGGGCCAAACCGGGTATTGCTTACCGGCGACAAACCGGGCCACCGCCGATCGGCTCGGTGTACANGTTGGCATCGACGACGACGACGACGACGACAANGTCGCAGCCGTGCNGCNGCTGCAAGCTGGAGGTGCCAGATTGACCGTGGTGGACGGTGACGGTATCAACGACCTCCGGCCTTAGCGGCCGCGCATGTCGCATCGCCATGGGCAGCGCCCCGAC

Clone Rv255

GCACGCAATCGAAGTCACCCAAACCGGGCGGGCCAGGCGTCTNACGCCACGTCNACCAGCCGCAACCTCAACCCGGCCACGGCGAGCTCCTGATCAAGGCCGAGGCCATCGGTGTCTACTTCATCGACACCTACTTCCGCTCCGGGCAATATCCGCGCAACTCCCGTTCGTCATCTGCTCCGAAGTATGCGGCACGGTGGANGCCGTCGGCCAGGGGTTAC

Clone Rv257

CTATCGTACCCGCGCCGGTCACCTTCTGGATATCGCCGGCCTGGTCAAGGGGGCGTCCGAGGGAGCCGGGCTGGGTNA
CAAGTTCCTGGCTCATATCCGCGAATGCGACGCCATTTGTCAGGTGGTGGTGTCGCGGGTGTTCGTCGACGACGACGACGTGACTCA
TGTCACCGGACGGGTCGATCCCCAGTCCGACATTGAGGTCGTCGAGACCGAGCTGATCCTGGCAGATCTGCAAACCCT
GGAGCGGGCCACGGGCCGGCTGGAGAATGAAGCGCGCACCAACAAGGCCGCGCAAGCCGGTCTACGAAGCGGCACTGCG
TGCCCAGCANGTGCTCGACGCCGGGCAAGACGCTGTTCGCCGCGGGGGTGGATGCCGCCGCGTTGCGCGACTGAAACT
GCTGACCACCAAGCCCTTCCTGT

Clone Rv258

CCGACATCGAGTGGCTCGCAGTGACTTGGCGACCTCCAAGCCACCGGTACCCGCCGCGCGCAAGCCAAGGACGACGACGACGACGACTCGACTCGCCGAGTGGCCAAGCCAAGGACGACGACGACCTTGCCCGGATAGCTGCCCAGGCGTTGCGCCAAACTTGGCGTCCACGACTGACGACAGTCCTCAAGAGCTTCATCTCGCGAGTGTGTCGCCATCTCATGGCTCCAAATATGGAATTAGGTCCCTGGGCCGAACTGACGACAGTCCCTCAGCGACGGATTGCGCATCCCGCCTTGTACGCTACTCCGCAAATCCCGGGCTTGCGTCCGCGGAAGCGAACTCGGCGGCGCTACGTGGTGGTTCACTTCGGCCGTGCGCACTCGGATCGACGGGCCGATGGTGGCCGGGCCCGCGCTTCTTGGTCATCCGATTGAGT

Clone Rv259

:::::::::::Rv259SP6.seq:::::::::::::::

:::::::::::::Rv259T7.seq::::::::::::::

Clone Rv25

::::::::::::Rv25SP6.seq::::::::::::

CTTTACACTTTATGCTTCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTAGTGGTTGCGCACGTAAATTCGTCAGGTGACCGATCCCCTGCTGTCTCACTCGCCTCACAGCGACCACCGCCTGGCGCTCAAGGCGGGCACGTGCGGAGCAGAT

CAGGCATGCAAGCTTGCGATGTATCAACACGCCGTTGCGCAGCGTGAGCCGATAGTTGACATCCGGCTCGGTGAAGGT
GAAATCGATGGCCAGGTCGAGGTCCCATGCGCGTGGGCCATTGATGCTCGATCGCCAGGACGTCAAAGATTTTGGTCCGG
CGTCAGCTGGGCGAAAAACGTGGGCGCCGGGACTTGCCCGGAGCTGCCCGGGTTCCCGTCGCCAGCTCGCGCGCCCC
GGTCAGAAAGAAATTGCGCCAGGTCGCACACTCCGCGCCGTAGGCCAGCTGCTCCACGGTGTCGGCATATAGCCCGCG
GGCCGCAGCGTGCTCGCTGTCGGCGAACACCGCATGGTCGAGAAGCGTTGCCCCCAACGGAAATCACTGCGTCAAAG
CTTCGCCGGGCCACTCCAGCACTCCGTC

Clone Rv260

:::::::::Rv260SP6.seq:::::::::::

ATACTCAAGCTTGACCGACGCTGATCGCACCGCACGCGGGAACCTCAAGGGCACTACTGGCACAAGGGCCCACACGTC AACCTGTTAACTCCTGCGCCGACCCCGGCCGAAGTCCTTGGCGTTAACACCGAACGGGCCAACCCGGGAATTTGGGTT CCATCAAAACAAATAGCAGGTGCCTGGGCGGAGTGTTC

GTCGTCGTGTGCTGGGGCGTCCGTATCAGCACGCCCACGAAATGGGGCACAAGAAGGATTCCTGGAACGGTGGCTGTCCAAGATCACCCTCGCCCAAAACTGCTACGGGCACTTCTACATCGAGCACAACCGTGGCCATCACGTCCGCGGTGTCCACACCGGGAGG

Clone Rv261

ATATGCCTTGCTGAGCTTTTCGGATCGCAGCGAGTCGTACCCGCGCCGGTCACCTTCGTGGATATCGCCGGCCTGGTC
AAGGGGGCGTCCGAGGGAGCCGGGCTGGGTAACAAGTTCCTGGCTCATATCCGCGAATGCGACGCCATTTGTCAGGTG
GTGCGGGTGTTCGTCGACAACGACGTGACTCATGTCACCGGACGGGTCGATCCCCAGTCCGACATTGAGGTCGTCGAG
ACCGAGCTGATCCTGGCAGATCTGCAAGCCCTGGAGCGGGCCACGGGGCGGCTNGAA

GACACCCTGGTCACGGGTGAGCAGGACTCGATTTCTTCGCTATTGGTCGGCGCTGTTGAGGCACAGCACGCCGCTGAG GCCGTCGCGTCCTCGCTGTGCTCGGTCTGGTGGAGCGCGCTGCCCGCGGCCGAACATCGTAAATCAAGCGTATTCGTC AACAGATATCATCAATGTCGGCGCTGGACTATTCAAATCATCGATATACTGGTGACCTGGTCCTTCGCCATCGATCAA TGGCGATAGTCACGCAGATCGTCACGGACATCGTCTCGCGTCCCAGCTGGCCCGAACAGATGCTGCAACCATCG GGGTGGTATCNCCGCGGTGCTCGGCGATGGTCCAACAATTCTTGCGGTCCAAGCCCGAAACCATCCGGCCATGAGTTC ACCGGCATGGCGCAACGGCTGGTGCCGGGCAAAACGCGGCGCGATCGAATTC

Clone Rv262

:::::::::Rv262SP6.seq::::::::::::

CCCGAATCCGGTGGCCGGCAGGGGGCCTGGCGACGTGGACACCTTCTAACTTGTCTTTACCGGTCACTGTTGCACCCC
AACACCTTTAACGACGTGGACGGACGTTACATCGGATTCGACGGTGTCATCCACAGCGTTGCCATTGGGCACACCCAC
TACGCCAATTTCTCCGACTGGGACACCTACCGCAGCCTCGCCCCACTGCAGGGACTGTTGTTCCCGCAACGGGCCATC
GACATGATCCAGTCGTTGGTGACCGACGCGGAGCAGACTGGTGCGTATCCGCGTTGGGCGCTGGCGAAATTCCGCCAC
CGGCATGAT

Clone Rv263

TTGAGATGCTGGTCGGATGCCGATGGTTGGAACATGGTCCCCTGGCGTCGAATACGCGCGAGCGCATGAGCTCACCGGTTCGGAACAACGTATCGAAGAACTCGCACTGCTGGCAGATGGTATCTCCGATGTGGTTGTAATTTGTATCCCAACTCTAACTGTGCTATCGGATCTGCGTGAATA

75 CGTAATCACGATCCCGCTGAGACACTTGACCTTACGGCCGAAGTGACTTCGCTGCTGCTATGCCGACACCCGATTTCC ATACGCTGCTGTACACGACGGCCGGGCCGGTGGCCTCCATCACCGCTCAACCGCCCGGAACAGCTCAACACCATCGTCC CGCCCATGCCCGACGAGATCGAGGCCGCTATCGGGTTGGTCGAACGCGACCAGGACATCAAGGTCATCNTNCTGCGCG GTGGCGGCGCCCTTCTCCGGCGG Clone Rv264 ::::::::::Rv264SP6.seq::::::::::: CAAGCTTAAGCTGGTTCCGGCCACTCCATGAGCCGTAGTGCAATGGTTCGTGCACGGCGAGGCCGAACTTGCCATAAA CATCCCTGACGAAAGTCTCCGGCAAGCCGATTGCTTCTTCGGGCCGCTTCTTGTGGATTGTCCGATAACCCGGTCCCT CATGCTGGAAGTTGTGCGCACTCTTTCCTTCCGCGATGTGGGCTAACGACTCGTCATTGAGCAAGAAGTACGTGCACA GGCATCGTCCGCCGGGGCTTCAGCACGCGGGAGATCTCGTCCAGATAGTGCTCCACGTCCGGNGGGAAACATGTGGGTG AACACCGAGGTNAGAAACACCNCATCCAACGACGCATCCGGGATATGGAAAGCGAAA TATGGTCTTCGTCGACCAGTACGTCGTAGGCGCCCATGAGCCAGCGACTGAAGCCGCGCCCATGCCTGCACGGCCCGCTC $\tt ATCCAGCGAGGCGCCATCTCCCGCAGATAGCCTGCCGCCTCGGCGCGCACGCTGTCCGGATCGCGTCCGAGCTCGTC$ CGTCATTGATTCAGCAACAATACCGATGCGCTGCAGCAACTTTCGCAGTCCGATGCGGCCCACCTCCCGTGCAGTCAC TGGCTAGCCCCCGTCATGCCGGTTGTGTCGATGGCACGGCAGCGGGCTCGTAAACCTGCGGTCTCAGCTCGCTGG Clone Rv265 GCTTAGCGGTCTTGCTCGAACCGACATTGCGTGCCACTCATGAGCGGGTGGCGGTGCTGCACACATCT ::::::::::Rv265T7.seq::::::::::: Clone Rv266 CTTCACGCCGATCCGCGAACGCGACGGTGACGGTGGGCGACAAGGTTCGGTTGGTCGCCGCGGCGCTGGGCG $\tt ATTCGGCCTTCAACATCGTGACGCCGTATTTCGGCGGTACCGCTCGGCGCCGAGTCGAAGGCGGCCTGAGCTAAAGCC$ GGGCATTGCGCGAGTGGTAAACAAGTTCGGTGACTTCGGTTGACCGACTCGACGGGCTCGATCTGGGCGCGCTGGACC

CCGG

::::::::::Rv266T7.seq::::::::::::

GCTCTCAGCGCACGTTCGGCGCCGAGGNGGCTAGTCCCTGGTTAAGCAATGTCTCGGTCGCCGCCAGCAGCGCGCATG TCGCCAACCCGTCNACCGCGTTGCGCATGTCCGGTACCGACGGAAACGACGGCGCGATCCGGATGTTCTTGTCGTCCG GATCCTTTCGATACGGGAACGACCCCCCGCCTCGGTCACCGCGATACCAACGTCCTTAGCCAANGCTACNGTCCGGCG CGCGGTCCCGGGCAACACGTCGAAGCTGATGAANTAACCACCCTTGGGCTCGGTCCAAGANGCGATCTTGGACTCCTT AACCGCTGATNCAA

Clone Rv267

::::::::::Rv267IS1081N60.seg::::::::::::

TCCCCATCGGCGCCGGACCGTTTGAAAGTCCAAGCACGGGTGGGATGGAATCGACGACAGTTGAGCGCCGTCGGTGGC CGTGGTCAGCAGCTGTTCGCGAACGCACCAGGTCACATCCCTTCGACATCTCACCGACGTGGCACGGGCGACATCAAC AGGAAGATTGACGAATCCCTCGCAGGCGCGCACGTCCGCAGGCCAACGCCAACTACGGGGCCACCAGCGATCCTCCG CTCACGCACCAGCCCAAGCCAGGCTCANCCACCCAAGTCGGCCCGCGCTCTCCCTCGCCCCCTGGTCTCCGGGGCCTT GTTAAACAACTACCGGAAGTCCACCAATCCTCGCTGCATCTCGACACCGTCCGCCTCACTCCCTTCCTCCCGCCCCTC TCCACACNACACCTCTTGCATTAAGGTCACGGAGCGGTCACTTTTCGTCGGACGAAATTCGCAATCCGGCCGCTCG CCGCCAGAGAT

Clone Rv268

Clone Rv269

AGCTTGTCGATCGTCCGGCAGCGTCCGGCGAGTCAAGTCGAAGCCAGTCCGGTCTCCTCTCCGACTACGGCCAAGAAC
TGGGCGACGGTGTCAGTGCATACCAGCGGANACTGGTGGCGCCCTAGGCGAGCCGCCTCACAAACGGCGGTGACC
GCGTTCTGGTCGTGCACCATCGAGCCGTGCCCATCCCGGCCGCGTGCCGTCAGCCGCATCCACTGGATGCCCTTCTCG
GCGGTTTCAATCAGGTACAGGCGACGTTCGCCANCATCGTGCCGGGGCANGG

Clone Rv26

::::::::::Rv26SP6.seq:::::::::::::

GGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAGCT
ATTTAGGTGACACTATAGAATACTCAAGCTTGATTTTGATCATCATCATGATCATCACCCGAAGTGTGGTAGCCGCAG
TGGTTATCGTGGGTACCGTCGTTCCCATGGGCCCTCTTTCGGGCTTTCCGTATTGGTCTGGCAGGACATTCTGG
GTATCGAGTTGTACTGGATGGTGTTGGCGATGTCGGTGATCCTGCTCCTGCCGGTGGATCCGACTACAATCTGCTGC
TGATTTCCCGGTTGAAAGAGGGAAATTGGGGCCGGATTGAACACCGGAATTATCCGTGCCATGGCTGGTACCGGGGAG
TGGTGACGGCTGCCGGCATGGTGTTCGCCGTTACCATGTCGTTGTTTTGTGTTCAGCGATTTGCGAATT

CAGGCATGCAAGCTTGGCGTGCCGTTCCAACCCGAATTGGCTTTCGGCGCCATCGGTGAGGACGGCGTGCGGGTGCTCAACGACGACGTCGTCGCGGGACACACCTCGATGCTGCCGCCATGGACGCGTCGAACGCAAGCAGCTGATCGAGCTACAACGCCGCGGGAACGCTTCCGCCGCGGGCGTGACCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGACGCATCGCCACCGGAGCGAACGCCAAGGCGCCAAGGCGGCGTGCCAGGTCACCGGGCGCACG

Clone Rv270

Clone Rv271

CTCAAGCTTGGAGGCGTGGCGATCGCGGTCCAAGGCGCGCTCTCCGAGCACAACGAGCGAAGACNGCTCGGCGACGGA GCCTTTATCGACNTCCGTTCGGGCTGGCTGACGGCGGCNAAATAATGCTGGACTCGTTGTTGTCGACGGTGCCGTGGC GAGCCGAGCGCCGTCAGATGTACGACCGGGTGGTCTATGTGCCGCGGTTGGTGAGTTTCCACGACCTGACCATCGAAG ATCCGCCGCATCCGCTGCTGGCGCGGATGCGCCGGTGGCTCAACTAATTCTACGGCGGCGAACTGGGTNATCCCTTCN CCACCGTCGG

::::::::::::Rv271T7.seq:::::::::::

CCTAGGTCAACCGTACCGTCATCGGATCGGGGTCGACCGCACAGATGGACTGGAGCTTCGGCGAGGTCATCGCCTATG
CCTCGCGGGGGGGTGACCCCGGGTGACCCCGGGTGCCCACCGTCGCACGCTCGTCGAAGCAC
CTCAGGCCACCGGAAATCATTCCCGGGCTGGCCACGACTGCGACGTCGTCGACGCTGGCGA
GACGATGCAGACCGTCCGGACGAGCGGCACTCCTTTTCCGTTGGCTCTTCGGCCGAATCCGGACGCCGAACCCGACCG
GCGCGGGGTCAACCCGGCACCGACGGGTGCCGTTTACCCGCGGGCTGCACAAATCCCGACGGGTATGGGCTTTGAC
CTGCCGACGGGGA

Clone Rv272

AGCTTGGCGTGACACCAACACAGGGCACTTAAGATGGCAATGCGCCGCCTACCTGCACGTTTTCGCGATGTCAGAGGA TGCCGAGGGGAGAACAATGCGAGCACGGCCGCTGACGTTGCTCACCGCTTTGGCGGCGGTGACATTGGTGGTGGTTGC GGGCTGCGAGGCCCGAGTCTAGGCCGAAGCATATAGCGCGGCCGACCGCATTTCGTCTCGACCGCAAGCGCGACCTCA GCCGCAGCCGGTGGAGCTACTGCTGCGCGCCATCACGCCGCCTAGGGCTCCGGCGGCGTCGCCGAACGTCGGGTTTGG CGAACTGCCTACCCGGGTCCGGCAGGCAACCGAT

:::::::::Rv272T7.seq:::::::::::

Clone Rv273

GGGTCGACTTTCTGCAAGGCGAGGCTACACCGTCGTCGTCGTGGTATGCGATAGCCATCCCGTCGGGCTACTCGCCATCACCGATCAGCTTCGCCCGAAGCCGCCGTGGTGATTTCCGCTGCGACCAAACTGAACGGGGCCAAACCGGTATTGCTTACCGGCGACAACCGGGCCACCCGCCGATCGGCTCGGTGTTCAGGTTGGCAT

:::::::::Rv273T7.seq::::::::::

AATCCGAAATCCTGACCGATACTTGAACCTGGTCTCGTTCGGCAATAACTCGTCGGCGTGCAGGACGCGGCGCAAACG TACTTCGGCATCAACGCGTCCGACCTGAATTGGCAGCAAGCGGCGCGCTGCTGGCCGGCATGGTGCAATCTAACAGCACG CTCTTCCCGTACACCAACCCCGACGGCGCGCGCGGCGGGAACGTGGTCCTCGACACCATGATCGAAAAACCTTC CCGGGGAGGCGGATGC

Clone Rv274

:::::::::Rv274SP6.seq:::::::::::

TTCCGAATTTCGGGTCCNGGTCATATGACCCTCATGGAAGAAGAAGCGGCCGCCCCGCGCCCGTGCGACGGCGAATGA
AAACCCTCACCCAGGCCGCATTGAACGCCGACAAGACGGTGGAGCAGGTCGAAGACGTCCTGGACGGTCTGGGTAAGA

CCATGGCCGAGCTGAACAGCTCGCTGTCACAGCTGAACAGCACCGTGGAGCGCTTGGAGGACGGTCTGGACCATCTCG AAGGTACCCTGCACAGCCTGGACGATCTCGCGAAACGGCTCATCGTGTTGGTCGAGCCGGTGGAAGCCATCGTCGATC GGATCGACTACATCGTGAGCCTCGGCGAAACGGTGATGTCACCGCTGTCGGTC

Clone Rv275

:::::::::Rv275SP6.seq:::::::::::

```
::::::::::Rv275T7.seq::::::::::
```

TTGGCGGGTTGGCCCAGCAGCCCGCCGGTGACGGCGACGATGCTGGGCTGGTTGCGGCCCTGCGCCACCGCGGCTTGC
ATGCTGGTTGGCTGTCTTGGGACGATCCCGAAATAGTCCACGCGGATCTGGTGATTTTGCGGGCTACCCGCGATTACC
CCGCGCGGCTCGACGAGTTTTTTGGCCTGGACTACCCGCGTGGCCAATCTGCTGAACTCGCGGCCGGTGGTGGCCTGGA
ATGTCGAGCGCCGTTACCTACGTGACCTGATGGATCGGGGGGTGCCGACCGTGCCCGGCGATGTGTATGTGCCGGGAN
AGCCGGTCCGGTTGCCACGCAAAGGCCATGTCTTCGTCGGTCCGACCATCGGTACCGGGACACGGCGCTGTATTGCCC
GGTTCGCTGCCGAGTTCGTCGCCAACTGCACGCNGGCGGGCCAGCGGTGCTCANCCCGGAGGTTCCGGTGACG
ATGATCGTGTTGGTCTCCCT

Clone Rv276

```
::::::::::Rv276T7.seq:::::::::::
```

CGAACTGAGCCCATAGAAAGGCAGCGACTAATTCGCTGGGCAAATAGGAAGACCCTTTGTCCTGCCACGTATATTTGT
CGACCTCGTTGCGAAGGAAGCGGCTGCGATTGGTGCCCTTTTCCCTGGAGAATCTCTGCCCGGAGCAGGAAGTCTTAT
GAGTTGACAAGCAGGGGCGCCGCCTTCGCCGGAAATCACATTCTTGGTCTCGTGAAATGAGAGCGCTCCCAGGTCGCC
GATGCTGCCGAGCGCCCACGATACGACGCCATCGCGCCTTTGGGCCGCGTCTTCGACCACCGCCAGGTTGTGGTG
CGTGGCGATCTTCATGATCGCGTCCATCTCGCAGGCCACCGCCATGGGCCACGGTAGTGAACGGGGACCATGGCCTCGGTTCGCGGG
TGAA

Clone Rv277

:::::::::::Rv277SP6.seq::::::::::::

 $\tt CTTAGACGCCACCTCCGGGCCGAGCTCCACGGGGTGGATAAGTACGGCCGGATGTGGCCGCAATGGGAAGTTGTTGCCCGGTTGACTGCCGGGTTAACGCCGGATTCCACCACATCCCCTTGCGAAAGGCCGTTGGGTT$

```
::::::::::Rv277T7.seq:::::::::::
```

Clone Rv278

AGCTTACGCCGCTTTCGCTTCNGATTTGGGACGCCGCATCGAAAGCGCAGTTGGAAGCGCGGCGCCCGGCTGGTCGAG CTGCTCAAGCAGCCGCAATCCCAGCCCATGCCCGTTGAGGAGCAAGTGGTTTCGATCTTCCTGGGCACCGGCGGTCAC CTGGACTCGGTGCCCGTCAAGGATGTCGGCGGTTCGAAACCGAATTACTGGACCACATGCGGGC

CGACGGGACCTCGTCGCATCTTCCATAGCCCGCCACACCTTCAGTTGCTCACCGGAATCCAACCGGTATAAGGTCGGCGAAGCGCTCGGCATTGGTCATCGGGATATGCCGCTCGGGACGGTCAGATGCCCTCGGGTCCNGCCAGCACTCCTCAGGCTTCGTCGGGGTGGTCGCGCACCGCATGGGCCACATCGCATTCACCAGGTCTGCGCGAATCACCAGCACGTANACGGTTCCTTAAGCAACACCGAAATTTCAGGACCCGAATGCTCCGGGAAAACATGTCACGGTAAGTCCGGTATTCCGGGTACCGGTTGAGCATTGA

Clone Rv279

CGGCATCGGTTTGGGCTGTCACCAGCAGTTGGTAGTTCTTCACTACTGTTGTTCGAGCCGTCGAGCCGCCGCGCGTGTC
GAGGTCGCCGGACGCGTACCCGCCAGGCCGGTCAGGGTGCCCTTCCAGTCCACGCNGCTGTGGTCGGCTAACCGCTTA
TCTTCAATCGAGACNATCGCCAGCTTCATCGTGTTGGCGATCTTGTCCGAGGGCACCTCGAACCGGCGCTGCGANTAC
AGCCACGCGATCGTGTTGCCCTTCGCGTCGACCATCGTCGATACCGCAGGCACTTGCCCCTCGAGCAGCTGGGCCGAT
CCGTTGGCAACGACCTCAGAGGCACGATTGGACATCAGCCCCTAGCCCGCCTGCG

Clone Rv27

::::::::::Rv27SP6.seq::::::::::::::

TTACACGNCCTGCTTCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGAC CATGATTACGCCAAGCTATTTTGAGCACACTATTGAGCATTACGACAAGCTATTTAGGTGACACTATAGAATTACTCAAGCTTTTTGAGCGTCGCGGGGGCAGCTTCGCCGG CAATTCTACTAGCGAAGTCTGGCCGATNCGGATCTGACCGAAGTCGCTGCGGTGCAGCCCACCCTCATTGGCGAT GGCGCCGACNATGGCGCTTGGACCGATCTTGTGCCGCTTTGCCGACGGTGACGGTANGTGGTCAAGTCCGGTCTACN CTTGGGCCTTTGCGGACGGTCCCGACGCTGGTCGCGTTGCCGCGCGGAAAGCGGCGGTCGGGTGCCATCAGGAATG CCTCACCGCCGCGGCACTGNACGGCCAGTGCCGCGCGGCGATGTCNGCCATCGGGACATCATGCTCGCGTTCATACTCCT CGACC

Clone Rv280

AGCTTAGCCAGTTTTTCTACTCTTGGGCCCACACCCACAGTGCTTCGACGGTACGGTCACCCATGATGGCCATCCAGT
TGGCATCGGTGAGCTGATAAATGCCAGCTGGTTTCGCCAACCCGGTAGCGATCTTGGCGCGCTGCTTGTTGTCACTGA
TACCTATCGAGCAAGACAGCCCGGTTTGCGACAAGATGACTTTTCGGATCTCTTCGGCGACTTCGATGGGGTCGCG
GAGTCCCGGGCGCCACCGCGAGGTAAGCCTCGTCCCAGCCCCATACCTCGACCGGGTATCCCAGGTCGCGCAATAACG
CCACCACCTCCTCGGACGCCGCGTTGTAGGCGGCTGGGTTCGACGGCAAGAAGTGGCCTCAGGGCATCGTCGGCGCGG
TCCCAACGGCNTGCCGGCGCGCACACCGTAGGCGCGCGGGCTC

CCGGCGGAACTCAGACGTGCTGGTGCTGCGCATGGCACCGCGGGCAGCAAAGCGCACTTCTCCGGGGACGACAGCAA GCGACCGCTAGACAAGAGGGGTCGTGCGCAGGCAGAAGCGTTGGTACCACAGCTGCTGGCGTTCGGCGCCACCGATGT TTATGCCGCCGACCGGCTGCCCACCAGACGATGGAGCCACTCGCCGCGGAACTGAACGTGACCATACACAACGA GCCCACCCTGACCGAAGAGTCCTACGCCAACAACCCCAAACGCGGCCGACACCGAGTGCTGCAGATCGTCGAGCAAGT

 ${\tt AGGCACCCGTGATCTGCACGCAGGGCAAGGTCATTCCCGATCTGATCACGTGGTGCGAGCGCGACCGTGTGCCCGCAATCGCAAAGGCAGCACGTTGGTGT}$

Clone Rv281

:::::::::Rv281SP6.seq::::::::::::

G LATGGTCAGCTGTCCATCCGGCGCTGTCGGCCGAGCTGCCAGATCTCGTCAGCCGTAACCGGGTTGCGGGATCCACG

Clone Rv282

TGCACCCAACTTACTGAGCATGCTAACGCTGGTCGTGCGGGTCTTGTTCCCGCGTGTCGGCAGGGCACACGCTCGGGG CGTAGCTGGGAGAGGCCCCGGTCAAGCCCGGAGAGCAGTGCTCAGTCCGCCAGCTTGACCGACTTTCGATGAGAACGC GCTTCTCGCCGTATTGAACTGGCGTGCTGACGGTCGCTGAGCAGCGCTCGCCGAGTGCGGCCGCTGATTCTTTCATCG AGCCAGGACGCGCATTCGTGTTCGGCCGC

Clone Rv283

AGCTTACGGCCGGTCGACGCGACGAGTGGTTCATGACACCACAAACCGTCAACGCCTACTACAACCCGGGGATGAACGAAATCGTCTTCCCGCAGCGATTTTACAGCCACCATTTTTCGATCCGCAGGCCGACGAGGCCGCAACTACGGCGGGATCGGGCGCGGGGTGATCGGGCACGATGATCGGGCACGGTTTCGACGATAGGGCGCCCAAATACGANGGCGACGCAATCTGGTCATTTTTTCGATCGTTGGATCGA

Clone Rv284

CTGCCGCGGTGGCGGTCAGCGCCTGGCAAGTCACCGCCGCCGTCCGGTTCATCGGCAGGCTCCCCGAAAAGGGCC
CTGGCAACAGAAGGTGATCAATGAGCTCCCGCAGACCTTCGCCGATCTGGGACCGACATACGTGAAGTTCGGCCAGAT
CATCGCGTCCAGCCCGGGAGCATTCGGTGAGTCGCTGTCGCGGGAATTCCGCGGCCTGCTCGACCGGGTGCCCCCC
CAAAAACCGACGAGGTGCACAAGCTCTTCGTCGAGGAACTCGGCGACGAGCCGGCCCGGCTGTTCGCCTCCTTCGAGG
AAGAACCGTTCGCGTCCATCGCCCAAGTGCACTACGCGACCTGCGCAGCGGCGAAGAAGTGTGGTCAAGATC
CACGGCCGGGCATCCGCCGCCGCTTT

Clone Rv285

:::::::::Rv285SP6.seq::::::::::::

Clone Rv286

TCAGGACGCTTATGGTTGGCAGATGGTCGCCCTGGCGTCGAATACGCGCGAGCGCATGAGCTCACCGGTTCGGAACAA CGTATCGAAGAACGTCGCACTGCTGGCAGATGGTATCTCCGATGTGTTGTATTTGTATCCCAACTCTAACTGTGCT ATCGGATCAGCGTGAATATCGAGATATTGCGAATGCGATGACAGCCGCCATTCGGTTTATTCGCTTACGCTTCCCGG GTTCGATTCGTCTGATGCACTGCCGCAAAACGCGGATATGATTGTTGAAACCGTATCTAACGCAATTATTGATGTGGT AGGCGGCAGCTGCCGCTTTTGTGCTGCTCCCAT

Clone Rv287

::::::::::Rv287SP6.seq::::::::::::

CGCAGCTGTCGCCGATCTGGTCCGGAATACCTAGCTCCAGGTTCTGAGTGGAGATGAGTGCGGCCATCGAAGTGTTGTCAATGTACTCCAGGATGTCAGGTGCCAGGCCGCTGGCGAGGATCTTGGGCACCGCCGCCATGACTTGGTCGAAGTCGGCGAACGGGGGGGAGCACGCTGGCGTCGTGGTC

:::::::::Rv287T7.seq::::::::::

Clone Rv288

:::::::::Rv288T7.seq:::::::::::

ATGGGAGGCCACCGATTACCATCTTGCACACACCGATTCCGGGCTATTGATGTCCACGTTCGGTCCGCGAACCGCGCT
GTGGCTGCTGCTGGCCAAAGGCGGAGGCGATACCGAAGTCAGTGCCCAAGCTTGGGTTCCACGCTCGCGCAGCCACGC
CGTCACCTTTCCACGAGACCTCACCTGCCGATCCGAAATGGAATCGGCCGTGACGGAATTGGCGCAGCGAACACTCAA
CGAGGTGGTGGCTTCGTCGCGAACCGTCACCCGAGTCGCGGTCACCGTGCCGCACGACGTTCTACACCCGCACCAA
GATCCGAAAGCTGCAAGCTCCCAGCACCGATCCCGACGTCATCACCGCTGCCGCCCGGCACGTTCTTGAACCTATTCG
AGCTGGAATCGGCCGTCCGGTTGCTGGGAATTGCNGTTAAGAACTGGGCCT

Clone Rv289

Clone Rv28

Clone Rv290

GCGCGCCATGTTGAGGTTGTCCGACGGTGACGACGGTGAACCACACTGTTTGACCTGTCCGCACACACCGTGTGGAT
CGGCGAGCGGACCCGACAAATCGATGGCGCGCACACTCGCGTTTGCCCAGGTGATTGCTAATCCGGTCGGGGTCAAGTT
GGGCCCCAACATGACCCCGGAACTGGCCGTGGAGTACGTCGACCGCCCCACAATAAGCCGGGCCGGCTGAC
TTGGTGAGCAGGATGGGCAACCACAAGGTCCGCGATCTGTTGCCACCGATCGTGGAGAACGTCCATGCCACCGGGCAT
CAGGTCATCTGGC

Clone Rv291

TTGCCTTCCATGCCGAGCAAGGTCGACTCAGCGATGACGAATTGTTCTTCTTCGCGGGTGTTGCTGCTTGCGGGC
TATGAGAGCACTGCTCATATGATTAGCACATTGTTTCTGACGCTGGCCGACTATCCAGATCAGCTGACACTCCTTGCG
CAGCAACCAGACCTGATCCCGCCGGCGATCGAGGA

:::::::::Rv291T7.seq::::::::::::

CGACGCTGGGCCCAACTGCGACCACCAGGTCCTGGTATGGCAGGACATGGCCGGGTTCAGCGGCGCCAATACCG

Clone Rv292

::::::::::Rv292SP6.seq::::::::::::::

TAACGACTCGGGTCCAGCGACCGCCCAACACNAACGGCCGGACNACGTGGGCCAGGGTCGCGGCCTCCCCTACAAACAGGATCCGTTGCCTGCGAACGACAGGCTCCGGTGCGGCGTTGGGCGCCGTGCTCCCAGCGTCCGGGTCCGGGTCC

CCGGCGACGCTTGTTTCCTCCATACTCGCCCCCTAATCTCGAGGCAGCCGTACCCGCAGGCAACCTCCCAAAAATGCAATCCCCCAAAATGCAATGCGTCNAGCTATTTCTCACACCGACCGCTAGTTGCGGATCANAAATCCGTTGGGCGCGGA

Clone Rv293

GCTTTTCNGATCGCAGCGAGTCGTACCCGCGCCGGTCACCTTCGTGGATATCGCCGGCCTGGTCAAGGGGGGCGTCCGAGGGAGCCGGGCTGGGTAACAAGTTCCTGGCTCATATCCGCGAATGCNACGCCATTTGTCAGGTGGTGCGGGTGTTCGTCAACAACNACTTGACTCATGTCACCGGACGGGTCGATCCCCANTCCGACATTGAGGTCGTCGANACCGAGCTGATCCTGGCANACCCTGGAGCGGGCCACGGGCCGGCTGGAGAAGGAANCGCGCACCAACAAGGCGCGCAAGCCGGTCTACGACGCGGCACTGCCGCGCGGGGTGGATGCCGCGCAAACAGGCGCGCAAGCCGGTCCAACCAGGCGCGCAAGCCGGTGAGACGCGCGCAANACGCTGTTCGCCGCGGGGGTGGATGCCG

Clone Rv294

GCGAGGCGGTATCGCTTCCCGTCGTACCGGCGACCGCCAGCCGAGAAGCTCGTTTTCCCAGTGTTGCTGGGGATTCTC ACGCTGCTGCTGANTGCGTGCCANACCGCTTCCGCTTCGGGTTACAACGAGCCGCGGGGCTACGATCGTGCGACGCTG AANTTGGTGTTCTCCATGGACTTGGGGATGTGCCTGAACCGGTTCACCTACNACTCCAAGCTGGCGCCGTCTCGTCCG CAGGTCGTTGCTTGCGATAGCCGGGAGGCCCGGATCCGCAATGACGGATTCCATGCCAACGCTCCGAGTTGCATGCGG ATCGAATACNAATTGATCACCCA

Clone Rv295

:::::::::Rv295SP6.seq:::::::::::

::::::::::::Rv295T7.seq::::::::::::

TCTCCACGGCGTGGATCAAGGTACCGGCCGGGATGTTGCGCAATGGCAGGTTGTTGCCCGGCTTGATGTCTGCGTTAGCGCGGATTCCACCACATCCCCTTGCGAAAAGTCCGTTGGGTGCAATGATGTAGCGCTTCTCCCCATCGAGATAGTGGAGCAACGCAATCCGTGCGGTACGGTTCGGGTCGTACTCGATGTGCGCGACCTTGGCGTTGACACCATCTTTGTCATTGCGGCGAAAGTCGATCATCCGGTAAGCGCGCTTATGACCGCCCCTTTGTGCCGGGTNGGTAATCCGGCC

Clone Rv296

:::::::::Rv296SP6.seg::::::::::

GCCCGGTTCGATCGGCCATGTCCGCAGTCGTTACCGGAGGCGGTCGTGGCCGCGCTAATCGGCGTCGGCGCCGAC
AAGATGTGGGATATCCGCAATCGGGGCGTCATCCCTGCGGGCGCGCTCCCCCGCGTCCGAGCCTTCGTCGACGCAATC
GAGGCAAGTCACGACGCGGATGAGGGGCAGCAGTGAATTACAGCGAGGTCGAGCTGTTGAGTCGCGCTCATCAACTGT
TCGCCGGAAACAGTCGGCGACCGGGGTTGGATGCGGGCACCACACCCTACGGGGGATCTGCTGTCTCGGGCTGCCGAC
CTGAATGTNGGTGCGGGCANCGCCGGTATCNACTCCCGTGGAACACACCCGGGGC

:::::::::Rv296T7.seq:::::::::::

CTCGGCGTGGATATCGGTGTAGCCGGCGCCGGTGAANGTCGGCTCCTTACGTCCACTCGACAACAGCTCATAGCGATC
CAACCAGTANGCAACCGCCTTCAGCAGTACAACCGCGCCGGCGAACACTGCGAGTTGAACGCGAGCTGCCTGGGTCAG
CATGCCTCTGCCGGTTGTCAGCCGAAGGCCGCCGAACAGGTAATGCGTCAACAGGCTCGCTAGAAACGCCAGAACCAC
GGCCACGAACAGCCAGTTCAGCACCGACCGGTAGAACGGCAGATCGAAGACGAAAAAACCCAATGTCATAGCCGAATT
CGGGGTCCACGATGCCAAAGGTGCCCCCGTGTACAACAACTGAACCTTCACCCA

Clone Rv29

:::::::::Rv29SP6.seq:::::::::::

:::::::::Rv29T7.seq::::::::::

Clone Rv2

::::::::::::Rv2SP6.seq::::::::::::

::::::::::Rv2T7.seq::::::::::::

Clone Rv301

Clone Rv302

::::::::::Rv302SP6.seq::::::::::::

TACTCAAGCTTGAACGCTGCGAGCGAGCCCATGTAGAGCGTTTGGTACCAAACCGATCGGTGGGCCAACTTGCCATGG
GCTCACAGCGGCTATCGCGAGCGTGTAGCCGATCATCGGCCAGGCGACGTGGCCTGAGCGGCAGGGTTGCCTTATC
CATCCTCTTGCGGCATGGTTGCCGCAGGGAGTGCCGGTAAGTCTGGTCGGCAACCTGGCCGCTGCGGGTTGGGTTCG
GATTCCCTCGGCTAATAAGGTGCTCGCCTGGTGTTACAACGAATCGCTAGACAGCTCTTATCGGGAGTGGCCGTCGCG
ALCGTTGCGCTGCCGTTCGGCTTCGGCTTCACCGCCACCGGAACGTCCCAAGGTGCGCTCATCGGGCTCTAC
GGCGCCATCTTCGCCGGATTCTTCCCNGCCGTGTTCGGTGG

GCGGTGTCTGAACTTCGCCCGTTCCCTCCAGCGCATTGAGCTTCAGCCCGACCGGCAGGTAGGGAGTCGGCATGCGGT CCTTCGCCCCGACCCCGCTGGCTAAATAGCCACCCCCGAGCGCGGTCACGGTCTTTGCACCGGGACGACGGCATACCG GCAGCGCGAACATCGCCGCGGGCTGCAGCGTGAACGTCGAATACGAGTCGAACAGTGTCGGCGCGTAAAAACCCGAGC CGGCGGTCGCTTCGGTAATCAACGGCTCCTGCGCAACCAGCTGCAANTCNCCGGTGCCACCGGCGTTGACAATCTTGA TNTCGGCGACCTCGCGCACCAN

Clone Rv303

:::::::::Rv303SP6.seq:::::::::::

::::::::::Rv303T7.seq:::::::::::

Clone Rv304

:::::::::Rv304T7.seq::::::::::

Clone Rv306

:::::::::::Rv306SP6.seq:::::::::::

:::::::::::Rv306T7.seq::::::::::::

CTCGGGTACGCTTCGGTCGCAGTGTGCGAGTGATAGATGACGACCGGGACCTCGTCGGCATCTTCCATAGCCCGCCAC
ACCTTCAGTTGCTCACCGGAATCCAACCGGTANAANGTCGGCGAGCGCTCGGCATTGGTCATCGGGATATGCCGCTCG
GGACGGTCAGAGCCCTCGGGTCCGGCCAGCACTCCGCAGGCTTCGTCGGGGTGGTCGCACCATCGCATCGCATCACCAGGTCTGCGCG

Clone Rv307

CTCAAGCTTCAATTCCTCCACGACGCGTTCCCAAATGAATTTCCCGATCCCACAATCTCGGTTCAGATACAGGTCGCC
ATACCCCTTACTTCGGCAACGCTGGGCGGATTGGCCCTGCCGCTGCAGCAAACCATCGACGCCATCGAATTTGCCGGCA
ATCTCGTTCAGCCAATCCATACCCATCGACATTCCGCCGATCGACATCCCGGCCTCCACTATCAACGGAATTTCGATG
TCGGAGGTCGTGCCGATCGATNTNTCCGTCNACATTCCGGNGGTCACCATCACCGGCACCAGNATCGACCCGATTCCG
CTGAACTTCGACGTTCTCAGCAGCGCCGGAACCA

TTAACCCCCGTGGCCTCTACGCCGCCTNCGGGTCGAACATGCATCCCGAGCANATGCTCGAGCGCGCACCCCACTCGCCGATGGCCGGAACCGGCTGGTTACCCGGGTGGCGGCTGACGTTCGGCGGCGAGGACATCGGCTGGGAAGGGGCGCTTGCCCGCTCGTCGTCGAAGACCCAGATTCGAAGGTGTTCGTCGTCCTCTACGACATGACCCCGGCGGACGAGAAGAACCTTGACCGGTGGGAAGGCTCCGAGTTCGGCATCCACCANAAGATCCGATGCCGCGTT

Clone Rv308

::::::::::Rv308SP6.seq:::::::::::

CTCAAGCTTGATTTTGATCATCATGGATGATCATCACCCGAAGTGTGTAGCCGCAGTGGTTATCGTGGGTACCGTCG
TGCTTTCCATGGGCGCCTCTTTCGGGCTTTCCGTATTGGTCTGGCAGGACATTCTGGGTATCGAGTTGTACTGGATGG
TGTTGGCGATGTCGGTGATCCTGCTCCTGGCGGTGGGATCCGACTACAATCTGCTGCTGATTTCCCGGTTGAAAAANG
AAATTGGGGCCGGATTGAACACCGGAATTATCCGTGCCATGGCTGGTACCGGGGGAGTGGTGACGGCTGCCGGCATGG
TGTTCGCCGTTACCATGTCGTTGTTTTGTGTTCAGCGATTTTGCGAATTATTGGTCAGAT

Clone Rv309

CGTGACTGCCACCGGGGCCACTCCGCAGAATCTGTACCCGACCAAGATCTACACCATCGAATACGACGGCGTCGCCGA
CTTTCCGCGGTACCGCTCAACTTTGTGTCNACCCTCAACGCCATTGCCGGCACCTACTACGTGCACTCCAACTACTT
CATCCTGACGCCGGAACAAATTGACNCAGCGGTTCCNCTGACCAATACGGTCGCTCCCACGATGACCCANTACTACNT
CATTCGCACGGANAACCTGCCGCTGCTAGAGCCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGC
TCAACCAAACTTGAAGGTGATTGTTAACCTGGGG

::::::::Rv309T7.seq::::::::::

Clone Rv30

:::::::::Rv30SP6.seq:::::::::::

ATACTCAAGCTTCCGCTGGGGCCTGTTCAACCATGGCGATCCCGTTGGTCCCGGACATCCCGAACGAGGACACCGCGA CCCNCTTCGGTGTGTGATCATTACCGTTGGGCCACTGCGTAACCGCTTGCGGCACAAAGAGCCCGGTCTCGACGTCGG AAAGCTCATCGGGCACCCGATTGAAATGCAGCAGCGGCGGCACCACCCCGTGCCGCAGTGACAGAATTGCCTTGATCA GCCCGACGGTCCCCGCCGATGCCGTGCTGTGCCCCATGTTGCTCTTGGCCGATCCAAGCGCGCAGGGGGTGCCCGCGC CATACACCCGCGCCAGGCTGCGGTACTCAATCGGGTCGCCGATTGGCGTACCGGTGCCGTGCCCTCCACCACACCGA CCGTTTCGGGCTG

:::::::::Rv30T7PEG.seq::::::::::

GGGCATATGTCCANAACGGACGNGGCCGGTTTCNTCGATGCNGCCGGGGTCCGCGACNTGCGGACNCNCNGNCACACC ATCCGCCAGTCCGCGTGGCGTCCCGCCGCGACTCTGCCTCGGCCGCGCCA

Clone Rv310

```
::::::::::Rv310SP6.seq:::::::::::
```

TCCAACGCGGTGACAGATTTGTCTATCCTGGACCTGACGGTGAGGTCGAAGTTTTCCAGGAATTCGGCAAAATCGGTAAGACCTGAAGAATTCGGTAACGCTGAAGAATTCGGCAAAATCGGTAAGAGCCTGAAGAATTCGGTATCGCGGACGAAATCTGCGACGCCATACGGGCCAGATACGCTTCCGGGTTTACGAGATGTCGATGGGGCCCCTGGAGGCTTCACGGTCCATGGGCCACAAAGGATGTTGTCGGCGCGTACCGTTTTCTGCAGCGGGTGTGGCGCTTGGTCGTCGACGAGCACACCGGCGAAACTCGGTGGCTGACGGCGTGGAACTCGACATCGATACGCTACGGGCGTTGCACCGCACCATCGTCGGCGTGTC

Clone Rv311

```
:::::::::Rv311SP6.seq:::::::::::
```

CTCGTCCTTGACTACGCCCAGTATCGAAANCCTCCTGTGCCGGTNCGCTAAACACCCGGCGGACACTCANACGGTGCT
GGTGGTGCGGCATGGCACCGCGGGCAGCAAAGCGCACTTCTCCGGGGGACGACAGCAAGCGACCGCTAGACAAGAGGGG
TCGTGCGCAGGAAGCGTTGGTACCACAGCTGCTGGCGTTCGGCGCCACCGATGTTTATGCCGCCGACCGGGTGCG
CTGCCACCANACNATGGAGCCACTCGCCGCGGAACTGAACGTGACCATACACAACGAGCCCNCCCTGACCGAAGAGTC
CTACGCCAACAACCCCAAACGCGGCCGACACCGAGTGCTGCAGATCTTCG

GTATCGCCTCCNCCTTTGGCCACCAGCAGCAGCGCGGGTTCGCGGAACGTGGACATCAATAGCCCGGAATCGGTGTGTGCAAGTTGGTAAACGGTGTTGATCCCAAGCTTTGCCAGCCTTTTCGTAGTCTTGGGCCCCACACCCCACAGTGCTTCGACGGTACGGTACCCCATGATGGCCATCCAGTTGGCATCGGTGAGCTGATAGATGCCAGCTGGTTTCGCCAACCCGGTAGCGATCTTGGCGCGCTGCTTGTTGTCACTGATACCTATCGAGCAAGACAGCCCGGTTTGCGACAAGATGACTTTCCGGATCTTCNGCGAACCTCCAATGGGGGTCTCCGGGANT

Clone Rv312

```
::::::::::Rv312SP6.seq::::::::::::::
```

Clone Rv313

```
::::::::::Rv313SP6.seq::::::::::::
```

CTCAAGCTTGCAATGCGGGTCGGGATGCCCATGGTTGGAANATGGTCGCCCTGGCGTCNAATACGCGCGAGCGCATGA GCTCACCGGTTCGGAACAACGTATCGAAAAACGTCGCACTGCTGCTGGCAGATGGTATCTCCGATGTGGTTGTAATTTGTA TCCCAACTCTAACTGTGCTATCGGATCAGCGTGAATATCGANATATTGCGAATGCGATGACAGGCCGCCATTCGGTTT ATTCGCTTACGCTTCCCGGGTTCGATTCGTCTGATGCACTGCCGCAAAACGCGGATATGATTGTTGAAACCGTATCTA ACGCAATTATTGATGTGGTAGGCGGCAGCTGCCGTTTTGTGCTGTCGG

CAAATACACGCCGGACGCACAGGCGGACATCGCCATCCCGAGCACACCCCAAAACGGGATACAGGATGGAGGCCAACGC CGCAGCATGCACAAACGCGTACACCGCTGTCACCAAGACGGCGACCAGCAATACCAGCATGACGGTACCCACGAGGTG GCTCACGCATTCAGACTATGCGGTTTGCATCCAACACG

Clone Rv314

CTCGTCCTTCGGCCTCGCAGGAGTGGGAGCCGCAGGGCTGGAAATCCGAAAAACGAGCCGGTGATCGCACTGTCG CCGATCGGCCGCCCCCTGGTTGGTGTTACGGATGAATCCGCAGCGAAATGTGGCTGCGGTGGCGTGTCGTGACTCGT CGGCCGATGAGCTGACCGAGGTCGACAGCGCCGTGTTGGCTGACTTGGAACCGACATGGAGTCGCCCCGGTT

GTCTAGNCCGCCGAACACGATACGGGTGTCATTGGCCACCGGCGGCGGCTGTCCGGGAAATGGCGGGTCCCCGGTGGT TCCTCCAACCGGGTTGTCGATCCGGACAGGTTGGGGTGCGTTTGGGGCAATGACAGGTGGCGGCGGTGCGTTCGGGTC GGCCGGCGGAAGTGCTTGGGATCGCCCGGCTGGGCATTCGGCGTGTTGGCGGCGGCCGGTGG

Clone Rv315

 ${\tt ACTCAAGCTTGAGATTGGCGTCAACGGGTGTCGGCACCGGCGTCCTGCAGTTGGTAGGCCTGCAGTTTGTGCATCAGG}$ TCCAGCTGAGGCCCGCAATCGCAGCGGCGTGACCCAAACACATCGCCGGTCAAGCACTCCGAATGCACCCGGACCAGC ACGTCG

TCACCGTCGGCGTTGGGCCCGGCGATCTCGCCGCGGACCAGCGCGACATGTTCCACGTCCTCGTAAATGCTGGTGTAN CCGATGGCGCGAAACTCCCCATGACAANTCGGAATCCCGCGCCTCGGCGACCCCGCTCAATGTTGCTTCTCNTGCTTG

 ${\tt TCGACNAGCATTCTTGACNGTTGTTTTGGCTCGGCATGGTTAGCCAAGGTTCTGCGGTCCCACCAGATCATCTTGGTC}$ $\tt CGGTAGCGCTCGGGGTATGCTGCCGGGGATTCTCGCTGCTATTACTCCCCCGGAGAACGCCACCGGTCCAGC$ GCGTGGGCCGCCGCGCCCATCACAAACTGAACCCCCAACAGGGGACATGCTTAGCGGTAGGGCGCGCCCAAGGC GTCATTGATCATCTTGCGCACCGCGGATAATCCGGGAT TG

Clone Rv316

TACCCGCTCAACTTTGTGTCNACCCTCAACGCCATTGCCGGCACCTACTACGTGCACTCCAACTACTTCATCCTGACG CCGGAACAATTGACGCNGCGGTTCCGCTGACCAATACGGTCGGTCCCACNATGACCCANTACTACATCATTCGCACG GANAACCTGCCGCTGCTAAAGCCACTGCGATCGGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAAC $\tt TTGAAGGTNATTGTTNACCTGGGCTACGGCGANCCGGCCTNTGGTTATTCCACCTCNCCGCCCAATGTTTGCNACTCC$ CGTTCGGGGTTGTTCCCNNAAGGTCAACCC

 $\tt CGCTCAAGCGCNTGAGGCCGAANCGGCTGGTTACGACTCCCTGTTTGTGATGGACCACTTCTACCAACTGCCCATGTT$ GGGGACGCCGACCGGCGATGCTGGAGGCCTACACGGCCCTTGGTGCGCTGGCCACGGCGACCGAGCGGCTGCAACT GGGCGCGTTGGTGACCGGCAATACCTACCGCAGCCCGACCCTGCTGGCAAAGATCATCACCACGCTCGACGTTAG CGCCGGTCGAGCGATCCTCGGCATTGGAGCCGGTTGGTTTGANCTGGAACACCGCCAGCTCGGCTTCGAGTTCGGCAC TTTCAGTGACCGGTTC

Clone Rv317

CTCAAGCTTGCGTTCGATGAAGTAGTCGTCGGTCAGCGCCCCCTCTTCGAGCTCCTTGGCGATGCCCAGCAAGGAGTC $\tt ATCGCCGCCGAGCTTGGCCAGGATCTTGTCGGCCTGTTCCTTGACGATGCGGGCCCGCGGATCGTAGTTCTTGTAGAC$

GGTCAGGCCGAGCAGGCGGAGGAACGACGAACCCAACAAGCCATGGTGGTTGGCGCCGTCGAGAGGTCGGCGGTCGCCACAACGGGAAGATCGCCGTTGAGCGTCGCCGCCGCCTCGAGTTGGGTCATAACGAAGTAGCTGATGCCGATCATGTCGACGTTTCCGTCGCCATCAGCGTGCAGCCGACCCACTCNACGAGGTCTCGGTGCCGCCGCGGCCAGGGCACCAGCCGTGACGACCCAGGCCCAGGCCACCCAGGCCACCCAGGCCCAGGCCACCCAGGCCCAGGCCAAGCAGTCGCGGTGCCANCCCTGGTGGCTCGGGCGATGGTTGGGTGTGCTCATTTCGGGAACGCCA

Clone Rv318

::::::::::Rv318SP6.seq:::::::::::::

CTCGAAGCTTTAACAGCATCAACCCCGCCCCGCACCAGCACCGACACNATGTCGATGCCATCGAGGTGAATGTCGAAC
TGGCGCAAACCATCGGCGACCGCGACCACCGGCAACATGGGTACCGGCGATTTCCGGTGCCAATGCCGACCCGACGGG
CCGCTCTCACCGCAGGTGACCTCGATCACCGAGACCANCCGGCCGTTNTNNTCACGCACCCCTACCGTGTCACGCCCA
AAACGGCGCTGGTGGTCGATTGCCGGAGTGCACCCCNCACCCAGTGTCGTCGCCCGGATCC

Clone Rv319

::::::::::Rv319SP6.seq:::::::::::::::

TTTCGGGCGAGGCGGTATANCTTCCCNTCGTACCGGCGACCGCCAGCCGANAAGCTCGTTTTCCCAGTGTTGCTGGGGATTCTCACGCTGCTGCTGANTGCGTGCCAAACCGCTTCCGCTTCCGCTTACAACGAGCCGCGGGGCTACNATCGTGCGACCTGAAGTTGGTGTTCTCCATGGACTTGGGGATGTGCCTGAACCGGTTCACCTACNACTCCAAGCTGGCGCCGTCTCCGCAGGTCGTTGCCTTGCGATAGCCGGGAGGCCCGGATCCGCAATGACGGATTCCNTGCCANCGCTCCGAGTTGCNTGCGGATCGACTACNAATTGATCACCCANAACCATCGGGCGTNTTACTGCCTGAAGTACCTGGTGCGGGTCGGATACTGCTATCCGGCGGTGACAACCCCGGCAAGC

Clone Rv31

GCGCGTNGAACTGATAGGTGCGGCCCGGCTCGAGCANGCCGGCCATTTGTTCGATGCGGTTACCGAAGATCTCTTCGG TGACCTGCCCGCCGGCCAGCTCGGCCCAGTGCCCGGCGTTGGCCGCGGCGGCGACAATCTTGGCGTCCACGGTGG TCTGGGTCA

Clone Rv321

:::::::::::Rv321SP6.seg::::::::::::

CTCAAGCTTCAATACAGAGTTATAAACTGTGATAATCAACCCTCATCAATGATGACNAACTAACCCCCGATATCAGGT CACATGACGAAGGGAAAGAGAAGGAAATCAACTGTGACAAACTGCCCTCAAATTTGGCTTCCTTAAAAATTACAGTTC AAAAAGTATGAGAAAATCCATGCAGGCTGAAGGAAACAGCAATAACTGTGACAAATTACCCTCAGTAGGTCAGAACAA

Clone Rv322

:::::::::Rv322T7.seq::::::::::::

Clone Rv327

CTCAAGCTTTCGGCGGAGACGGACANNTTGCGAACATTGATGACAAAATAGAAATCATTGATGGTTTGAGTCACCAGG CCGATCAAGCCTTCGCCGAGCCAAATTCCAATCAAGAGGCCCAAGCCCGTACCAATCAGCCCGGCAACGAGGGATTCC GTCATTATCAGCCAAAATAACTGCTCTCGGGTTACACCCAAACAGCGCAATATGGCGAAAAAACGGTCGCCGTTGCACG ACATTAAATGTCACGGTATTG

::::::::::Rv327T7.seq:::::::::::::

AGCTTAACTGCTCCCTAATACCTGGGGCTGTGCCTGCGGTGTATGCACGGCATACGGACATCCNTCCCCTGAGACCCN CGGTCTAATCAGCCACGTGTCCACCATCAGGGGTCAACCCCGGCCAAGGGCGACGGCACCCCAAGTTCGCCGACCGTT AACCTATTGCTGTGAGCTTCATTTGCTGCGAGCAAAACAGTTGGTCGGCCGTTAGGAACTGAATTGACACTCAACCGA TTTGGTGCCNCCGTAGGTGTCCTGGCTGCGGTGCGCTGTGTTGTCCGCGTGTGGTAACGACCACAATGTGACCGGG GGAGGTGCAACCACTGGCCACGCGTCCGCGAATGTCTATTGCGGGGG

Clone Rv328

CTCAAGCTTGGGGTGGCGCTGTCGGTCGGTGTGCTTGGCGGCGTCGGTATCAACACCGCCCACGAAATGGGGCACAAG
AAGGATTCGCTGGAGCGGTGGCTGTCCAAAATCACCCTCGCCCAGACCTGCTACGGGCACTTCTACATCGAGCACAAC
CGTGGCCATCACGTCCGGGTGTCCACACCCGGAGGACCCGGCGTCGGCGGGTTCGGCGAAACGTTGTGGGAGTTCCTG
CCCCGCAGTGTTATCGGCGGCTTGCGCTCGGCCGTTCATTTGGAGGCCCAACGGCTGCGTCGGCTCGGCGTCAGCCCC
CT

:::::::::Rv328T7.seq:::::::::::

GCACCAAGGCCCCACACGTCACCCTGTGACCTCCTGCGCCGACCCCGCCGAGGTCCTGGCCGTTACCACCTGAACGG GCGAGCCGGGAGTCTGGTACGCATCGAACAAAGAGCAAGGTGCATGGGCGGAGTTGTTCCGCCACTTCGTCGATGACG GGGTCNATCCATTCGAGGTCCGTCGCCGCGTCGGTCGAGTGGCGGTCACACTCCAGGTACTCGACCTCACAGACGAGA GGACTCGATCCCATCTAGGTGTGGACGAAACAGATCTTCTGTCCGA

Clone Rv329

:::::::::Rv329SP6.seq:::::::::::

GTCCTCGAGTGCCGCCGTCGNCACNCCCAGCGCCCGCGCGCCCACTTGGATGCGACCCGTTTCAAGTCCCTTCATCAT CTGCGAAAAGCCTTGACCCATGGCTCCGCCCAGGATCGCCGAGACCGGCACCCGGAGGTTGTCGAACGACAGCTCGCA GGATTCGACGCCCTTGTAACCCAACTTCGGCAAGTCCCGCGACACCGTGAGTCCCGGCCCGGGTTCGACGAGCACGAT CGACATGCCTTGGTGCCGCGGTGTGGCGTTCGGGTCGG

Clone Rv32

:::::::::::Rv32SP6.seq:::::::::::::

GGCATACCAATGTGGACTTCTGCTCACCCACGATATCCGTGGTCTGATCCGCTGCTGCGGCGGGCTGCNACCTGCNTC
TCNGCGGCACCCGTNACTACATGGCNCGCGCCGCACGCATACGTCGCGGGGGGACCCACTCCNACTGGTCGACGGTGC
TGGCCGCGTGTCCGCANGTCCCNAACCCGGCCGCACCGACGAAACCGGCCGCCGTCCGTTCTGGACCAACGCTCATGT
GCCGTCGGGGTCCATGCTCGACGCCATCGAGACCGTAACCAGCGTCCTCGAGCGGTTCGCCTCCGGCTTCCGTGACAT
CTTCGTGGCTGCTCGCGCCGTGCCGCCGCGGGGATGGTCGACCACCACCACCCTCGGCGTGACATCACCGTC
CGCGCCACTCGACCTGGCGCGCGATCGCGGCCC

:::::::::Rv32T7.seq:::::::::::

GTGAGCAGACCTACGCCNCCTGGTTGCGCCAACTCGGTACCGATCATGGCGCGCNGCCTGTCGTCACCGATACCCAGC GAACAAGACAGCCCGGTCCGCGACAAGATGACTTTCCCGATCTCTTCGGCGACTTCCATGGGGTCGTCCGGAGTCCCG GGCGCCACCGCGAGGTAACCCTCGTCTCAGTCCCATACGCGACCGGGGTATCCACGTCGCGCAACAACGCCACCACCTC CCCAGACGCCNCGTTGTACGCGGCTGGGTTCCACNGCAATAAGTGGCCTCANGGCATCGTCCGGCGGCGGTCCNCAAC GCA

Clone Rv330

CTCAAGCTTGAGGTTAACTTTGAACGGATCGAGCTGGACGTTCGAGACGGTGATCGGGCCGAACCTGAATTGTCCGGT
AATGCCCAACGCAAAAAGCAGGGTGGTGGCCGGGGGCGGTGAAACCGGCGTCGGAGCCCGTCGAAATCTATGTGGAT
TGCCGGAATGGGGATGTCCGGCACGGCGAAACCGTAGTTCGCTTGTCCCGTGAGGCCCAGGTGGATGGGGGGAAAGAT
CCTGGTGTCCGGGATAATAATGGGGCCGATGCCGCCGGTTGAAGTCCACTGGATCGGGAATTCCGGAATCTTGATCCG
ACGTTCAGGCCGAACAGGCCCTC

:::::::::::Rv330T7.seq::::::::::::

Clone Rv331

:::::::::Rv331SP6.seq:::::::::::

::::::::::Rv331T7.seq:::::::::::

CTTCGGTCGCAGTGTGCGAGTGATAGATGACGACCGGGACCTCGTCGGCATCTTCCATAGCCCGCCACACCTTCAGTT GCTCACCGGAATCCAACCGGTAGAAGGTCGGCGAGCGCTCGGCATTGGTCATCGGGATATGCCGCTCGGGACGGTCAG AGCCCTCGGGTCCGGCCAGCACTCCGCAGGCTTCGTCGGGGTGGTCGCGACGCCATCGCATCGCATTCACCA GGTCTGCGCGAATCNCCANCACGTANACNGTTCCTTACCTAA

Clone Rv333

:::::::::Rv333SP6.seq::::::::::::

CTGGCACCAAGGCCCCACACGTCACCCTGTGACCTCCTGCGCCGACCCCGCCGAGGTCCTGGCCGTTACCACCGAAC
GGGCGAGCCGGGAGTCTGGTNCGCATCGAACAAANAGCAAGGTGCATGGGCGGAGTTGTTCCGCCACTTCGTCGATGA
CGGGGTCNATCCATTCGAGGTCCGCCGCGTCGGTCNAGTGGCGGTCACACTCCAGGTACTCGACCTCACAGACNA
AAGGACTCNATCCCATCTAGGTGTGGACNAAACAGATCTTCTGTCCGACNACTACACCACCACCACCACCACCACCCCGC
CGCCGCGATGCCAACTTCGACGCCGTACTGGCCCCGGCGGGGGGGCGCTCCCCGGTTGTCAACACTTGCCGTGTTCNT
TCACGCNCTGCCCCACATCCAACCCCAACG

Clone Rv334

GTTCTTGGGCCCATGCGGAGGTATCGCCGTTTCCACCACGCGGTCGGGGTGGCGTTGCATTAGCTCACCGATGGTGCGCTTGTGCAGGCCGCCGGGATACCCCGAGTGCCGGTAAACCATCTTGTGCTGC

Clone Rv335

CAATACTCAAGCTTGGCGTGCCGTTCCAACCCGAATTGGCTTTCGGCGCCCATCGGTGAGGACGGCGTGCGGGTGCTCAACNACNACGTCGTCCGCGGGGACACCCTCGATGCTGCCGCCATGGACGCGGTCGAACGCAAGCAGCTGATCGAGCTACAACGCCGCGGGGAACGCTTCCGCCGCGGGGCGTGACCGCATCCCGTTGACCGGGCGGATC

:::::::::Rv335T7.seq::::::::::

CNTCATGATGATCACCCGAAGTGTGGTAGCCGCAGTGGTTATCGTGGGTACCGTCGTGCTTTCCATGGGCGCCTC
TTTCGGGCTTTCCGTATTGGTCTGGCAGGACATTCTGGGTATCGAGTTGTACTGGATGTTTTGGCGATGTCGGTGAT
CCTGCTCCTGGCGGTGGGATCCGACTACAATCTGCTGCTGATTTCCCGGTTGAAAGAGGAAATTGGGGCCGGATTGAA
CACCGGAATTATCCGTGCCATGGCTGGTACCGGGGGGGGTGGTGACGGCTGCCGGCATGGTTTCGCCGTTACCATGTC
GTTGTTTGTGTTCAGCGATTTGCGAATTATTGGTCAGATCGGTACCAC

Clone Rv336

GCTGGTAGAGTCGCTGACCGGTGCAGGTTTCGACAATGTGGTGCCGGTTCGGCGGCTACGTGCCATCGAGACACTGGCGCAGGCTATCGCACCCGTTATCGGCTACGAGCAAATCGCGGTATGCGTTCTTGAGCATGAGTCGGCGACCGTCGTCATGGTCGACACCCACGACGGAAAGACCGCAGATCGCCGTCAAGCATGTGTGCCGCGGATTATCAGGACTGACCTCCTGGCTGACCGGCATGTTTTGGTCGCGATGCCTGGCG

Clone Rv337

::::::::::Rv337SP6.seq:::::::::::::

CTTCCAACCCGAATTGGCTTTCGGCGCCATCGGTGAGGACGGCGTGCGGGTGCTCAACGACGACGTCGTCCGCGGGACACACCTCGATGCTGCCGCCATGGACGCGGTCGAACGCAAGCAGCTGATCGAGCTACAACGCCGCGGGAACGCTTCCGCCGCGGGCGTGACCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGACGGCATCGCCACCGGAGCGACGGCCAAGGCGGCGTGCCAAGGCGGCGTGCCAAGGCGGCGATCGCCCAAGGCGGCGATCGCCCAAGGCGGCGCGATCGCCCAAGGCGGCCCAAGGCGGCGCGACGGTGCGGACAAGGTGGTGCTGCGGTCCCGATCGCCCA

Clone Rv338

:::::::::::Rv338SP6.seq:::::::::::

TACTCAAGCTTCGCGAGATCCGGATGGCACTCACGCTGGACAAGACCTTCACAAAATCTGAAATCCTGACCCGATACT TGAACCTGGTCTCGGTCGGCAATAACTCGTTCGGCGTGCAGGACGCGCGCAAACGTNCTTCGGCATCAACGCGTCCG ANCTGAATTGGCAGCAAGCGGCGCTGCTGGCCGGCATGGTGCAATCNACCAGCACGCTCAACCCGTA

CCCACGACTTTCTCCTCGATCAGTTGGATTTGTACGAAGAGGCAACGAAAGCAGTGATCCTCGGGATGGTCGACGCCT ACATCGACCCGCCGTTCACGCCGCACAGCCTGCTAGATGCGCTGGGCGAGCAGGTCCCACAGTTCGCCGCTAAGGCAC GGCGTCTGTTCCCGTCCGGATCGCCATTCGGCCTCGGCGTCCTGCTCCCATTCGATCAATAGGGCTGGCAGCTCCGTC GGCAGGGGCCTACGCCTCACCCCGTCACG

Clone Rv339

::::::::::Rv339SP6.seq::::::::::::

CTCAAGCTTATGCGCGCCGGGCCGAGGTCTGCTCACGGCAACCCCTGAAGTTTAGGGGACNACCTACTCAGCGCAAAAT
TTCGCTAATGTGAGTCCGCCCCACCAGGGGNANATCAACCCATGTCGATCATGATCTACCCGGATACCGGATTGGCGG
TAGCGCCCACGATCGTCNAAATNTCCGCCTGAATCATCGGATAGCTGATCCGGCGTCAACGCGTTTTGANTTCACCGC
GCAACAGCCGCCAGGCCGGCCCGCANCGANCCGATCTCNTCGGGCCCCCAATCTTNTCG

GTGTGTGGTGGAACCCATCTGAGCAGTGTGCCAAACCGGGGCAGACAGCTCCCAATTGACGTGAGCCCGCTCACTTGC
TGGGTAAGCGTC

Clone Rv33

CTTTACACTTCCTGCATCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTGGGCGTGACGGCCACCGGGGCCACTCCGCACCATCTGTACCCGACCAAGATCTAC

::::::::::Rv33T7.seq::::::::::::::

Clone Rv340

CNCAAGCTTGCGGATGTTACCCCTGACAGCCTGAACTATGTCNAAACACACGGCACCGGAACGGTGTTGGGGGACCCC ATCGANTTCGAGTCGCTGGCGGCCACTTATGGCCTGGGTAAAGGCCAGGGCNANAGCCCGTGCGCATTGGGGTCGGTC AAAACCAACATCGGCCACCTGGAGGCGGCCGCCGGTGTGGCTGGATNCATCAAGGCGGTGCTGGCGGTGCAACGTGGG CACATTCCCCCGCAACTTCACCCCGGTGGAACCCGGCCATCNACGCGTCGGCNACGCGGCTGTTCGTGCCNACC NAAAACCCCCCCGTGGCCGGCGGC

GGAACCGGTAACCAGATCAGCTCGTCGACCTCACTGCCGGGGGTGAATTCCCCACCGGTGCTGCGCGCTGCCCAGTAG TGCACCTTCTTGACGCCTCGAAAAGGGGAGTCGGTCGGGTAGGTCACCGTCAGGAGCCGCCTACCCAGGTTGGCGCNA TAGCCGGTCTCCTCGAGTATCTCCCGCACCGCCCCCACCGGTGCGGTCTCACCCANATCCACTTTGCCCTTGGGCAGC GACCAGTCGTCGTANCNGGGGCGGTGAATGACAACGATCTCGACCGGCCCTTCCN

Clone Rv341

Clone Rv343

CCACCCGTGTAATTTGGGATGGCNAAAAGGCNAAGCACCGCGTGGCCACGAACGCCGGGAGGGACAATCTCGGGCGG CTAGGGCTTCTCGCGGGAAGGCCCGAACGTACGGCGTTTCAACACGTCGCCGTCGCCCTCCGACCGCAACATTCGGGG ATGGCAGCAACCTGGTAGCACCCTGGCCGGGCGATGATCTGCAGCGTCGCCGCGGGGTAGTCGCCGCCCGGGCGGCTAC AGTCTGAAACGCGATGACCATCGATGTGTGGATGCAGCATCCGACG

Clone Rv344

CCGGGGCCACTCCGCACAATCNGTACCNNACCAANATCTACACCATCGAATACGACGGCGTCGCCGANTTTCCGCGGTACCGCTCAACTTTGTGTCGACCCTCAACGCCATTGCCGGCACCTACTACGTGCACTCCAACTACTTCATCCTGACGCCGGAACAAATNGACGCNTCGGTTCCGCTGACCAATACGGTCGGTCCC

Clone Rv346

::::::::::Rv346SP6.seq::::::::::::

NCTGGCCTTTGGTCCACACTAANACAATACTCAAGCTTCCGGCCGCAGAGCCGCCAACTCACGATATCGTTAACCGAT ATCCCGAGCCGATAGCTGGCGGGTGGTGGTGGCCAGCCGGCGCGCGACNAAAGGTGTGACCGTCATGAAACAGAC ACCACCGGCGGCCGTCGGCCGTCGCTCGCTCGCAACTCCGCAGCCGGTGTGATCGCGCTTTCGGCGTG TNGTGGGTCNCCGCCCGGAGCCCGGCAAAGGCCGGCCCGACACAACCCCGGAAC

CATCTGCCCACCACACGGACCGCGGTGCGGACGCGGCTGACGCGCCTGGTGGTCAGCATCGTGGCCGGTCTGCTGTTG
TATGCCAGCTTCCCGCCGCGCAACTGCTGGTGGGCGGGGGTGGTTGCGCTCGCATTGCTGGCCTGGGTGCTGACCCAC
CGCGCGACGACACCGGTGGGTGGGCTACGGCCTGCTATTCGGCCTGGTGTTCTACGTCTCGTTGTTGCCGTGG
ATCGGCGAGCTGGTGGGCCCCGGGCCCTGGTTGGCACT

Clone Rv347

:::::::::::Rv347SP6.seq::::::::::::

GACAATACTCAAGCTTGACTGGCCACCCACCGGCATGACCACCGACAGGCCCGACTGGTCGTACCACTCGAACGCCGG GGTGTTGATGTCCCAGCCGCTGAANTCGTCCTGCGCGCGCAGGCCGTCNAACAGGTACAGGGCGGGCGAATTGGCACC ACCACTTTGGAATTGGACCTTGATGTCACGGCCCATCGACGGCGACGGCACCCTGCAGGTACTCCACCGGCAAGCCCGG CCGGGAAAATGCCCCCGCGGTCNCCGTGCCACCGACGGCGCCGANCAAACCCGACACTAGGGCCGCCCNACGGCCCC GACCACNANTCNACGCGACATACCCGTGACGGCGCCACNAACCCTGTCAACA

Clone Rv348

:::::::::::Rv348SP6.seq:::::::::::::

CNCCAGCTTGATTGGTCTGGTTGCATTGGCCAGCTGCGCGAGCCTGGCTCACTTCAACTACGACGACCGCAAACAATTGCCGCCTTCGGATCCGAGTTCGGTTGGGTACGCGCGCAATGGAGCACCATTTCTCGGTGAATCAGACTATTCCTGAGTACTTGATCATCCACTCTGCACACGACCTGCGAACCCCGCGCGCCCTTGCCGACCTGGAGCAGCTGGCGCAACGTGTGAGCCAGATCCCAGGCGTTGCCATGGTTCGCGGTGTGACCCGGCCAAACGGGGAAAC

Clone Rv349

 $\tt CCTTCTACGCCGGGAACCGTTGTGCTGGTGGTGTTCCNACGCCCGACATGCGCCTGGACATGCCGCTGACATGCACATGATGACATGACATGACATGACATGACATGACATGACATGACATGACA$

TCGACGGTTTGGCGGCCTTAAATGCACTGAGGTCGTCAATTGACCCCACAGCGGAAATGCCGACTATTCGCAGGCCTC
CTTCGCCTTGGCTGCCGGAGAGGGGCTCCGCGGGAACCGCATGCAGGTATATGACCTCGGTTTCTCGGGTGCTACCGC
GTGCCTTGTNTANGATNANCTCGGCGTTGGAATTGTCCAGCCGGCCCAATTCATCGAGCGCANATTCGTACACNTGGC
CGGCGGCGACATACGCTTCACCGTGGATCTGCTCCACACGGACCGCCCTGTCGGGA\CCTGCTCACGGGTAANGGAAC
TTACGTGGCACTCGG

Clone Rv34

 ${\tt GACCACGCCAGGCTAATCACGTGACGCTACCGAATACCCTNCCTAGTGGTGCAGGCTCCCGCTGGAAATGGCCCTGTACCAACTCGCGCACCGGTGCCAG}$

CGGCACCCGACCCCTTTGAGCCGTCCGCCGTGGCCGCGGTGGAACTGGCCGACGAGGGACTGATCGTGCTGGGCAAAT TGGTCGATGGCACGCTGGCCGCCGATCTGAAGGTCN

Clone Rv350

:::::::::Rv350SP6.seq:::::::::::

CTCAAGCTTGCCGTTACCCCGACTTCCGGAGGGACACCATGAGCACCGCCAGCCGAGCAGAGGCCAAACTCCGCCGA CGCAGGCCGGTTGGACTTGTCGTGCTGGACAAGGGGTTTAGCCGCCGAAGCAGTGACGTACATCGGCGAAAAGCAGTT CGCCTGTCGACCGACGGNGCNNACCGTGAGGCTAGGGAAGCGAGGAGCACATGGCCGCCGACCCGCAATGTACACGCT GCAAGCAAACCATCGAACCCGGATGGCTATNCNTCACCGCCCATCGCCGCGGT

CATGTCGCGCACATCCAGGACTTCTGGGGGGATCCGCTGACAGCGGCGGGATCCCAAAGTGCGGATGATCGGGCCGCC TACGTCGTGGTGTACCTCGTCGGTAACAACGAAACCGAAGCGTATGACTCGGTCCACGCGGTGCGGCACATGGTGGAC ACCACACCGCCACCGCACGGGGTGAAGGCCTATGTCACCGGTCCGGCAGCACTCAATGCCGACCAGGCCGAGGCCGGA GACAAAAGTATCGCTAAGGTCACCGCGATCACGAGCATGGTGATCGCAGCAATG

Clone Rv351

:::::::::Rv351SP6.seq:::::::::::::

ATACTCAAGCTTCGGTACGGTGGCGGGCCGTGCTGCTGGCCGCGGGCGTGCGGGCCTGCGGTCTCGTTTACN
AGCTCGCGCTGCTGACACTGGCGGCNAGCCTGAACGGCGGGGATCGTGGCCACCTCCCTGATCGTCGCGGGCTACA
TAGCCGCGCTGGGAGCAGGCGCCTTGCTGATCAAGCCGCTACTTGCACACGCGGCCATCGCGTTCATCGCCGTGGAGG
CGGTGCTGGGCATCATCGGCG

Clone Rv352

::::::::::Rv352SP6.seq:::::::::::::::

:::::::::::Rv352T7.seq::::::::::::

TACGCTGGCGCTGGAGGAGCCANNTACAACATCCACGCCAATGCTCTTGCCCCGATCGCGGCGACCAGGATGACCCA GGACATCCTGCCGCCCGAAGTACTGGAAAAGCTCACACCCGAGTTCGTCGCACCGGTGGTGGCCTACCTGTGCACCGA GGAGTGTGCCGACAACGCATCGGTGTACGTCGTCGGTGGTGGCAAGGTGCAGCGAGTTGCGCTGTTTGGCAACGACGA CGCCAACTTCGACAAACCGCCGTCGGTACAAGATGTTGCGGCGCGGTGGGCCGAGATCACCGATCTGTCCGGTGCGAA AATTGCTG

Clone Rv353

CNGCTTTTTAATGGCCTTGACNTGGGCGNGCCGGCCACCGGGGCCACTCCGCACAATCTGTACCCGACCAAGATCTAC
ACCATCGAATACGACGGCGTCGCCGACTTTCCGCGGTACCCGCTCAACTTTGTGTCGACCCTCAACGCCATTGCCGGC
ACCTACTACGTGCACTCCAACTACTTCATCCTGACGCCGGAACAAATTGACGCAGCGGTTCCGCTGACCAATACGGTC
GGTCCCACGATGACCCAGTACTACATCATTCGCACGGAGAACCTGCCGCTGCTAGAGCCACTGCGATCGGTGCCGATC
GTGGGGAACCCACTGGCGAACCTGGTTCAACCAAACTTGAAGGTGATTGTTAACCTGGGCTACGGCGACCCGGCCTAT

Clone Rv354

::::::::::Rv354SP6.seq::::::::::::

CTCAAGCTTGCCGGGAGGGTGCATGGCCGACTCGGATTTACCCACCANGGGGCGCCAACGCGGTGTCCGCGCCGTCNA
GCTGAACGTTGCTGCCCGCCTGGAGAACCTGGCGCTGCTGCTGCGCACCCTGGTCGGCGCCATCGGCACCTTCGAGGACCT
GGATTTCGACGCCGTGGCCGACCTGAGGTTGGCGGTGGACGAGGTGTGCACCCGGTTGATTCGCTCGGCCTTGCCGGA
TGCCACCCTGCGCCTGGTGGTCGATCCGCGAAAANACGAANTTGTGGTGGAGGCTTCTGCTGCCTGCGACACCACNA
CGTGGTGGCACCGGGCAGCTTTAGCTGGCAT

CCGACGCCGTCGTGGCCACCACACCCGCGACCAGCACCGTGACCCGGACCGGGTGCCGCGCGAACCGGTCTTGGCCA
ATTGCCGCGGCACCAAGCCGTCGCGCGCCATGGCGAACAGCACGCGCATTGCCCGAGCATCAACACCATCACCACCG
TGGTAAGCCCGGCCAGCGCGCGACGAGATGATGCCGCTGGCCCAGTACACCCCGTTGGCCTGGAACGCGGTGGCCA
GATTTGCCGGCCCGCGCCCGGTACGGTCCGCAGTTGGGTTATGGAACCATGCCCGACAGCACCACCG

Clone Rv355

:::::::::Rv355SP6.seq::::::::::

TTNACTGGCCTTTGGTCCACACTAGACAATACTCAAGCTTCCAGGACATCGTCATCGCGACCAAAACCGCGAGCTAGG
TCGGCATCCGGGAAGCATCGCGACACCGTGGCGCCGAGCGCCGCTGCCGGCAGGCCGATTAGGCGGGCAAATTAGCCC
GCCGCGGCTCCCGATTACGGCGCCCCGAATGGCGTCACCGGCTGGTAACCACGCTTGCGCGCCTGGGCGGCG
GCCTGCCGGATCAGGTGGTAAATGCCGACA

NGACGTCTTCCATCCGCGCGTCGTTTTGGCGGGTTGGCCACAGCAGCCCGCCGGTGACGGCGACGATGCTGGGCTGGT TGCGGCCCTGCGCCACCGCGGCTTGCATGCTGGTTGGCTGTCTTGGGACGATCCCGAAATAGTCCACGCGGATCTGGT GATTTTGCGGGCTACCCGCGATTACCCCGCGCGCGCTCGACGAGTTTTTTGGCCTGGACTACCCGCGTGGCCAATCTGCT GAACTCGCGGCCGGTGGTGGCCTGGAATGTCGAGCGCCGTTACCTA

Clone Rv356

::::::::::Rv356SP6.seq::::::::::

CTTCCTCCTGAGTACCNCCCGTNTACTTTGGGATGGGTAAAAAGGCGAATCNCCGTTTGGTCACGAACGCCGGGAGGGACAATCTCCGGGCGGCTGGGGCCTCTCGCGGGAANGCCCGAATGTACGGTGTCTCGACACTTCCCNTCCCCTCCG

GAGCATCGGGACNTACGGAGTCAACTACCCGGCCAACGGTGATTTCTTGGCCGCCGCTGACGGCGCGAACGACGCCNGCGACCACATTCAGCAGATGGCCAGCGCTGCCGGGCCACGAGGTTGGTGCTCGGCGGCTACTCCCAGGGTGCGGCCNTGATCNACATCGTCACCGCCGCACCACTGCCCGGCCTCGGGTTCACGCAGCCGTTGCCGCCCNCAGCGGACGATCACNTCGCCGCGATCGCCCCCCCAGCCGATCGCCCCCCAGCGATCACNTCGCCGCGATCGCCCCCCCAGCGATCACNTCGCCCGCGATCGCCCCCCCAGCGATCACNTCGCCCGCGATCGCCCCCCCAGCGATCACNTCGCCCCCCAGCCGATCGCCCCCCAGCCGATCACNTCGCCCCCCCCAGCCGATCACNTCACACA

Clone Rv357

::::::::::Rv357SP6.seq::::::::::::

Clone Rv358

::::::::::Rv358SP6.seq::::::::::::

CTCAAGCTTCAGGTCAATGTGCNCCAAGCCCTGACGCTGGCCGACCAGGCCACCGCCGCCGGANACNCTGCCAAGGCC ACCGAATACAACACGCCGCGGAGGCGTTCGCANCCCAGCTGGTGACCGCGAGCANANCGTCAAAAACCTCAAGACG CTGCATGACCAGGCGCTTANCNCCGCANCTCAGGCCAAGAAGGCCGTCNAACGAAATGCGATGGTGCTGCACCANAAG ATCGCCGAGCGAACCAAGCTGCTCAGCCNG

CATGGTGGCACTGTAGCGACGTGCTGCAATCAAGGTCATGCCCGACTCTGGTCAGCTCGGANCCGCTGACACCCCGCT
AAGGCTGCTCAGCTCGGTGCATTACCTCACCGACGGCGAACTCCCCCAGCTTTACGACTATCCGGATGACGGCACCTG
GTTGCGGGCGAACTTCATCATCATCAGCTTGGACGGCGGCGCTACCGTCGATGGCACCAGCGGGGCGATGGCCGGGCCCGG
CGACCGATTCGTCTTCAACCTGTTGCGTGAACTTGCCGACGTCATCGTGGTCGGCGTGGGCACCGTGCGCATTGAGGG
CTACTCCGGCGTCCGGATGGGTGTCGTCCAGCGCCAGCAC

Clone Rv359

::::::::::Rv359SP6.seq::::::::::::

TACTCAAGCTTGCGGGTGATCGCCTTGGTCAACGGCACCGTGATCGGGTCNACCGCACAAATGGACTGGAGC
TTCGGCGAANTCATCGCCTATGCCTCGCGGGGGGGTGACCCCGGGTGACNTGTTCGGCTCGGGCACGGTGCCC
ACCTGCACGCTCGTCTATCACCTCNGGCCACCGGAATCATTCCCGGGCTGG

:::::::::Rv359T7.seq:::::::::::::

GTTGGNGCCTCGTCGGCGAACAGTTCTCGCACGATTTCCGGATTAGCGGGACTGGTCACCAGTTGGGTATGCGGGAAG GCGCTGACGTTCGCCGCGATTAGCTGTTTGATGGACGCGGTGGTGATGTTCTGATCACGGAACTGGCTGTAATAGCCC AGGGTCGCCACGCTTTCATCCGGGCCCGGACCCGGCGCACCGAGCGTGTCGCGCAGGTATGCGACGTGATTTTCGCTG AAGTCCCCGTACCCGGAGAACT

Clone Rv35

::::::::::Rv35SP6.seq:::::::::::

CAGGCATGCAAGCTTCGGAGGCAGACCCGTGCATGGTGGCACTGTAGCGACGTGCTGCAATCAAGGTCATGCCCGACT
CTGGTCAGCTCGGAGCCGCTGACACCCCGCTAAGGCTGCTCAGCTCGGTGCATTACCTCACCGACGGCGAACTCCCCC
AGCTTTACGACTATCCGGATGACGGCACCTGGTTGCGGGCGAACTTCATCAGCAGCTTGGACGGCGGCGCTACCGTCG
ATGGCACCAGCGGGGCGATGGCCGGGCCCGGCGACCGATTCGTCTTCAACCTGTTGCGTGAACTTGCCGACGTCATCG
TGGTCGGCGTGGGCACCGTGCGCATTGAAGGCTACTCCGGCGTCCGGATGGGTGTCCATCGCCA

Clone Rv360

TACTCAAGCTTGGGGTGGCGCTGTCGGTGGTGCTTGGCGGCGCGTATCAACACCGCCCACGAAATGGGGCACA AGAAGGATTCGCTGGAGCGTGTCCAAAATCACCCTCGCCCANACCTGCTACGGGCACTTCTACATCGAGCACA ACCGTGGCCATCACGTCCGGGTGTCCACACCGGAGGACCCGGCGTCGGCGCGGTTCGGCNAAACGTTGTGGGANTTCC TGCCCCGCANTGTTATCGGCGGCTTGCGCT

GGCCATCGCCACCGCNCCGCGGCGAACGCTCAAAGGCACCTACTGGCACCAAGGCCCCACACGTCACCCTGTGACCTC
CTGCGCCGACCCCGCGGGGTCCTGGCCGTTACCACCGAACGGGCGGAGCCGGGAGTCTGGTACGCATCGAACAAGA
GCAAGGTGCATGGGCGGAGTTGTTCCGCCACTTCGTCGATGACGGGGTCGATCCATTCGAGGTCCGTCGCCGCGTCGG
TCGAGTGGCGGTCACACTCCANGTACTCGACCTCACAGACGAGAGGACTCGATCCCATCTAGGTGTGGACGAAACAGA
TCTTCTGTCCGACGACTACACCACCACCACCACCACCCAGCCATCGC

98 Clone Rv361 GCTTGCGGGTGATCGCCTTGGTCAACGGCACCGTGATCGGATCGGGGTCNACCGCNCAGATGGACTGGANCTTCGGCG AANTCNTCGCCTATGCCTCGCGGGGGGTGACCCTGACCCCGGGTGACNTGTTCGGCTCGGGCACGGTGCCCACCTGCA CGCTCGTCAAGCACCTCNGGCCACCGGAATCATTCCCGGGCTGGCTGCACNACGGCGACNTGGTCNCCCTCCAGGTCG AAGGGCTGGGCNAAACAANGCAGACCGTCCGGACAANCGGCACTCCTTTTCCGTTGGCTCTTCGGCCGAATCCGGACG CCNAACCCGACCGGCG :::::::::Rv361T7.seq::::::::::::: GTTCTCGCACGATTTCCGGGATTAGCGGGACTGGTCACCAGTTGGGTATGCGGGAAGGCGCTGACGTTCGCCGCGATTA GCTGTTTGATGGACGCGGTGGTGATGTNCTGATCACGGAACTGGCTGTAATANCCCAGGGTCGCCNCGCTTTCATCCG GGCCCGGACCCGCGCGCGCGCGCGCGCGCGCGCGCGTATGCGACGTGATTTTCGCTGAAGTCCCCGTACCCGGAGAACT CGAACACGCTGAGGCGCTCGTCACCGTCGTNNCGGCGACCAAGCGCGGGGGAGCAACTGCGCAAAATCGTTAAGANAGG TCGAATCGTTGAAATTCGGCACCACCTGCACC Clone Rv363 CACAAGACAATACTCAAGCTTCAGGTCAATGTGCNCCAAGCCCTGACGCTGGCCGACCAGGCCACCGCCGGCANAC GCTGCCAAGGCCACCGAATACAACAACGCCGCCGAGGCGTTCGCAGCCCAGCTGGTGACCGCCGAGCANANCGTCNAA AACCTCAAGACGCTGCATGACCAGGCGCTTANCGCCNCAGCTCAGGCCAAGAAGGCCGTCGAACGAAATGCGATGGTG CTGCAGCANAANATCGCCGANCGAACCAAGCTGCTCAGCCAGCTCGAGCAG CCACCCGTGCATGGTGGCACTGTAGCGACGTGCTGCAATCAAGGTCATGCCCGACTCTGGTCAGCTCGGAGCCGCTGA CACCCGCTAAGGCTGCTCAGCTCGGTGCATTACCTCACCGACGGCGAACTCCCCCAGCTTTACGACTATCCGGATGA CGGCACCTGGTTGCGGGCGAACTTCATCAGCAGCTTGGACGGCGCGCTACCGTCGATGGCACCAGCGGGGCGATGGC CGGGCCCGGCGACCGATTCGTCTTCAACCTGTTGCGTGAACTTGCC Clone Rv364 GCTTTCCGCCGATACCCNCCATGTCCCGCACATCCAGGACTTCTGGGGGGGATCCGCTGACAGCGGGGGGATCCCAAAG

GCTTTCCGCCGATACCCNCCATGTCCCGCACATCCAGGACTTCTGGGGGGATCCGCTGACAGCGGCGGGGATCCCAAAG TGCGGATGATCGGGCCGCCTACGTCGTGGTGTACCTCGNCGGTAACAACGAAACCGAANCGTATGACTCNGTCCACGC GGTG

Clone Rv365

CAGCAGACCAACAAGAGCATCGGGACATACGGAGTCAACTACCCGGCCAACGGTGATTTCTTGGCCGCCGCTGACGGC GCGAACGACGCCAGCGACCACATTCAGCAGATGGCCAGCGCGTGCCGGGCCACGAGGTTGGTGCTCGGCGGCTACTCC CACGGTT

Clone Rv366

:::::::::Rv366SP6.seq::::::::::::::

CTCAAGCTTGACTGGCCACCGGCATGACCACCGACAGGCCCGACTGGTCGTACCACTCGAACGCCGGGGTGTTT

::::::::::Rv366T7.seq:::::::::::::

 ${\tt TTGGTGCCCGGAATGGCGAGTCCCATTTANTCGCTGATTTGTTTGAACAGCGACGAAACCGGTGTTGAAAATGTCGCC}\\ {\tt TGGGTCGGGGGATTCCCTCCCAAGCAAGAGTAACTGGCCCCAAATAAAGTTACTCGTCGTCTTGCAAAGACCGCTACC}\\$

CTTAGCAGCGCTCG

Clone Rv367

GAATTNGCTTTCGGCGCCATCGGCCCAGGACCGCGTGCGGGGTGCTCAACG^ACGACGTCGTCCGCGGGACACACCTCGA TGCTGCCGCCATGGACGCGGACGCAAGCAGCTGATCGAGCTACAACGCCGCGGGAACGCTTCCGCCGCGGGCG TGACCGCATCCCGTTGACCGGGCGGATCGCNGTGATCGTCGATGACGGCATCGCCACCGGAGCGACGGCCAAGGCGGC GTGCCAGGTCGCCCGGGCGCACGGTGCGGACAAGGTGGTGCTGGCGGTCCCGATCGGCCCAGACGACATCGTGGCGAG ATTCGCCGGGTACGCCGATGAAGTGGTGT

Clone Rv368

TAAAGCTTTCGTCAGTTCATNGNGCCCCCGGACCAACAAAAGCATCGGGACATACGGAGTCAACTACCCGGCCAACGG TGATTTCTTGGCCGCCGCTGACGGCGCNAACGACGCCAGCGACCACATTCAGCAGATGGCCAGCGCGTGCCGGGCCAC GAGGTTGGTGCTCGGCGGCTACTCCCAGGGTGCGGCCGTGATCNACATCGTCACCGCCGCACCACTGCCCGGCCTCGG GTTCACGCAGCCGTTGCCGCCCGCAGCGGACGATCACNTCGCCGCGATCGCCCTGTTCGGGAATCCCTCGGGCCGCGC TGGCGGGCTGATGAGCGCCCTGACCCCTCAATTCGGGTCCAANACCATCNACCTCTGCAACAACGGCGACCCGATTTG TTCGGACGGCAACCGGTGGCGANCGCACCT

CCGGGAGGGACCATCNCGGGCGCTNCGGCTTCTCCCGGAAGGTTCTANNGTNNNGCGTTTCNACNCTTCCCGTCGC CCTGCGACCGCCGAACATTCGGGGTATGGNNGCANCCTGTNAGCATCCNGGCCGGGC

Clone Rv369

TACCGCGTTATCGGAATCAAACTCNCCGAACACCTGACCAACGCGCTTGATCGCCTGAATCGATGCGGCGTCGCTGGG GCTCATCGATACCGAGTGTGCTTTTCCGACCACTTCCAGTTGCGGTACGGCGAGATTGACAAAGGCGGTGAAGCCCAG CCAGAGCAGGACGATCACCNCCGCAAACCGGCGGATTTGCCCG

::::::::::::Rv369T7.seq::::::::::::::

GCTTGGCAGCCTGCGGCTGGGCCCCTNGAGCTCTTCGATCTGGATCTCCGGACTCGAGATGCTCACTTGCCCGGCCG TGGACGTACCCATTGCGGCCGGGACCCCAGCGCCCCAGGTGACCAGCGAGTTGGGCTGCACGCTGACCGGCCCGTCGG GGTCGACGCCGGTAACGGTCAGCAGCTCCGANGTCCNNCTGATCCCGACCGCAGCTGCCAATGCGCGGCTGGCAGCCG ACGTGGATGTGCCGGGGCCTAGATCGCGGGGCAGCAGCGAGACCGCGTCACCGACGGTCATCACCTTGCCGAGTTTNG GCCTGCCGCAN

Clone Rv36

GCTTCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTNCACACAGGAAACAGCTATGACCATGATTACGC CAAGCTATCTAGGTGACACTATAGAATACTCAAGCTTGAGCCATCGGGCTATCAGCTGGTTGATGTCCCG

CAGGCATGCAAGCTTGTCGTCTATCACATCCGACCACCAACCGCCCGACGGCTCGGCAGAACGCCTCCGCATATGGGT CGACGACCAGCGGGTCGGACTTCTGGGCTGCCAGCGCTCGCGCCGTCGCGACAAACAGCGCGGTCGAACCGACACTCC TTGTGATGTCCCACCTATCACCTTCGGTACGCACCCAATCGACCCTACGCGGCTAGCTCAGCCCGATCTTCCAGAGC TCCGCCCG

Clone Rv370

.

::::::::::Rv370SP6.seq:::::::::::::

 ${\tt GCTTTTTGAGCGTCGCGGGGGGGGGGCTTCCCCGGCAATTCTACTAGCGAGAAGTCTGGCCCGATACGGATCTGACCGA}$ AGTCGCTGCGGTGCAGCCCACCCTCATTGGCGATGGCGCCGACNATGGCGCCTGGACCGATCTTGTGCCGA CGGCGACGCGGTAGGTCAATTCCGGTCTACGCTTGGGCCTTTGCGGACGGTCCCGACGCTGGTCGCGGTTG

```
Clone Rv381
::::::::::Rv381SP6.seq::::::::::::::
\tt CTCAAGCTTTTACGGTGATCGCGCATCACCTGGTTCATGAACTGGAAGCAGCGCAGCGCTTCCTTTTCGGCCGCAACA
TGAGCCANCCTCTCGTCGGCGGTCGGGTGCAGGTGCTCGGGCAGCTCGGCCGACAGCCGCCTGACCCTGAAACCAG
CTTCCATATCCCGCGACNAACGAC
CTCAGAAGLCGCTAGCTGGTAGAGTCGCTGACCGGTGCACGTGGCGNCAATGTGCGCTCCGGTTCGCG
Clone Rv382
CTCAAGCTTGCGCTCATCAAGCGCGAACAGCAGGGCGGTCGGCTGGTCGCCATGACGGGTGACGGGACCAATGACGCA
CCCGCGCTCGCGCAAGCCGATGTCGGGGTGGCNATNAATACCGGCACCCAGGCGGCCCGGGAAGCCGGCAACATGGTC
NATCTCCACTCC
GGCAC
Clone Rv383
 GCTTGTCGTATTCCGTGGCACTGTCAGACATATGCGCCGCTCCTCCTCATCGCTGCGCTCGGCATCGTCGCCGGCGGT
CATGGCGTCACCCTACCCAAGCCGAACGCGAAACGAGAACGTGTTCCATTATTAGGGTGTGAGCACCAATACCAGATT
 GCTCACCAGGAACTCAC
 :::::::::Rv383T7.seq::::::::::::
 CGATATTCGTCGGCCGCGTTGTCTCGACTGGGTCGCGT
 Clone Rv384
 GACCTCGGCCACCAAGCCGGACGGGCGACCGTCGAGGTGGCGATCCGGCTTGGCGTCGACCCGCGTAAGGCAGACCACAT
 GGTCCGCGGCACGGCCANCCTGCCACACGGCACTGGTAAGACTGCCCGCGTCGCGGCN
 \tt CCGGAAGTCTAGGGGACGACCTACTCAGCGCAAAATGTCGCTAATGTGAGTCCGCCCCACCAGGGCAGATCAACCCAT
 GTCGATGATGACCTACCCGGATACCGGATTGGCGGT
 Clone Rv385
 AGCTTCAGTTCCTCCACGACGCGTTCCCAAATGAATTTCCCGATCCCACAATCTCGGTTCAGATACAGGTCGCCATAC
 CCCTTACTTCGGNAACGCTGGGCGGATTGGCCCTGCCGCTG
 ::::::::::Rv385T7.seq:::::::::::::
 \verb|CCGCCTACGGGTCGAACATGCATCCCGAGACCGATGCTCGAGCGCGCACCCCACTCGCCGATGGCCGGAACCGGCTGG|
 TTACCCGGGTGGCGGCTGACC
  Clone Rv386
  :::::::::::Rv386SP6.seq:::::::::::::
  GCGGCTGGTTACGACTCCCTGTTTGTGATGGACCACTTCTACCAACTGCCCATGTTGGGGACGCCCGACCAGCCGATG
  \tt CTGGAGGCCTACACGGCCTTGGTGCGCTGGCCACGGCGACCGAGCGGCTGCAACTGGGCGCNTTGGTNACCGGCAAT
  ACCTACCGCAGCCCGACCCTGCTGGCAAAGATCATCACCACGCTCGACGTTGGTTAGCGCCGGTCGAGCGATCCTCGGC
  {\tt ATTGGAGCCGGTTGGTTTGAGCTGGAACACCGCCAGCTCGGCTTCGAGTTCGGCACTTTCAGTGACCGGTTCAN}
  GCCTTTCCGCACAATCTGTACCCCAGGACCNTCTAAAAAATCGAATACGACGGCGTCGCCGACTTTCCGCGGTACCCG
```

CTCAACTTTGTGTCGACCCTCAACGCCATTGCCGGCACCTACTACGTGCACTCCAACTACTTCATCCTGACGCCGGAACCAAATTGACGCAGCGGTTCCGCTGACCANTNNTGTCGGTCCCACGATGACCCAGTACTACATCATTCGCACGGAGAAC

CTGCCGCTGCTAGAGCCACTGCGATCGTGCCGATCGTGGGGAACCCACTGGCGAACCTGGTTCAACCAAACTTGAAGGTGATTGTTAACCTGG

Clone Rv387

GCAGACCAACAAGATGCATCGGGATCATACGCCGTCAACTACCCGGCCAACGGTGATTTCTTGGCCGCCGCCCAC

Clone Rv388

CCACGGCGTGGATCAAGGTACCGGCCGGGATGTTGCGCAATGGCAGGTTGTTGCCCGGCTTGATGTCGGCGTTAGCGCCGGATTCCACCACACCCCTTGCGAAAGTCCGTTGGGTGCAATGATGATGTAGCGCTTCCCCATCGAGATAGTGGAGCAACCCAATCCGTGCGGTACGGTTCGTCATTGCGATGTGCGCGACCTTGGCGTTGACACCATCTTTGTCATTGCGGCGAAAGTCCGATCATCCGGTAAGCCGCCTTATGACCCGCCGCCTTTGTGCCGGGTGGTAATCCGGCCATGCGCGTTGCGTC

Clone Rv389

GGCGGCTGCGTCGGCGAGATGATCGCCCGGTGCCACCCCGATCCGTGCCTCGGTCAGCGCCAACGTGCTTTCCGGTCCGGCGACCACCATGTCGCATGCGCCGAC

GCAATCGCCTTGGCGGTCGCCGGGTTGTCACCGGTGATCATCNCGGNGCGGATGCTCATNCGGCGCATTTCGTCNAATCGTTCCCGTATGCCCACCTTGACGATGTCCTTCATATGGACCACGCCGATGGCCCNCGCGCTNCTG

Clone Rv38

Clone Rv390

::::::::::Rv390SP6.seq:::::::::::::::

TTTGGGATGGCAAAAAGGCGAAGCNCCGCGTGGCCACGAACGCCGGGAGGGACAATCTCGGGCGGCTAGGGCTTCTC
GCGGGAAGGCCCGAACGTACGGCGTTTCAACACGTCGCGTCGCCCTCCGACCGCGAACATTCGGGGATGGCAGCAACC
TGGTAGCACCCTGGCCGGGCGATGATCTGCAGCGTCGCCGCGGGTAGTCGCCGCCGGGCGGCTACAGTCTGAAACGC
GATGACCATCGATGTGTGGATGCAGCATCCGACGCAACGGTTCCTACACGGCGATATGTTCGCCTCGCTGCGCCGGTG
GACCGGTGGGTCTATCCCGGA

Clone Rv391

::::::::::Rv391SP6.seq::::::::::::::

Clone Rv392

Clone Rv393

:::::::::::Rv393SP6.seq::::::::::::::

CACGTAGGCGCCGTCCATAAATNACTCCGCCGCGCGCTTCGCACATCCTCGTANCGATCCTTGGCGAGCAGGTCAACCGG GCGCTGCCCGTCNAGGAGCCGGTTTTTGGCGTGCAGCCACTGGCCGACACCTCGGGGGGGTAAGCGAATCCGAGAGCAG GAGGACNAGGTCACGAANCTGCGCCAGCCGGTCGTACCGCTCAGGGCGGATGTCGCCGGTCCGCCACCCGCGTACCGC CCGATCGGACACCTGTATGACCGCGGCGACNTCGACCTGGGTGACGCCGAAGGGTTTCAGGGCATCNACNATCTCGCT GGCCTCGACCGCCCGGTCCAGGGTGACCGCCATCGTGGTTCCTCCGCAACTTCCGGTTCTACTACCGTAAACGCTACC

:::::::::::Rv393T7.seq:::::::::::::

Clone Rv396

CTCAAGCTTTGTCCGACAAGCGTTCCCGGGCGGTCAGCAAGCGAACGTCGGTTGGCCCACTGCGGGTCGATATTGCCG

:::::::::Rv396T7.seq::::::::::::

CGTCAGCACGGCGACGTCGCGNTACGCCGAGCAGTTACACAATCGCTCTGCAGCAAACCAATATTCTGCGCGACGTTC GAGAGGACTTCTTGATTGGACTG

Clone Rv39

::::::::::Rv39SP6.seq:::::::::::::::

 $\tt CTGCATCCGGCTCGTATGTTGTGGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTAC$ GCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTCGCGCAGCGGGGGTTGACCCGGTTCACGCCGTCATAGC TGGCCAATCTGGCATCGTCGATCANCATGTGGTGGGGGGTGACCTCGGCGGTGATCGAAATACCCTGGTCCTTATCCC ATTTCAGGATTTCGACGGTGCCCGCGGCCGACGCGTGACAGATGTGCACCCGGGCGCCGCGTCACGGGCCAGCAAGG $\tt CGTCGCGGGCGACGATCGATTCCTCGGCGGCCCGCGCCATCCCGCCAGGCCCAGCCGCCCCATGGGTCCCTCGT$ GCGCGACGGCGCCGACCGTCAGCCGGGGCTCCTCGGCGTGCTGGGCGATCAGCACGCCCAAACCGGTG

:::::::::::Rv39T7.seq::::::::::::::

CCGACGCGCACTACGTGCTGGTCCACCCGCGACCCGCACCGGCACGAGCTACGCAGCTACCGCATCGTCGATGGCG $\tt CTGTCACCGAGGAACCTGTCAATGTCGTCGAGCAGTACTGAACCGTTCCGAGAAAGGCCAGCATGAACGTCACCGTAT$ CCATTCCGACCATCCTGCGGCCCCACACCGGCGGCCAGAAGAGTGTCTCGGCCAGCGGCGATACCTTGGGTGCCGTCA TCAGCGACCTGGAGGCCAGCTATTCGGGCATTTCCGAGCGCCTGATGGACCCGTCTTCCCCAGGTAAGTTGCACCGCT TCGTGAACATCTACGTCAACGACGAAGACGTGCGGTTCTCCGGCGGCTTGGCCACCGCGATCGCTGACGGTGACTCGG TCACCATCCTCCCCGCCGTGGCCGGTGGGTGAGCGGACACATGACACGATACGACTCACTGTTGCATGCCTTG

Clone Rv3

TGCTTCCGGCTCGTATGTTGTGTGGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACG CCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTGCCGGGAGGGTGCATGGCCGACTCGGATTTACCCACCAAG GGGCGCCAACGCGGTGTCCGCGCCGTCGAGCTGAACGTTGCTGCCCGCCTGGAGAACCTGGCGCTGCTGCCCCCTG GTCGGCGCCATCGGCACCTTCGAGGACCTGGATTTCGACGCCGTGGCCGACCTGAGGTTGGCGGTGGACGANGTGTGC ACCCGGTTGATTCGCTCGGCCTTGCCGGATGCCACCCTGCGCCTGGTGGTCGATCCGCGAAAAGACGAAGTTGTGGTG GAGGCTTCTGCTGCCTGCGACACCCACGACGTGGTGGCACGGGCAGCTTTAGCTGGCATTCCT

GGAAACACCGNCGCCGTCGTGGCCACCAACACCGCGACCAGCACCGTGACCCGGGCCGGGCTGCCGCGCGAACCGGTC TTGGCCAATTGCCGCGCACCAAGCCGTCGCGCGCCATGGCGAACAGCACGCGCGCATTGCCCGAGCATCAACACCATC ACCACCGTGGTAAGCCCGGCCAGCGCGCCGACGGAGATGATGCCGCTGGCCCAGTACACCCCGTTGGCCTGGAACGCG GTGGCCAGATTTGCCGGCCCGCGGCCCGGTACGGTCCGCAGTTGGGTGTATGGAACCATGCCCGACAGCACCACCGAT ACCGCGACGTAGAGAGGGTCACGACCCCCAGCGACGCGAGAATCCCTCGAGGGACGTCTCGTTGAGGACGCTTGGTC

Clone Rv40

::::::::::::Rv40SP6.seq:::::::::::::::

CCTGCTTCCGGCTCGTATGTTGTGGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTA $\tt CGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTGTCCTCGGGCGTGGCCTCGGCCAAGAAATCGTCGACGC$ $\tt CGGCCTCCTGTGCAATCGCCTTGGCGGTCGCCGGGTTGTCACCGGTGATCATCACGGTGCGGATGCTCATTCGGCGCA$ TGGGGTGGCCACCGTGATCGCAAAACCACTTCATCACCGCAGCCGCGCACCTTGCGGATCCGAACGGATGCGCTC

 $\tt TTCGTTCGATGGCGCCCCCGGCTACGGTTTGACCTGTGGGTGTCGAATTGGGGTCAAATTCCGAGGTCGGCGCGCT$ AAGAGTGGTCATCCTGCACCGCCGGGGGCCGAACTGCGCCGGCTCACACCGCGCAACACCGACCAGCTGCTGTTCGA CGGCCTGCCCTGGGTATCCCGCGCGCATGACGAGCACGACGAATTCGCCGAGCTGCTGGCTTCCCGCGGTGCGGAAGT CGACGCACCGCGGCTGGGACTGCCGCTGGCGCAAGAACTTTCGGCCTACCTGCGTATCTCGACCCAAGCANGTTGGCG CATGTGCTGACGCCGGCATGACTTCAACGAACTCCCNTCCGACACGCCGAACGAAGTGTCGTTGGTGTTGCGTATGC

Clone Rv412

GCGGCGAGTGTGGTGGTGCCGAACACGATCCAACGACGCACTGGCGGAGAGATACCACTTGCTGTACTGGAAGCAC GTGCTGATGATCTCCCGTGGAATGTGCCTCGCCGCCGTCTATCGAAAACAGTGAGCATGCTGCG

CAACCGCGCTCGGCGCGTCTGGGCCTTCCGCCGGCTCCGCCGACAATTCTATCTCTGGATCAGCGGGGCTCTCCGGGC $\tt CGGCCTCCGCGAACTCAACAGGCCGCCCTTCCGGCCGAAACATTCCCTAGCCATATATGATCGCACCTCGATACACG$ ATCTGGCGGCAACACCGCAAAGCGTCCGACGGGCCCAACCTCCGCAATTCAGGTATCCGGG

Clone Rv413

GAAGGTCGGCGAAGGTGTGGCTGGNTGCCGATCACGAATCCAATGATGCAGTGGTCGGAAGATATTAGCCACTTGCTG TTCTGGAGACAGGTGCTGATGATCTCCCGTGGAATGTCCCTCGACTCCGTCTATCGAAATCTGTGAACA

GATCTCTTCANGGCGCGCCTTCCGGCCGAAACATTCCCTATCCATATATGATCGCACCTCTATACACCGTTTGGCGGC AACACCGCAAAGTGTCTGTCG

Clone Rv414

AGCTTTACGCTGGCGTATCAGCGTTGGGGCCGCTGCCATTTCGGTCGCCCAACGCGTTGCCAGCTCCCTGCGCTGTCA GGGCTTGCGCGCAAACTGGCCACCGCAACAACTTGGCTGAGCTTGATC

CTCTATCTGGCGTCACATTCGCAATCTTTAGATTGCAGATATCGATAAAATCACCCGCGCGACAAGACCGCCATGTCA TCCTTTCGATGTTATTTCGCCGGCCTGGGGAAAGCGCAACGACGTTGCCTACACGTTCCGCCGT

Clone Rv415

::::::::::Rv415SP6.seq::::::::::::::

AGCTTTNCCTTGCATCTGCACCCCGATCCACGTCAGCCACGTCGGCGTTCTCCACCAAGAAGTTGCGGGCATTCTCCT TGCCCTGGCCGAGCTGCTCGCCCCTCGTAGGTGAACCAGGCACCCGACTTGCGGATGAGGCCCTGATCCACACCCATGT TGTGCACGACACCCCTTCGGCGACGAGGTGTGCAGTTCCTCGACCTCGAGGTCGAACGTTCGTGCCCGCCGCGTTG GCAGCACTTCTCGGATCACGGAATAGCGGANTTCTTCCGCCAGCATGTCGTGCAGGAATTTGTCATCCAGGGCATCCG CGAGCGCCTGCACGCG

ACTGTCNAGGGAATGCTTCGCAGCATCTACCTGCAGTCGCTTGTGCATAAGCGGACGGCCCNACCTGTTCGTGTTCCG GGACACCAGACGCGGGAGCACCGGCAGTACGGCGAAAGGTTTGAGCGGAAGGAGTTGCGCAAATCGGGGCCCCCAAC ACCCGTCCGCAAGACGCGGTCAACGACCTGTTTCAGGCGATCAGGGTCACCGACTCACCTGCACTGAGAACAAGCGAT CTGCTGATCTGCCAGAAGATGGACATGAATGTCCACGGCAAGCCTGATGGCCTGCCGCTCTTCCGGGAATGTTTGGC

Clone Rv416

TGAATTATGATCCCGACACAACTGCATCANTTTAGCCGCGTCGNGATGCTATCCGCCGACGGTTTGGANCNGGTCCGT GTCGTTCGTGTTGATCTCACCCGAAGTTGTGTCCGCCGCCGCCGGGGATCTAGCGAACGTGGGATCGACAATCAGCGC CGCCAACAAGGCGGCAGCGGCTGCGACCACGCAGGTGCTGGCCGCGGGCGCCGATNAGGTGTCAGCGCGCATCGCGGC GCTGTTTGGTATGTACGGCCTGNAATATCCGGCGATCAGTGCGCAAGTTGCCGCGTATCACCANCAGTCCGTGCAG

AACGGGGACCNCAAGAAACCATTCAANAACGAGGGGTCGTCACCAACGTCGAAACCGACGGTTGCCAGCCGGCCCACG ATATTGCGTGCTCGAGGGTCCGCTGTACCCTCACCGAACGTGAGTCCCACACCGCGGAGGCGGCGACTCTGGCGTCG CGTGAACGAGTGCTTGCCACGGCCAAGCGACTGGGCTATGCCGGACCGGATCCGGTGGCGCGATCGTTGCGGACCCGC AAAGCCGGTGCGGT

Clone Rv417

TTCTCNCATCGTTCGTACTNNGATGGGACGCTGCTGCCCGAGGCGATCCTGGCCAACCGGCTCTCGCCGGCGCTGACC
TTCGGCGGGGCGAACCTGAACTTCTTTCCGATGGGCGCTTGGGCCAAACGTACCGGGGCTATCTTCATTCGGCGTCAG
ACGAAAGATATTCCCGTCTACCGCTTCGTATTACGTGCTTACGCCGCGCAGCTGGTGCAAAACCATGTCAACCTCACC
TGGTCGATCGAAGGGGGTCGGACCAGAACGGGCAAGCTACGGCCACCGGTGTTCGGGATCCTGCGTTACATCACCGAT
GCGGTCGACGAAATCGACGGTCCCGAAGTGTATTTGGTGCCGACCTCGATCGTGTACGAACAGCTGCACGAAGTGGAA
GCCATGACCACCGAAGCCTATGGCGCCGTGAA

Clone Rv418

Clone Rv419

::::::::::::Rv419SP6.seq::::::::::::::

AAAGCCACGGAAACGATTGCCTACTGCCGAATCGGGGAACGGTCCTCGCACACCTGGTTCGTGTTGCGGGAATTACTC GGACACCAAAACGTCAAGAACTACGACGGCAGTTGGACAGAATACGGCTCCCTGGTGGGCGCCCCGATCGAGTTGGGA AACTGATATGTGCTCTGGACCCAAGCAAGGACTGACATTGCCGGCCAGCGTCTACCTGGAAAAA

TTTCGCCACCGCNAGGTCGTGCGCGTTCCAGAAAAGCGTGGTTTCGCCGGGCGCGAGGATTCGACGGTCCAACTGACC AGCCGGTCCCGCCACCGTTAGGCAGGATCGCGGTGTCTATATGTTCGCCCTCGGCATAAACGCCATTGCTGCGGTGA AAATCGGACATCTCGCCGATTGCCACGTCTACATGATCCGCTTTGTCCCGCGCGGGTCGTTGACAAACGCGATGTCN GCCTCCTGGGAAGCGGTGGC

Clone Rv41

GTACCGTCACCATGATCGCCCCCATCGGCATCGGTGAGCTGATAGATCCCAGCCGGTTTCGCCAACCCCGGAGCGATC
TTGGCGCGCTGCTNGTNGTCNCTGANACNTAGCCACCAACAGAGCCCGGTGTGCGACAAGANGACTGATCGGATCTCT
CCGGACACNTCGAGGGGGTCNTCAGGAGNCCGGGCCCACCCCGAGGTAAGCCTCCGCCCAGCCTCACACCGCGACCG
GGTATCNCAAGTCGCGCAATAANCCCACCACCTCCTCGGACCCACGTTGTATGCGGCTGGGT

Clone Rv42

P.TACTCAAGCTTAGACCTCACTGATGTGGCGGGACGCGGGAGATAACCGCGGTTCGAGCCGTTCAACAGTGGTGGTTC CCATGGCCGATACCTCAGCGATCTCAACGGTCAAGCGACTGCATGTTTGGCGCAAGGTATCGCTAAGCATAGGTTCGT GACGGATTTGACAGCAAGAGCTTTCCAAAGATTGCTGTCCACATANTGATTCGCATCTCTACACCTCTTCGCCGGTGC TGTCAAGAGCCATTCGAATCAGTTATCTCGCTCGTGCTTGGAANAAATTTTCCCAGCCTGCGTTGGACAAACCGCGTC GCCAAAGCGGT

TCCGGCAAAGCCCTGCACAAGCGAAATCAACCCGGAGGCTGACAAGGCAACGTCGGTGATCCGTACCGCCTGGTTGGA CAAACGGCAGAAGGCGGCCTCGTCCGGTCCATCTACGCCGAGCACACTGGTGATAGCGCGCATCGGCATCGGTGCGGC CACGGTGGAGACGACGTCCGCGGGCGTCTGGGTCAGTAACCCGCCGACCAGTTCTCGGGCAAGCTGGTCGACCATCGG CGTCGCAGAAACGCAGCCACCCGTGAGAAGTGACCCACGGCGCTGGACACGTGTCTGGTTAC

Clone Rv43

CGGCCGGGATGTGCGCAATGGCAGGTTGTCGCCCGGCTTGATGTCGGCGTTAGCGCCGGATTCCACCACATCCCCTTG CGAAAGTCCGTTGGGTGCAATGATGTANCGCTTCTCCCCATCGAGATAGTGGAGCAACGCAATCCGTGCGGTACGGTT CGGGTCGTACTCGATGTGCGCGACCTTGGCGTTGACACCATCTTTGTCATGGCGGCGAAAGTCGATCATCCGGTAAGC GCGCTTATGACCGCCGCCTTTGTGCCNGGTGGTAATCCGGCCATGCGCGTTGCGTCCACCGCGACCGTGCAGCGGGCG CACCAGCGACNTCTCCGGGGGTTGACCGGGTGATCTCGGCGAAATCAGATACGCTGGCGCCGCGACGACCAGGCGTCGT GGGCTTGTACTTGCGAATTGCCATGGTCTAATCAGGTCTTTCTCTCACCTCTCGTCGCCGGGCTAGGGCGCATTGCCT GCTCCT

TAGCGGTGTAACCAACTCCCGGGTCACCACCCGCAAACCTCTTGCGGCAACAGCACCGTCGACGCGTCAACCGGGCTG CCCGGAATCCTGTGGATGGGCATCGAGTGCATGGTCACGACGTCCCCGACGGCCGGTGGCAACGACAAGTGGCCCG GATGCACCACAAATGACGGCCGCACACCGGTGGGGACGGCCAGCACGAGAGCCGTGTCGCCGAAGTCGACGCTAATGC CGTAGGCATTGGCCGTCACAACAGGCGACGCCCCGCGTACCACCGAGTCCACGGNGGTTGGGCGGTCTCCTCGGCCAA CCAGGCGTGAACCCGGCGGATCCGAATGCAGCAAGACCCGTGGGC

Clone Rv44

CCATTGGTCGGTGTGCGCATACCANTACNACGCGCCGGGCACCTGACGCGGCGGCCGCAACCATTCGGTGGCCATCGC CATCGTCTGCCACCCGGTCAACGGACGCACCTTCTCCTGGCCGACCTAGTGCGCCCACCCGCCGCCGTTGCGTCCCAT CGATCCGGTCAACATGAGCAGCGCCAACACCGAGCGGTACATGACATCTGCTGTGGAACCAGTGACANATTCCGCCGC CCATGATGATCNTCGACCGTCCTCCGGATTCGGTC

:::::::::::Rv44-2ndT7.seq:::::::::::::::::

GCCGGCCTGGTCAAAGGGGCGTCCGAAGGANCCGGGCTGGGTAACAAGTTCCTGGCTCATATCCGCGAATGCGACGCC ATTTGTCAGGTGGTGCGGGTGTTCGTCGACGACNACGTGACTCATGTCACCGGACGGGTCGATCCCCAGTCCGACATT GAGGTCGTCGAGACCGAGCTGATCCTGGCAGATCTGCAAACCCTGGAGCGGGCCACGGGCCGGCTGGAGAANGAAGCN CGCACCAACAAGGCGCGCAAGCCGGTCTACGACCCGGC

Clone Rv45

:::::::::::Rv45SP6.seq:::::::::::::

GATCCACTGACCACGATGACATATCGAAATGCTCGACGATTCCGATGGCGATCAAGGCCACGATGCCCTGGCCGTTGG GCGGTATCTGGTGGATGGTGTACCCGCGGTAGGTTCCCGTGATCGTGTCGACCCAGTCCACGCGATGGGCGGCGAGGT CGTCGGCACGCATCACCCCGCCGTNTGCCGCCGAGTGCGCCTCGAGTTTGGCGGCCAGCTCTCCCCGGTAGAACTCTC ACCGTTGGTCGCCGCGATCTTCTCTANCGTCGCCGCGTGGTCAGGAAAGGTAAACAGCTCACCGGGTTTCGGCGCTCG TCCGCCGGGCATGAACGCATCTGCGAATCCGGGCTGGGATGCGAACAACGGACCTGTGCCG

:::::::::::Rv45T7.seq::::::::::::::

TCTACTGCCGAATCGGGGAACGGTCCTCGCCCACCNGGTTCGTGTTGCCGGAATTACTCAGGACACCGAAACGTCGAG AACTACGAGCGGAGTTGGACANAATACCGCTCCCNGGTGGGCGCCCCCATCGANTTGGGAAGCNGAAATGTGCTCTGG ACCCCACCCAAGAATGACATTGCCGGCCGCCCTCCAACTGGAAATAGAAACNGTGATCACCCGCCGCGCTTCTTGGAAG

GAATGGCATGCCCTGGGCCGGGCGTTCCTTCCGCTGCCGGACTCCTCCCACCAATTCACCGCCGAAGGCGTCCCGTCT GC

Clone Rv46

::::::::::::Rv46SP6.seq:::::::::::::::::

 $\tt ATACTCAAGCTTCTGTCACCGAAATCCCGCATGGGATAACGGGTTTAGATTTCGACAACGGGACCGTGTTTCTCAACA$ AGCCGGTCATCAGCTGGGCCGGCGACAACGGTATCTACTTCACCCGCTTTCGCCCGT

GACGCCGTCGCACATATCGGCACCGTGCACAAGTCTACAACAACGCCGGCATCGCGTACAACGGCAACGTCGACA AGTCGGAGTTCAAGGACATCGAGCGCATCATCGACGTCGACTTCTGGGGGCGTCCTCCACGGGCCC

Clone Rv47

CCGCCTCCGCATTATGGGTCAAGAACCATCGGGTCGGACTTCTGGGCTTCCAACGCTCGCGCCGTCCCN

CCGTGGCACTGTCAGACATATGCGCCGCTCCTCCTCATCGCTGCGCTCGGCATCGTCGCCGGCGGTCATGGCGTCACC CTACCCAAGCCGAACGCGAAACGAGAACGTGTTCCATTATTAGGGTGTGAGCACCAATACCAGATTGCTCACCAGGAA GGTGCCG

Clone Rv48

AGATGCCGGTATCCCTCAAGGTCTTTATCCGCCGCTTCACCCCACTGGCACACGGTCACCGGCACGTCGCCCCGGCC ATGGCGCGCAACCGCTGAAGCGGACCCGACAGCCGCTGCGGTGATGGACTGATCGCGATCCACCCGGCATTGAGCCGG GCTATCCGCGGGAAGTTCGCCGGTCCCCCGCCCACATACAGCGGAGGATAGGGCTTTGTCACCGGCTTCGGCCAGCAG TAGATCGGATCGAAGTCCACATATGTCCCATGGAATTCCGCCTGCTCCTGCGTTCAGATCTCGATTATCGCGCGCAAC CGCCGAAACGAAACCGTCCCTGCG

CAGGCATGCAAGCTTGGCCAACTCCTCATCGGACTTGAAGGTGCCGTCCTCGTTGGCGGCCCTGCTCCACGGCACGTT GATGGCACCAGGAATGTGTCCGGGCCGCTGGCTTTGTTCCTGCGGCAGGTGCGCGGGGGCCAGGATCTTGCCGGAGAA $\tt CTCGTCGGGAGAGCGCACGTCGATGAGGTTCTTGACGTTGATGGCCGCCAGGACCTCGTCGCGGAATGCCCGAATCGT$ С

Clone Rv49

ACAGCCACCACCGAGTGGAGACCAGATGCNCCACCACGGACCGCAGCGATGCCAGTCACCCGTCC

CAGGCATGCAAGCTTTGCAGTTGCTGAGTAATGTCGGCCAACGTCACCACAATCGCGATGAATTCAATCATGCCGCCC ${\tt AGGGCGGCCAACCCAATGGTGGCCGCGAGCGGCAGCTCGATCGCAGCGCGGGGGGGCCGCCAGTTGATTCACG}$ ${\tt AACAGGGTGAGGTCATAGGCGGGGGGGATAGTGACGAAGGCCAAGACCTAGATCTGCCGTCGGAAGAAGAATCGAGTAT}$ CCGGTCGACACAACGGAAGCGAAAGTGTCCGCGATGTTGATGAGCGTCGCCGGTTGTGGCGGCGGTGGCGGCGGTAGC ATCT

Clone Rv4

 $\tt CCGGCTCGTATGTTGTGGGAATTGTGACCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACGCCAAG$ CTATTTAGGTGACACTATAGAATACTCAAGCTTGGCCGCAGGGCCGAGTCGATTGGTCGCGGGTCGCCTCGACAGTTAG GTGGAGCGTGATGACATTGGCATGGTGGCCGCTTCCCCCGTCGCGTCTCGGGTAAATGGCAAGGTAGACGCTGACGTC GTCGGTCGATTTGCCACCTGCTGCCGTGCCCTGGGCATCGCGGTTTACCAGCGTAAACGTCCGCCGGACCTGGCTGCC GCCCGGTCTGGTTTCGCCGCGCTGACCCGCGTCGCCCATGACAGTGCGACCCTGNACCGGGCTGGCC

GTGTGCTGTCAATTCAGAGCTGAGCCTGATGCACTCAACTTACTGAGCATGCTAACGCTGGTCGTGCGGGTCTTGTTC CCGCGTGTCGGCAGGGCACACGCTCGGGGGCGTAGCTGGGAGAGGCCCCGGTCAAGCCCGGAGAGCAGTGCTCAGTCCG CCAGCTTGACCGACTTTCGATGAGAACGCGCTTCTCGCCGTATTGAACTGGCGTGCTGACGGTCGCTGAGCAGCGCTC GCCGAGTGCGGCCGCTGATTCTTTCATCGAGCCAGGAGGCGCATTCGTGTTCGGCCGCCTGCGGGTCGGCCCCATCGT CGACGCGATCCGTCACCCACTCCTCGATCAGGTCTGCCTCATCGAACGGGCCAACGGTGCTGTCGGAGTAAGTGTGCG TGGGCACGCGAGCCGGGTGCTGTGGTACACCCACCGTTGCATGAACAA

Clone Rv50

ATACTCAAGCTTCACCAGGCGCGGCGGGCGCGCGCGCGCCAAGCCAGGCAGCCGCGCGCGCGCGCGCGCGCGCGCGCCTCCGC CCGGCCGAACCATTCCCTAGCCATAGATAACCGCACCTCAATGCACGGTTTGGCGGCAACCCGG

AGCTTCCGTCACGACCCGCCCTCGCCGGTGCCGGCGCCATCGGTCATCGGATCTCATGACGACGTCACGTAGGCCCGC TAGCCGCGAGCGGGCGGCGACTCAACTGGCGAGGCGGCGGCGACGTGACTGAGCTGGCCGAGCTGGACCGGTTCACCGCG GAACTACCGTTCTCGCTCGACGACTTTCAGCAGCGGGCTTGCAGCGCGCTGGAACGCGGCCACGGTGTTGCTGGTGTG CGCGCCGACCGGCGCTGGCAAGACGGTGGTCG

Clone Rv51

CGACTAACCGAACCCGATGTGGGCTCC

::::::::::Rv51T7.seq::::::::::::::

ACGTTGGCTCTGCCGGAACGTATTTCCAGCGGCACGCATTCGGCGTGGGTGCCGGGCGCCGAGTTGCGTCGCTGGGAT CACGCAGCAGTCGCCGGCGGCTGCCGTCGGGCTATGAATTGCACCGAGCCGGAAAATCCNCAC

Clone Rv52

ATACTCAAGCTTGTCGTATTCCGTGGCACTGTCAGACATATGCGCCGCTCCTCCTCATCGCTGCGCTCGGCATCGTCG $\tt CCGGCGGTCATGGCGTCACCCTACCCAAGCCGAACGCGAAACGAGAACGTGTTCCATTATTAGGGTGTGAGCACCAAT$ ACCAGATTGCTCACCAGGAACTCACGCAGCACCGGGACGGATGTCAGCCACCCCCCATCTGGGGTGGTAGCGGGGA

::::::::::Rv52T7.seq::::::::::::::

CGTTGGTAGCCCGATATGCATAGTGTATCTTACTGAACATGATTTCCATTATGGAGCCCGGGGTGCCGGCAGCGCGAA $\tt CGGTGCGCCGTCAGACGCGGGCACTGACCAGGGTGTTGCGGGCGAACATCGGCCCGGCTTCGGATTCCGGTCCGG$ GTACCGGGCGACCCACCGCTTCGAGGTA

Clone Rv53

ATACTCAAGCTTGGCCAACTCCTCATCGGACTTGAAGGTGCCGTCCTCGTTGGCGGCCCTGCTCCACGGCACGTTGAT GGCACCAGGAATGTGTCCGGGCCGCTGGCTTTGTTCCTGCGGCAGGTGCGCGGGGGCCATGATCTTGCCGGAAAACTC $\tt GTCGGGAGAGCGCACGTCGATGAGGTTCTTGACGTTGATGGCCGCCAGGACCTCGTCGCGGAATGCCCGAATCGTGTT$ CTTCTTGCGGGCGCCGTCCAACNACTTGACTTCTCCTGG

::::::::::Rv53T7.seq:::::::::::::::

 ${\tt ATATCTTAAGCGTCGGGTCCGGGGGTCGGCAGCTCCAGCAAAACCCGCTCCACCCCTAGATGCCGGTATCCCT}$ CAAGGTCTTTAGCCGCCGCTTCACCCCACTGGCACACGGTCACCGGCACGTCGCCCCCGGCCATGGCGCCAACCGCT GAAGCGGACCCGACAGCCGCTGCGGTGATGGACTGATCGCGATCCACCCGGCATTGAGCCGGGCTATCCGCGGGAAGT TCGCCGGTCCCCCCCCCACATACAGCGGAGGATAGGGCTTTGTCACCGGCTTCGGCCAGCAGTAGATCGGATCGAAGT CCACATATGTCCCATGGAATTCCGCCTGCTCCTGCGTCCAGATCTCGATTATCGCGCGCAACCGCTCATCGATCACAC GTCCGCGCACCGCAGGGTCCACACCATGGTTGGCGACTTCTTCGCGCA

Clone Rv54

GGTGATCTCGACACCGGCCGCGAGCCGACCACCATGCGCGCGTAAATCGGCGATCAGCGCGTCGGCTATCGCCTGGGT AGGGGTGCCCTGGGCCAGCATCCGCAGCCCGAGACGCAGGACCGAGCCCAGTGCAGTAGGCAAAGACCGCTTGTCGGA GACATGAACTCCACGACCGT

AGCTTATTGAACCGCGGGTCGCAGGCAAAGTGGACCTCATAACGACTCGGGTCCAGCGACCGCGCCAACACGAACGGC TTGGGCGCCGTGCTCCCAGCGTCCGGGTCGCCGGCGACGCTTGTTTCCTCCATACTCGCCCCCTAATCT CGAGGCAGCCCGTACCCGCAGGCAACCTCCCAAAAATGCAATCCCCCAAAATGCAATGCGTCGAGCTATTTCTCACAC CGACCGCTAGTTGCGGATCAGAAATCCGTTGGGCGCGGAAGTCCAGCCGAATTTGTTCTCCCGCTCCGCATCATGCTT GTAATCGTTTGGAAATTCATCCTCATATGCCTCGATCGCTTCATAGGGTCCAGGCCAAACCGGGCA

Clone Rv55

::::::::::::Rv55SP6.seq:::::::::::::::::::

CTTCCGGCTCGTATGTTGTGTGGAATTGTGAGCGGATAACAATTTCACACAGGAAACAGCTATGACCATGATTACGCC AAGCTATTTAGGTGACACTATAGAATACTCAAGCTTGGCCACCTCGCGGTGTGTGGTGGAACCCATCTGAGCAGTGTG CCAAACCGGGGCAGACAGCTCCCAATTGACGTGAGCCCGCTCACTTGCTGGGTAAGCGTCG

CCGGCTTGATGTCGGCGTTAGCGCCGGATTCCACCACATCCCCTTGCGAAAGTCCGTTGGGTGCAATGATGTAGCGCT TCTCCCCATCGAGATAGTGGAGCAACGCAATCCGTGCGGTACGGTTCGGGTCGTACTCGATGTGCGCGACCTTGGCGT TGACACCATCTTTGTCATTGCGGCGAAAGTCGATCATCCGGTAAGCGCGCTTATGACCGCCGCCTTTGTGCCGGGTGG TAATCCGGCCATGCGCGTTGCGTCCACCGCGACCGTGCAGCGGCGCACCAGCGACTTCTCCGGGGTTGACCGGGTGA TCTCGGCGAAATCAGATACGCTGGCGCCGCGACGACCAAGCGTCGTGGGCTTGTTCTTGCGAATTGCATGTCTAATCA GGTCTTTCTC

Clone Rv56

TGAAACTATATAATACTCAAGCTTGCCAAAGAAGACCTCGTCGACCAAGCAGGACGCGACCGTCGAGGTGGCGATCCG GCTTGGCGTCGACCCGCGTAAGGCAAACCAGATGGTTCGCGGCACGGTCAACCTGCCACACGGCACTGGTAAGACTGC TCTGATCGAAAGGATTCAGGGCGGCTGGCTGGAATTCGATGCCGCGATCGCGACACCGGATCAGATGGCCAAAGTCGG TCGCATCGCTCGGGTGCTGGGTCCGCGCGCCTGATGCCCAACCCGAAAACCGGCACCGTCACCGCCGACGTCGCCAA GGCCGTCGCGGACATCAAGGGCGGCAAGATCAACTTCCGGGTTGACAAGCAGGCCAACCTGCACTTCTC

:::::::::::Rv56T7.seq:::::::::::::

GCTGAGCTCCACGGCGTGGATCAAGGTACCGGCCGGGATGTTGCGCAATGGCAGGTTGTTGCCCGGCTTGATGTCGGC GTTAGCGCCGGATTCCACCACATCCCCTTGCGAAAGTCCGTTGGGTGCAATGATGTAGCGCTTCTCCCCATCGAGATA GTGGAGCAACGCAATCCGTGCGGTACGGTTCGGGTCGTACTCGATGTGCGCGACCTTGGCGTTGACACCATCTTTGTC ATTGCGGCGAAAGTCGATCATCCGGTAAGCGCGCTTATGACCGCCGCCTTTGTGCCGGGTGGTAATCCGGCCATGCGC GTTGCGTCCACCGCGACCGTGCAGCGGCGCCACCAGCGACTTCTCCGGGGGTTGACCGGGTGATCTCGGCGAAATCAGA TACGCTGGCGCCGCGACGACCAGGCGTCGTGGGCTTGTACTTGCGAATTGCCATGTCTAATCAGGTCTTTCTCT

Clone Rv57

::::::::::::Rv57SP6.seq:::::::::::::::

ATACTCAAGCTTGTTGGTGACCTCGCCGGCGAACAGTTCTCGCACGATTTCCGGATTAGCGGGACTGGTCACCAGTTGGTTATGCGGGAAGGCGCTGACGTTCGCCGCGATTAGCTGTTTGATGGACGCGGGGGGTGATGTCCTGATCACGGAACTGGCTGTAATAGCCCAGGGTCGCCACGCTTCCATCCGGGCCCGGACCCGGC

:::::::::::Rv57T7.seq::::::::::::::

Clone Rv58

Clone Rv59

::::::::::::Rv59SP6.seq::::::::::::::::::

NCGTGGACACCGGTGTCGANCGCCACCAGCCGCATGTCTGCANGTCNATTCCGTCCTCGGCAACATCTTGAATGCCGA GCAGCGCCTGGGCGTGATCGGCAACCGGGGATGACCGCTCGCCGATCCGCTCGACAATCCCGGCGGCACGTGACATGC CGGCGGACGGCTCGACGAGCTGGAACTTCAGCGACGATCCGGAATTGATCACCAGCACGGTGCTACTCATGGACC CCTGCGCCTGAATCCCGTGATGGCCACGGTGTTGACTATTCGTCGACAGTGCACCCGAGATAGTCTTCACGGCTGCGT

CATGTATTGCCGTGCTCACGGCGCCACGCTCGATGGTTTCTCGAAGTCTCCGGGCTGGTGTACAGCTTCTCGTTGATC
TCGTTCGCCACGCCGTCCTCTTCCCGCCGACGACCCGATCTCGATCTCCANAATGATCTTGGCGGCCGCCGCCGCCTT
GAGCAGCTCCTGGGCGATGGCCAGGTTCTCATCGATGGGCACTGCCGACCGTCCCACATGTGCGACGGAACAAAGATG
TCACCTTGCTCACGCGTGCGCNAGATCNCANAAGGGCCGGACATACTGTCNACTTGTCCTTGGGCAGTGGTCCGTGTC
AGCCCACGTGACGGGTACTTGGCGCGATAACGTGGTG

Clone Rv5

::::::::::::Rv5SP6.seq:::::::::::::

GCCACCACGACCCGGCCGTAACTCTGCTCACGGAAATGCGGCCAGGCCGCGCGTAGCACGTGGTATCCGCCATAAAGG TGCACCTTAAGCACGGCGTCCCAATTCTCGAACGACATCTTGTGGAAGGTGCCGTCGCGCAAGATCCCGGCGTTGCTC ACCACACCGTGCACGGCGCGGAATTCGTCAAGCGCGGTCTTGATGATGTTCGCTGCCGCCGTCCTCGGTGGCGACGCTG TCCTTAGTTGGCGACCGCCCGGCCCCCCTTGTCGCGAATCTCGGCGACGACCTCATCGGCCATCGCCGAACGGCGCCC GTGCCCGTCGCGGGCGCCACCGAGGTCGTTGACCACGA

CAGGCATGCAACCTTTGTCCACACGGCGTCTACTCCGTGCAAGGTCCGACCGCTTCCACGTCCCGCCGTGACGGTGCTCCCTCAGCAACGCGTGAAGTGGTCCGGATCCCGCGGCTTCAGG

Clone Rv60

 $\tt CGGATCGATGCCGACCGAAATACGACCACATGGCTCTTGTTGCNCAGTGTTGGCGGCATCAAATACCCTCAGTGCCGT$ CCGAC

TTNCCGCCTTNACGCCTACTCCNAGACGATGCTCGACGCGTGTGAGCACGCGCGCGCTGCTGTAGACGGCACGCCGCAG $\tt CTGGATCGCGCTTGGTGCACCCAAGCCTCTACGCGCGTCGCTCGTCGTCATCGGGTACCGAACATATTCCGGTCGTT$ GCGCAGAGTGTGCATGTGCGGCTCTTGTGAACGAACATAGCAAAGCGTATATGTCTGTGGCGGCTCTGCAGATATCGC GGCGCATCGCGCACTTCGCGATCGCGTGACTGGTCCTCGCGACTGCGCGCATGCGTAGC

Clone Rv61

GGTGATGACGCACTTGCTTCGAATGAGTCATTGACTACTCCCGTGGTTGTCCTGCGATGGTGGAGTGCCGCCGCAGCCT TGCCCGANGTCGCGATCGCGTCGCGGGCTTCGGGGGAGCAGACTGACCTGCAGATGGAAGTCGTGCCACATGCCCGCGA ${\tt ACGGCGAGCTCGATGCTTGTTTCGAAGNGCGCANGCGGTTTCGATCTTGTCCGCGTCAACGCAGATCGGATCTCGCC}$ GCGGTCTGCATGACGATGGGCGCAGGCCCGCTCATGTCCCGTAGACGGGGAGATACGGGCAGCCGCGGATCGAGACCT ACGTAGCGCGCCCCATCGTGCCATCGACGAAGAATGACGGATCGCGCAGCGCCGTCGCGTCGCTTCGATGTCACGC GAGATCGCCACGGCAGATCAGCGATGCGCGGGC

::::::::::Rv61T7.seq::::::::::::

 $\tt CGGTACGCCGGCAACAAACGCCTTGTGACGAGCGCGTCCGAGCGGTCATCGGCCTCCACCGTCATGCACAGCTCCTTC$ TCCAGGTCTACGCCGACGTCGCGGTCCACATTGGTGAGCTTGGCGAATGCCTCGGCAACCTCGTCGAAATGCGCCTCC GCGTCCGCATCGAAGGTCGCCATGTCAAAGATCAACTCGACGTAGTAGCTAGTTACCGCATCAGGTCAGTGTTTGCTG GCCTCGGAGTCCGGCCGAACAATGGCCATTTCCCGCGACTCTAGAATCCAGTCATCGTCTCGGTGACGACGCCTTGCC GATCACATAGCTCGACCGGATCGGAGAGAATCTGGTTCTCGT

Clone Rv62

AACGAAGGGTCGTCCACCAACCTCCAAACCGAACGGTTGCCAGCCCCGGC

GCAAGTCCGCTCAATGTGGTTGTGATCACANGACTACGTCGCCTCAATCAGCTCAAACGTCACCCCGTGGCGTGCTGC GCAGCATGAAGGTCGGCGCCCCGCACGATGTGGGCGAAGCAACAGGTAATAACTGGTCGGCATGGGTCAACCCTCATTG GGCCGTTGCGGATCGGGTGCACGCCCGGAGTGCCGGTCGAACTCAACACCGCCTTCACCGATCTTTTCGTCGAAAATG GCGGTCGTGTCGGGGTATACGTCCGCGATCCCACGAGGCGGAATCCGCTGAGCCGCACTGA

Clone Rv63

::::::::::::Rv63SP6.seq::::::::::::::

ATACTCAAGCTTCGCGCCCTCAAGCGGCTGAAGGTGGTTCCGGCGTNCCAACNGTCGGGCAACTCGCCGATGGGCATG GTGCTCGACNCCGTCCCGGTGATCCCGCCGGAGCTGCGCCCGATGGTGCAGCTCGACGGCGGCCGGTTCGCCNCGTCC GACTTGAACGACCTGTACCGCAGGGTGATCAACCGCNACNNCNNGNTGAAAAGGCTGATCGATCTGGGTGCGCCGGAA ATCATCGTCAACAACNAGAANCGGATGCTGCNGGAATCCGTGGACGCGCTGTTCGACAATGGCCGCCGCCGGCCCC GTCACCGGGCCGGCCAACCGTCCGCTCAAGTCGCTTTCCGATCTGCTCA

 ${\tt TGCGCATGGCAGTTGTTGCCGGCTTGAGTCGCGTTAGCGCGGATTCCACCACATCCCTTGCGAAGTCGTGGGTGCAAT}$ GATGTAGCGCTTCTCCCATCGAGATAGTGGAGCAACGCAATCCGTGCGTACGTTGGGTCGTACTCGAGTGCGCANCTT GGCGTTGACACCATCTTTGTCATTGCGGCGAAGTCGATCATCCGGTAAGCGCGCTTATCGACGCCGCCTCTGTGCCGG GTGGTAATCCGGCCATGCGCTTGCGTCCACCGCGACGTGCAGCGGGCGCACACCGACTTCTCCGGGTGACGGGTGATC TCGGCGAATCAGAACCTGGCGCGCGACACAGCGTCGTGGCTGTACTTGC

Clone Rv64

TGGGTGATCAGATACTGGCTAGTTGGTCGGGTGGGGTGATCGAAGATCGCGGTGGCCGGCAGCGTTACTGCGGTGACG CTGTTAAGCGGTTACGTACTCCACGGCACTCAANGAATTANATCCCGAATCGGCCAAACCCTGGCCAGCGTCGAGTCCG ${\tt CAGCGCCGTCGCGCCCCCCCCCGCTGCGGCATGCTCACATACCACCTCGATCGCTGGGGAGTTGCTCGTCGGCCGAC}$ CGACCGGCCAGCCGGGCGAAACCGGAGGACCCAAGATTCAGCACCACCATCGCTAGCCCGATCTGGCCGCGCGTGG

Clone Rv65

::::::::::Rv65SP6.seq:::::::::::::::

Clone Rv66

::::::::::Rv66SP6.seq:::::::::::::::

Clone Rv67

ATACTCAAGCTTATCGAGGCGGCGCATACCGAAGCGTGGGAAATCCAGACCGAATACCGCGACGTGCTGGACACTTTG
GCCGGCGAGCTGCTGGAAAAGGAGACCCTGCACCGACCCGAGCTGGAAAGCATCTTCGCTGACGTCGAAAAGCGGCCG
CGGCTCACCATGTTCGACAACCTTCGGTGGCCGGATCCCGTCGGACAAACCGCCCATCAAGACACCCGGCGAGCTCGCG
ATCGAACGCGGCGAACCTTGGCCCCAGCCGGTCCCCGAGCCGGCGTTCAAGGCGGCGATTGCGCATGCTACCCAAGCC
GCTGAGGCCGCCCGGTCCGACCCGGCCAAACCGGGCACCAACGGTTCGCCCGGCGCACCACCGGTCCGGTGA
CCGCAGTACGGTCCCCCAGCCTGACTACCGTGCCCCGGCGGCCC

TGGCCGGGCTGGTAGCCCGCGTATGGCAAGGTTCCGCTCAATGTGGTTGTGATGCAGCAGGACTACGTTCGCCTCAATCAGCTCAAACGTCACCCCCGTGGCGTGCTGCGCAGCATGAAGGTCGGCCCCGCACGATGTGGGCGAAGGCAACAGGTAAGAACCTGGTCGGCATGGGGCCCTCATTGGGCCGTTGCGGATCGGGTTGCAGCGCCGGAGTGCCGGTCGAACACCGCCTTCACCGATCTTTTCGTCGAAAATGGCGTCGTGTCCGGGGTATACGTCCGCGATTCCCACGAGGCGGAATCCGCTGAGCCGCAGCTGATCCGGGGCTCGCCGCGCGTGATCCTGGCCTGAGCCTTCAACACGAGCAGAGCAGATCCGCAATCCGGGGCTCGCCGCGCGTGATCCTGGCCTGTGGTGGTTTCCGAGCATAACGAGCAGATCCGAAAT

Clone Rv68

::::::::::Rv68SP6.seq:::::::::::::

GTCCAGTCAAGCATCGGTCCTCTCCGACTACGCCAAGANTGGCGACGTGTCAGTGCANACAGCGGANATGGTGGCGCC TATGCGTCGACGCTCACAAACNGCGGTGANCGCGTTCTGGTCGTGCACCATCGAGCCGTGCCAGCCCGGCCGCGTGCC GTCAGCCGCATCCACTGGATGCCTTCTCGGNGTTTCAATCANGTACANGCGACGTTCGCCACCATCGTGCCGGGGCAC GGTTAGCGAGAAACCGCCGACTTCACCGATTGCCTCGGTGATGCCGTCGAACAGATCGGGCCTATTGTCGACAGCCAG TGTGATNCGTATTTGCCGCCGTGCTCCTCGTCGCAACGATGCGAACACAJATCCGTGGNGGACGATAGCGGCTGACAA NGTGGGGGCAACACAATCACATGCCACATTTCTTCATTTCACGCCCACAACCCAGACTTCGTCTCGATGNGCCG

CACGCGGTCTGGCCCGATCCGAAGATCCCTTTGCCGGCGTGGCGGCTCTGCTCGGCGGTGTTGTACACTTCTCGAACA CCTCGGCACCGACCACCACCGTNGCTTGAACACCGCCAACATCGGCAGCAGATCTTGATGGTCCTGGTGAATCCCA CGGTGACTTTGGAGTGGAAGGCGCCATACTGATCGCCGCGCCAGCACATGAGCTAGCGGCAGGAAAACCAGCAGCCGC TCACCTTGCGCAGCGTCNGGTGATATGCCTGGCGCCCTTAATCTCGTGAACCAGTTGGATTGGGTCAACTGGCAG CCTTGGGTCTCCGGTGGTGCCGANGTGTANATAAGCTCCCGGGTCCGTCAACGTANTGCGCAGGCGGCGGTTACTCGG CGGGTCAACGAGCCCCGCTCGTGAGCNATCAGCCTTTGGACCGAACGGGATTCATACTCCGCAGGCGGCCCTCCGAAA TCGGCACATGTCCTTTGATCGTTCGCAACAN

Clone Rv69

GGCCATGTCACATCGGTGGTACAGGTAAACCGCGCGCGTGTGCGCGGTCTCGGAGATCAGAACGTGGTCGCAGTTGAAC CGCGGGCTTTCAGCCAGTCGCGATAATCGGCGGAAGTCGGCGCCTGCCGCCCCAACTAGCGCGACTCGCCACCTAGCA CACCGATGGCGAAGGCCATGTNTCCGGCCACGCCGCCGCGGTGCATCACCAAGTCATCGACTAGGAAGCTAAGCGACA GTTACCCGATCGTCACAAAAATCTCCGTCCT

Clone Rv6

GGGTCTACAACCACCGGGTCTGACTTCTGGGCTTCCACCGCTCGCGCCGTCGCGACAAACAGCGCGGTCGAAACCA CTCGTTGTGATGTCCCAGCTATCACCTCCGGTAGGCACCCAATCGACCCTACCCGGCTATCTCACCCCCGATCTCCAG GCTCCGCCGATCCATGCGCATCCCGGTCCGGATCCC

CAGGCATGCAAGCTTGTCGTATTCCGTGGCACTGTCAGACATATGCGCCGCTCCTCCTCATCGCTGCGCTCGGCATCG TCGCCGGCGGTCATGGCGTCACCCTACCCAAGCCGAACGCGAAACGAGAACGTGTTCCATTATTAGGGTGTGAGCACC AATACCAGATTGCTCACCAGGAACTCACGCAGCACCGGGACGGATGTCAGCCACCACGCCCATCTGGGGTGGTAGCGG GGAAATACGGCTAACGCGGCTCCGGTGCCGGCAGCCCAGCGCAGACCCTCGGCGGCGACACGGCTAACAACGACGAC

Clone Rv70

::::::::::::Rv70SP6D2.seq::::::::::::::::

NCTACGCTGCTGAATGTTGTGCGCCGGAGGANCTCAAGACCCACGCGGTTGTACGCGGACNTGCGACATGTTCAACCG CCGGA

CTAACCAACAAGCCATGGTGGTTGGCGCCGTCGAGAGGTCGGCGGTCGCCACAACGGGAAGATCGCCTTGAGCGTCGC TCGACCGCCGCCTCGAGTTGGGTCATAACGAAGTACTGATGCCGATCATGTCGACGTGTCCGTCGCATCAGCGTGCAG CGGCGACCCTCGACGAGCCTCGGTGCCGCCGCGGCCAGGGCACCAGCTGTTTTAGCGCATTGTGCTCCGCCGGTAAT AAAGGANGTCGGTCGCCTCCGCTGCTGTTGCTGCGGAATAACATCTTCCCTTCCTGCAACAGGATGAGAATGGTTTTA ATTGCTC

:::::::::::Rv71SP6.seq::::::::::::::

 $\verb|CTAAGCTTTCGGGTCCGCCGCCACTAGTACCGCGTTGCCGGCCCCGCCGACCTAGAATGTTCCGCCCATTGCCGTTTC|\\$ CTCCCGCCGCCGGGTT

Clone Rv7

:::::::::::Rv7SP6.seq:::::::::::::

ATACTCAAGCTTATCTAGGCGCCAGCTTGATTGGTCTGGTTGCATTGGCCAGCTGCGCGAGCCTGGCTCAACT ACAACAACCGCAAACAATTGCCGCCTTCGGATCCGAGTTCGGTTGGGTACGCGGCAATGGANCACCATTTCTCGGTGA AGCTGGCGCAACGTGTGAGCCANATCCCAGGCGTTGCCATGGTTCGCGGTGTGACCCGGCCAAACGGGGAAACCCTTG GGCCGTTGCGGGTGTCCGCAGCCTTGTCCAGCCCCTCGCTTACTCCA

CAGGCATGCAAGCTTTTTGAGCGTCGCGCGGGGCAGCTTCGCCGGCAATTCTACTAGCGAGAAGTCTGGCCCGATACG GATCTGACCGAAGTCGCTGCGGTGCAGCCCACCCTCATTGGCGATGGCGCCGACGATGGCGCCTGGACCGATCTTGTG $\tt CCGCTTGCCGACGCGACGCGGTAGGTGGTCAAGTCCGGTCTACGCTTGGGCCTTTGCGGACGGTCCCGACGCTGGTC$ GCGGTTGCGCCGCGAAAGCGGCGGGTCGGGTGCCATCAGGAATGCCTCACCGCCGCGGCACTGCACGGCCAGTGCCCG CGGCGATTCAGCCATCGGGACATCATGCTCGCTTCATACTCCTCGACCAGTCGGCGGAACAGCTCGATTCCCGGAACG CCCACGCATGGTG

Clone Rv80

AACAGCTATGACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTGTAGAAAAAGATCGGTGA GCGCATCGATTCGCTCCGCCGGGTTTGCCGCTGCGGCGGCGGAGCTGCCGTGACCGTCTATTTGGGTGATCAGATACT GGGCTAGTTCGGTCGGGGTGGCGAAGATCGCGGTGGCCGGCAGCGTTACTGCGGTGACAGCTGTTAAGCGGT TACGTATCTCCACGGCACTCAAGGAATTAAATCCCGAATCGGCAAACGCCTGGCCAGCGTCNAGTCCGGCAGCGCCGT CNCGCCCCAGCACCGCTGCGGCATGCTCACATACCACCTCGATCGCTGCGGCGANTTGCTCGTCNGCCGACCGACCGG CCANCCGGGCGGCAAACCCNGAAGACCCAAGAATTCATCACCACCATCGCTAGC

:::::::::::Rv80T7.seq::::::::::::::

CCTTCTTGACACCCACCTCGCCATCGACCTTGAGCACTCCGTCGTAGTTGGTGAACATGTGACCGGCGGTCGGCCGGG TGAACGCGTACTGGGTGTCGGCGTCTCATCTTCACCACGCCGTAGCGCAGCGCCTCCTCGATCTCCGACTTAA GCGAACCCGAGCCGCCGTGGAACACGAAATCNAACGGCTTGGCGTCNGCCGGCAGTCCGAGCTTGGCCGCCGCCACCT GTTGCCCTTGCGCAAGGATGTCNGGGCGAANCTTGACGTTGCCGGGCTTGTANACGCCATGCACGTTGCCGAACGTCN $\tt CGGCCAGCANGTATTTGCCGTGCTCACCGGCGCCCCANCGCCTCGATGGTTTTCTCGAAGTCCTCCGGGCTGGTGTACA$ GCTTCTCGTTGATCTCGTTCGCCACGCCGTCCTCTTCGCCGCCGACG

Clone Rv81

:::::::::::Rv81SP6.seq:::::::::::::

AACAGCTATGACCATGATTACGCCAAGCTATTAGGTGACACTATAGAATACTCAAGCTTGGAAAGGAGATCCCCGGG AACCTGGTGGCAACCCCGCCATTGGGGTTGTTGGGATTGCCGATCAGCGTGAANGAAAGCTCGTCTGGAGACAGCGGG TCGGCCGAAGCCGCAAGATTGGCCATCACTAGTGACGANATCGTGGCGCTCTGCGAGTANCCNAAGACAGTGACGTTG TTNCCGGCGGCAATTTGCTGCCGAATCGCACTTTCGAGAATGACNGCACCCTGCGCCACCGANGAATCNAAAGTGAGG TTCTTGATCACGACCACCGGGTNGAGCCCTTGGGGCGTGAAGANCGCCTGCGCNATAACACCCCGGGACGCTGCCACTC ATGTNCAGCGCGTTCGCGANCTCNACATATCT

TCCTGGTGATCGANGGCCGCGGTTCCGGCCGAAAATCCGGTTCGGGTTCGGGTCGCGGTTCCAACTTGANCGCGGTCC CCCCAACCTGATCCAACGACAACCGCCCCTCCCGCATACCCCGGGCGCAGCGCGGGAAACTCCGGCAACCGCCGCGCCA CCGTGGCGATCGTGTGGGCGTTGCCTGACGAACANCCCATCTTCCAGGCCACCCAACCCCGCCACCGACCGCCCCCCG TCACACCCCACAACCCGTCGCGATCCAGCTCAGCCACGATCTCCACAATGCGCCCATCAATCGCATTGCGCTGAACGG GCAACTCCGCCAACTCCTCCAA

Clone Rv82

AACAGCTATGACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGATCTGGTACCCATCCGTGATA CATTGAGGCTGTTCCCTGGGGGTCGTTACCTTCCACGAGCAAAACACGTAGCCCCTTCAGAGCCAGATCCTGAGCAAG ATGAACAGAAACTGAGGTTTTGTAAACGCCACCTTTATGGGCAGCAACCCCGATCACCGGTGGAAATACGTCTTCAGC ACGTCGCAATCGCGTACCAAACACATCACGCATATGATTAATTTGTTCAATTGTATAACCAACACGTTGCTCAACCCG TCCTCGAATTTCCATATCCGGGTGCGGTAGTCGCCCTGCTTTCTCGGCATCTCTGATAGCCTGAGAAGAAACCCCAACTAAATCCGCTGCTTCACCTATTCTCCAGCGCCGGGTTATTTTCCTCGCTTCCGGGCTGTCATCATTAAACTGTGCAA

Clone Rv83

AACAGCTATGACCATGATTACGCCAAGCTATTTAGGTGACACTATAGAATACTCAAGCTTANCGCCACCTCCCGGGCGGAACTCCACGGCGTGGATNAAGGTACCGGCCGGGTTGTTGCCCAGGTTGTTGCCCGGCTTGAAGTTCCACCACACTCCCTTGCGAAANTCCGTTGGGTNCNATGATGTNNCGCTTCTCCCCNTCNANATAATGGANCAACGCNATCCGTGCGGTACGGTTCGGGTCNTACTCCATGTNCGCGACCTTGGCGTTGANACCATCTTTGTCATTGCGGGCAAAGTCNATCATCCGGTNAGCNCGCNTATGANCGCCGCCTTTGTCCGGGTAATCCGGCCATGCGCNTTGCCGTTCACCGCGAACGTCAACCGGGGGCCCCAACGANTTCTCCNGGGTTGAACCGGTNATCT

Clone Rv84

AACAGCTATGACCATGATTACGCCAAGCTATTTAGGTGACACTATANAATACTCAAGCTTGCGGGTNATNGCCTTGGT CAACGGCACCGTGATCGGATCNGGGTCTACCGCACACATNGACTGGAGCTTCGGCGAANTCATCGCCTATGCCTCGCG GGGGGTGACGCTGANCCCNGGTGACNTGTTCNGCTCNGGCACGGTGCCCACCTGCACGCTCNTCNAACACCTCANGCC ACCGGAATCATTCCCNGGCTGGCTGCACGANAGCGANNTTGTCNCCCTCCAAGTCTAAAGGCTGGGCGANANAAGCAN AACGTCCCGACNAACGGCACTCCTTTTCCNTTTGCTCTTC

Clone Rv85

::::::::::Rv85SP6.seq::::::::::::::

Clone Rv86

Clone Rv94

TCCTTCTCGGTATCGGTTTGGGCTGTCACCANCAGTTGGTAGTTCTTCACGTNCTGTTGTTCGAGCGTCNAGCCGTCG CGCGTGTCNANGTCNCCGGACGCGTATCCCGCCAGGCCGGTCANGGTGCCCTTCCANTCCACGCCGCTGTGGTCGGCG AACGCTNATCTTCAATCGAGACCATCGCCAGCTTCATCNTGTTGGCGATCTTGTCNNACCGCACCTCNAACCGGCGCT NCTAGTACNCCACNCNATCNTGTTNCCTTCNCGTCNACATCCTCGATNCCNCNTGCACTTTCCCTCGANCNCCTGGGC CGAGCCGTTGGCANTNACCTCNGAGCCCCATTGGACATCANCCCCANCCCGCCTGCGAACGGGAACGTCAGCNCNCTGG CGACAACC1 GGCCAACAN

CACNCCGTGATCGCNAGCCCCNGTAGAAATNGTTGAGCCAGTTGGTGCGGCGCTCGTTGCCGGCGGTNATCTCGTCGAGCTCNTCTTCCATCGCCGCGGTGAAGTCGTACTCGACNAGCCGACCNAAATGCTGCTCNAGCAGACCGGTTACCNNNAACNCCNCCTCNTGACNGCACCAGTGCNCTGCCCTTCTTGTGCACGTACCCGCNATCCTGGATGGTCTTGATGATCNACTANTNTGTCGACGGGCGGCCGATGCCCATCTCCTCNAGCGCTTTGACCAGCGACNCCTCGGTGTATCGGGCCGGCGGGTTNGTGGCCATCGCGTCTCNACNATNTTCANCCGTTGACCCGGGGTCACA

Clone Rv95

CCGGATAGCGGTGTCTGAACTTCGCCCGTTCCCTCCANCGCATTGAGCTTCAGCCCGACCGGCAGGTNNGGAGTCGGCATGCGGTCCTTCGCCCCGACCCGCGCCGCTGCCTAAATANCCACCCCCGAGCGGGTCACGGTCTTTGCACCGGGACGACACATCNCCGCGGGGTCAGCNTGAACGTCCAATACCANTCNAACAGTGTCCGCGGTNAAAACCGGANCCGGCGGTCGCTCNGTAATCAACGGCTCCTGCGCAACCAGCTGCAAGTCGCCGGTGCCACCGGCGTTGACGATCTTGATGTCTGCGANCTCGCGCACCAGCTCGACGGCCCGGGCA

Clone Rv96

Clone Rv9

::::::::::Rv9SP6.seq::::::::::::

Table 4: End-sequences of the polynucleotide inserts cloned in the named recombinant BAC vectors contained in the I-XXXX *M. bovis* strain Pasteur genomic DNA library.

RvXXXSP6 corresponds to the SP6 end-sequence of the clone RvXXX.

RvXXXT7 corresponds to the T7 end-sequence of the clone RvXXX.

RvXXXIS 1081 corresponds to a region located close to a copy of the IS1081 repetitive sequence (Insertion element).

The character « - » denotes an uncertain base residue.

Clone X0001 ::::::::::::::::X0001SP6.seq:::::::::: AAG- TCGGGTTTCCACACGCGCGGTTTGACCCTAGTCATATGTAATCATGTGTACCATGTGCGGGCGCTTTTCGACGGCCG CGAACCACCGGA-ATTTCCTGTGATTTCACTGCATGCGTACCATCTGGCACAATTGAGCA-TTGTCT- TCGCGGTGGTCGG-CGGGTTGCGTGCGCCTGCTGCGA-ATGCACCA- TAAGCCCGAACCCACCGGCTTGGTGACCACCGCACGCTGCGTGTGGGGGGGTAACCACTCCGCGACCCCAAGGATGGT CATTTCCAATGAACCGGCTGGACTTCGTCCA-A
::::::::::::::::::::::::::::::::::::::
Clone X0002 ::::::::::::::::X0002SP6.seq::::::::::: AACTCAAGTTTTTACGGTGATCGCGCATCACCTGGTTCATGAACTGGAAGCAGCGCAGCGCTTCCTTTTCGGCCGCA ACATGAGCCAGCCTCTCGTCGGCGGTCGGGTGCAGGTGCTCGGCCAGCCGCGACAGCCGCTGACCCTGAAA CCAGCTTCCATATCCCGCGAC-

Clone X0003

AGGGTCCTGCCGGTGCCGGT

:::::::::::X0003SP6.seq:::::::::::::::

TTCGAGTCATGCGCCCGCCTCGACCACGAA-ATGCACGTCG-

GGTTCGATCGACCCGATCTTCACCTCGTAACCTCGATGCTTAGCAGGATCCAGCTTGACCGCGTTTTGGCTCTACCCACTTTTGAGTGGCGCCGTCGCCTGTGCCCCATCGGTGTTCATGACGAACGCTTCGAAAGAACTTCCTCTTGTGAGCCGGAATGTCTGCGTAAAGAAGTTCCATGTCCGGGAAGTAGACCCGGTCGCCCTCCACGTGGTACTCCTTCGAGGTCCGCTTCTCC

Clone X0004

AACAGCGCGGTTGAACTGATAGGTGCGGCCCGGCTCGAGCAGGCCGGGCCATTTGTTCGATGCGGTTACCGAAAGAT CTCTTCGGTGACCTGCCCGCCGCCGGCCAGCTCGGCCCAGTGCCCGGCGTTGGCCGCGCGACGATCTTGGCGT CCACGGTGGTCGGGG

Clone X0006

Clone X0007

ATCGGTTTCCAGCAACAGCCGATCGACGGCTTCGCCCA-

GGCCGCTCCCGGGCGACCCGACCATTGCTGTCGCCGCGTAACGCCATCACGGATGACGCCAGTTCGTCGCTGTCTAGCCTCCACCATCGCCTGCACACCGCGGCGGCCAG-ACCCATTGGCCGTCGCACTCGTA-

AGCAGGTAATCCTCGTCGACGGACTCGGTAACCACCGCCGCCAGCTCCGCTGCCAGGTCGGCGGGGTTGACACCGGCGGGCATCGGGATGGACGACGACGCGGTGCTGACGGCGCCTGTC

AGCGGTTTCCCA-

Clone X0008

:::::::::::X0008T7.seq:::::::::::

TGGACCTCATGACAACGCGGCGGCGATTACCCCCGCTACCGCCAGCAGCATGACGGCGGTAGCGAACACCGCCGGAT GCAGCGCAGGTGCGCAGCGCGCATTACCCCCCGGATCGCCACGCAGCACCCCCTGC AGCGCGACACCGACGATTCCGTACACCGCCACGCCGATCAGGCCCTGGCCAGCCCGGCGATTATTGGCGGCGATGGTG ACGATGGCCAGCCACACATACATTGTGGCGGCCAGAACCACGGCGTTGGGGCGGCGGTCGATGAACACTAGGCGACG CAGATCGCCCGGGGTCAACAGGTTGACCATCAGAAAGCCTGCGA

Clone X0009

:::::::::::X0009SP6.seq:::::::::::::

TTTGGTGCGGCCGGCAATCAACTTC-GCTC-

Clone X0010

AATACTCAATCTTGATCGGTTTCCAGCAACAGCCGATCGACGGCTTCGCCCAGGGCCGCTCCCGGGCGACCCATGCTGTCGCCGATCACCATCGCCTGCACCACCATTGCTGTCGCCGCGTAACGCCATCACGGATGACGCCAGTTCGTCGTCGACGACTCGTTCGACCACCATCGCCTGCACACCGCCGCCAGCCCAGGACCCATTGGCCGTCGCACCTCGTAGAGCAGGTAATCCTCGTCGACGGACTCGGTAACCACCGCCGCCAGCTCCGCTGCCAGGTCGCCAGGTCGCGGGGGTTGACACCGGCGGGGCATCGGGATGGACGACGACGCGGTGCTGACGGCGCCTGTCGCGACTCTGAGCTCGG

Clone X0012

ATCACGACAACAGCGACGGTGTGTCGGATCAGCGGCCCCCGTTGCCGGGCAATGTTGAGGCGTTTCTGCGTCTGGTTGAGGCCGGCTGGGAC-

 $\tt CCGAGGTGGCTCGTCGGCCACATGGGCACCACCACCGTGGTGATGCATCTAGACGTGCAGGACCGTGCCGCTGGCCTGCA$

GCGGCTACGTGCCATCGAGACACTGGCGCAGGCTATCGCACCCGTTATCGGCTGCGAGCAAATCGCGGTATGCGTTC
TTGAGCATGAGTCGGCGACCGTCGTCATGGTCGACCCCACGACGGAAAGACGCAGATCGCCGTCAAGCATGTGTGC
CGCGGATTATCAGGACTGACCTCCTGGCTGACCGGCATGTTTGGTCGCGATGCCTG:

Clone X00013

Clone X0014

AGCGGCTGGTTACGACTCCCTGTTTGTGATGGACCACTTCTACCAACTGCCCATGTTGGGGACGCCCG-CC-TCCGATGCTGGAAGCCTACACTGCCCTTGGTGCGCTGCC-C-GCGACCGAGCGGCTGCAACTGGGCGC-TTGGTGACC-GCAATACCTACCGCACCCC-ACCCTGCTGG-CAAA-

ATCATCACCACGCTCGACTTGGTTAGCGCCGGTCGA-CGATCCTCGGCATTGGAACCGGTTGGTTT-

Clone X0015

CCGCGCTGCTGACGTCGGTCGAACGTGCGACACGTCTGCGAATACCGGCCGAACGCTGGGTTTATCCACAGGCT GGCACCGACGCCCACGACACCGGCCGTCGCCGACCGCCACCGACTGCATCGGTCGACGGCCATTCGGATCGCCGG TGCCCGGGCGCTGGAACTGGCTGGGGCTCGATGACATCGAATACGTCGACCTGTATTCGTGCTTTCCCTCCG ACCTTCGCCGGCGGGCCGTGGAGCAATTACGTCACGCACTCCAT

Clone X0016

CAGGCGTGCAATGACCTGCACTGCGCCGGA-A-

TCCCTAACCCACTAAACCGGGGCCGCTCACAAGCCGTGCAGCTCGGTCAGCGTCAGGTGCGCGACCAGGAA-TAAATGAGCAGACCCGTGCCGTCAACGATGGTGGCGATCATCGGCCCCGAAACGATGGCCGGGTC-ATGCGCAACTTCTTCAGCAGCGGCGGAAGGACGGCA-CCACCAGCGAC-ACCACCACGAT

GCGAA-

 ${\tt GGCAGGTGGTCATCCTGGCGGGGGGGGGGGGCTGGCGTACCGGGTGCCTTGGCCCGACGGGACCACGGTTTTT}$ $\tt CCGCGAGATCGCCGTCGACCTGACGATTGGCCACAAGCCTTGCGGGACAGTGGTTTCGATGCGGCTGCACCGT$ CGGCATGGATTGCCGAAGGGCT

Clone X0017

TTGGGC-TTGCCC-CAATA-GGCCCCAATCAAAAGCCGAGCAGGTGGAACCTA-CGCATTCGCCTC-TCGT-

TGTGCACCCGAGCCATCGCACGCGCGGGAATTCCCGGAT-TC-

CCGTATTCTCCGGCGGCCGGGCTAACCCATCCCA-GCCGAACGGTTGGCTC-

TGCCGTGGGTCCCGTGTTGGCCGATCGGGGGGTCACCGGGGGGTGCTCGGGTGCGG-TGACCATGGC-AACTGCCCC-ATGGGCCGACCCTGGTGCAGATAAACCTG

TGGTGGAGGTCCCCACCAA-ACCCGGCCGTAACTCTGCTCACGGAAATGCGG-

 ${\tt CAGGCCGCGTAGCACGTGGTATCCGCCATAAAGGTGCACCTTAAGCACGGCGTCCCAATTCTCGAACGACATCTT}$ GTGGAAGGTGCCGTCGCGCAAGATCCCGGCGTTGCTCACCACACCGTGCACGGCGCCGAATTCGTCAAGCGCGCTCT TGATGATGTTCGCTGCGCCGTCCTCGGTGGCGACGCTGTCGGTA-

TTGGCGACCGCCCGGCCCCCTTGTCGCGAAATCTCGGCGACGACCTCATCGGCCATCGCCGAACCGGGCGCCCG

Clone X0018

GCCGGCCAAACTGGCCGGCGGGGTTGCTGTC-TCAAGGTGGGTTCCGCCACCAA-ACC-

CACTCAAGGATCGCAAGGAAAGC-

TCAAGGATGCGGTCGCGGCCGAAGGCCGCGGTCAAGGAGGGCATCGTCCCTGGTGGGGGA-CCTCCCTCATCCACCAGGCCCGCAAGGCGCTGACCGAACTGC-TGCGTC-C-GACCGGTGACAA-GTCCTCGGTGTCCACGTGT-CTCCGAAGCCCTTGCCGCTCCGTTGTTCTGGATC-CC-CCAAC-

CTGGCTTGGACGGCTC-GTGGTGGTCAACAAGGTCAGCGAGCTACCCGCCGGGCATGGGCTGAACGTGA

Clone X0018

CGAACCT-AATTGTCCTGTAATGCCCAGCTCACCAA-

GCATGGCTGGTGGCCGGGGGGGTGAAGCCGGCGTCTGCGGCACCGTCCAACTC-ATGTGGAT-

GCCGGAATGGGGATGTCCGG-ACGGCGAATCCGTA-

TTCGCTTGTCCCGTGAGGCCCAGGTGGATGGGGGGGAAGGATC-TGGTGTCCGGGATGAT-

ATGGGGCCGATGCCGCCGGTTGAAGTCCACTGGATCGGGAATTCGGGAATCGTGAT-CCGACGTTCAGGCCGAAC

CCTCCCGCCCTCGGGATGGCCGCCTGCCGACCCGGCCTGGGCCAAGG_TCTCGCGCTGTCACCGGAAGCCGACACTGCCGGC

CCGCGGGACAC-CCTC-

ATGCTGCCGCCATGGACGCGGTCGAACGCAAGCAGCTGATCGAGCTACAACGCCGCGCGGAACGCTTCCGCCGCGGG CGTGACCGCATCCCGTTGACCGGGCGGATCGCGGTGATCGTCGATGACGGCATCGCCACCGGAGCGACGGCCAAGGC GGCGTGCCAGGTCGCCCGGGCGCACGGTGCGGACAAGGTGGTGCTGGCGGTCCCGATCGGCCCA-ACGACATCGTGGCGAAGATTCGCCGGGTACGCCGATGATGTGGTGTTTTGGCGACGCCGGCGTTGT

Clone X0020

CTCTGGGACCGGCCACGGTGCC-

CCGGCGTTCCCGGACGTGCTGCGCCAGGTGTCCGGCGGCCGCTGCATGGTGTTCCCGGATCGGCCGCTGGCCAGAG CCCACCGGTGAATCTGGCGCCTGGCCGACCACCGTGCGCCGTAGGCTTGCGATCGTGCAGCGCTGGCCTGGCCAGGA CGAGATCCCGACGGATTGGGGCAGATGCGTGCTCACCATCGGGGTATTTGACGGCGTGCACCGCGGGCACGCCGAAC TGATCGCGCACGCGGTCAAAGGCGGC

Clone X0021

 ${\tt TCGACCTCGAGTGAATGGATCTCGAGTGAATGGACAGGGCATCGCCTACGAGTCGCATCCCATCCAACAGACCGGTGCTCTTGCATCGGACCCTGAAGGTCCCGCACGGAGGGTGTGGTTGCCGGCGGGGGTCACGGTAGCGACGTAGTTTTGAACGAATTTCTTGATGCTCCAACCTGTTTGGTGTTCAATCCAGTTCT$

Clone X0175

....X0175SP6....

AA-CTTGCGCGCTCGGCCGGGTC-AGCATCCAGCTGCTCGGCAAGGAGGCCAGCTAC-C-

TCGCTGCGTATGCCCAGCGGTGAGATCCGCCGGGTC-

ACCACCGCACGGCGGTGAGGGTAAAACCTCCGGCGGCCGTCACCCGGTTAGCCCGTGGGGCAA

....x0175T7....

References:

Altschul, S. F., W. Gish, W. Miller, E. W. Myers, and D. J. Lipman. 1990. Basic local alignment search tool. J. Mol. Biol. 215:403-10.

Balasubramanian, V., M. S. Pavelka, Jr., S. S. Bardarov, J. Martin, T. R. Weisbrod, R.

A. McAdam, B. R. Bloom, and W. R. Jacobs, Jr. 1996. Allelic exchange in Mycobacterium tuberculosis with long linear recombination substrates. J. Bacteriol. 178:273-279.

Barany F., 1991, Proc. Natl. Acad. Sci. USA, 88:189-193.

Bensimon, A., A. Simon, A. Chiffaudel, V. Croquette, F. Heslot, and D. Bensimon.

10 1994. Alignment and sensitive detection of DNA by a moving interface. Science. 265:2096-2098.

Bergh, S., and S. T. Cole. 1994. MycDB: an integrated mycobacterial database. Mol. Microbiol. 12:517-534.

Birnboim, H. C. and J. Doly. 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. Nucleic Acids Res. 7:1513-1523.

Burg J.L. et al., 1996, Mol. and Cell. Probes, 10:257-271.

Cai, L., J. F. Taylor, R. A. Wing, D. S. Gallagher, S. S. Woo, and S. K. Davis. 1995. Construction and characterization of a bovine bacterial artificial chromosome library. Genomics. 29:413-425.

Canard, B., and S. T. Cole. 1989. Genome organization of the anaerobic pathogen Clostridium perfringens. Proc. Natl. Acad. Sci. USA 86:6676-6680.

Chu B.C.F. et al., 1986, Nucleic Acids Res., 14:5591-5603.

Chuang S. et al., 1993. Global regulation of gene expression in *Escherichia coli*. J. Bact., 175(7): 2026-2036.

- 25 Chuang, S., D. L. Daniels, and F. R. Blattner. 1993. Global regulation of gene expression in Escherichia coli. J. Bacteriol. 175:2026-2036.
 - Cole, S.T., R. Brosch, K. Eiglmeier, T. Garnier, S. V. Gordon, C. Churcher, D. Harris, K. Badcock, D. Basham, D. Brown, T. Chillingworth, R. Connor, R. Davies, K. Devlin, T. Feltwell, S. Holroyd, S. Gentles, K. Jagels, J. McLean, S. Moule, L. Murphy, K.
- Oliver, J. Osborne, J. Parkhill, M. Quail, M-A. Rajandream, J. Rogers, S. Rutter, K. Seeger, J. Skelton, R. Squares, S. Squares, J. Sulston, K. Taylor, S. Whitehead and B.

- G. Barrell. 1997. Genome Sequence of Mycobacterium tuberculosis H37Rv. Microbial Comparative Genomics, 2:174.
- Collins, D. M., and D. M. Stephens. 1991. Identification of an insertion sequence, IS1081, in Mycobacterium bovis. FEMS Microbiol. Lett. 67:11-15.
- 5 Cousins D. et al., 1998, **36**(1): 168-170.
 - De Wit D. et al., 1990, J. Clin. Microbiol., 28: 2437-2441.
 - Dear, S., and R. A. Staden. 1991. Sequence assembly and editing program for the efficient management of large projects. Nucleic Acids Res. 19:3907-3911.
 - Duck P. et al., 1990, Biotechniques, 9:142-147.
- 10 Guateli J.C. et al., 1990, Proc. Natl. Acad. Sci. USA, 87:1874-1878.
 - Kievitis T. et al., 1991, J. Virol. Methods, 35:273-286.
 - Kim, U. J., B. W. Birren, T. Slepak, V. Mancino, C. Boysen, H. L. Kang, M. I. Simon, and H. Shizuya. 1996. Construction and characterization of a human bacterial artificial chromosome library. Genomics. **34**:213-218.
- Kwoh D.Y. et al., 1989, Proc. Natl. Acad. Sci. USA, 86:1173-1177.
 Landegren U. et al., 1988, Science, 241:1077-1080.
 - Liu, Y. G., and R. F. Whittier. 1995. Thermal asymmetric interlaced PCR: automatable amplification and sequencing of insert end fragments from P1 and YAC clones for chromosome walking. Genomics. 25:674-681.
- 20 Lizardi P.M. et al., 1988, Bio/technology, 6:1197-1202.
 - Matthews J.A. et al., 1988, Anal. Biochem., 169:1-25.
 - Michalet, X., R. Ekong, F. Fougerousse, S. Rousseaux, C. Schurra, N. Hornigold, M. Vanslegtenhorst, J. Wolfe, S. Povey, J. S. Beckmann, and A. Bensimon. 1997. Dynamic molecular combing stretching the whole human genome for high-resolution studies.
- 25 Science. 277:1518-1523.
 - Misumi, D. J., D. L. Nagle, S. H. McGrail, B. J. Dussault, Jr., J. S. Smutko, H. Chen, O. Charlat, G. M. Duyk, C. Ebeling, L. Baldini, G. A. Carlson, and K. J. Moore. 1997. The physical and genetic map surrounding the Lyst gene on mouse chromosome. Genomics. 40:147-150.

15

20

Pavelka, M. S., Jr., and W. R. Jacobs, Jr. 1996. Biosynthesis of diaminopimelate, the precursor of lysine and a component of peptidoglycan, is an essential function of Mycobacterium smegmatis. J. Bacteriol. 178:6496-6507.

Philipp, W. J., S. Nair, G. Guglielmi, M. Lagranderie, B. Gicquel, and S. T. Cole. 1996a.

Physical mapping of Mycobacterium bovis BCG pasteur reveals differences from the genome map of Mycobacterium tuberculosis H37Rv and from M. bovis. Microbiology. 142:3135-3145.

Philipp, W. J., S. Poulet, K. Eiglmeier, L. Pascopella, V. Balasubramanian, B. Heym, S. Bergh, B. R. Bloom, W. R. Jacobs, Jr., and S. T. Cole. 1996b. An integrated map of the genome of the tubercle bacillus, Mycobacterium tuberculosis H37Rv, and comparison with Mycobacterium leprae. Proc. Natl. Acad. Sci. USA. 93:3132-3137.

Poulet S. et al., 1995, Arch. Microbiol., 163: 87-95.

Ross BC, 1992, J. Clin. Microbiol., 30: 942-946.

Sambrook, J., E. F. Fritsch, and T. Maniatis. 1989. Molecular cloning: a laboratory manual, 2nd ed. Cold Spring Harbor Laboratory, NY: Cold Spring Harbor. N. Y.

Sanchez-Pescador R., 1988, J. Clin. Microbiol., 26(10):1934-1938.

Segev D., 1992, in « Non-radioactive Labeling and Detection of Biomolecules ». Kessler C. Springer Verlag, Berlin, New-York, 197-205.

Sheng, Y., V. Mancino, and B. Birren. 1995. Transformation of Escherichia coli with large DNA molecules by electroporation. Nucleic Acids Res. 23:1990-1996.

Shinnick T.M. et al., 1987, J. Bact., 169(3): 108-1088.

Shizuya, H., B. Birren, U. J. Kim, V. Mancino, T. Slepak, Y. Tachiiri, and M. Simon. 1992. Cloning and stable maintenance of 300-kilobase-pair fragments of human DNA in Escherichia coli using an F-factor-based vector. Proc. Natl. Acad. Sci. USA. 89:8794-

25 8797.

Spargo C.A. et al., 1996, Mol. and Cell. Probes, 10:247-256.

Stone B.B. et al., 1996, Mol. and Cell. Probes, 10:359-370.

Trieselman B.A. et al., 1992. Transcriptionnally active regions in the genome of the archaebacterium *Haloferax volcanii*. J. Bact., 174: 30-34.

Trieselmann, B. A., and R. L. Charlebois. 1992. Transcriptionally active regions in the genome of the archaebacterium Haloferax volcanii. J. Bacteriol. 174:30-34.

Urdea M.S. et al., 1991, Nucleic Acids Symp. Ser., 24:197-200.

Urdea M.S., 1988, Nucleic Acids Research, 11: 4937-4957.

Van Soolingen D., 1993, J. Clin. Microbiol., 31: 1987-1995.

Willets, N., and R. Skurray. 1987. Structure and function of the F-factor and mechanism
 of conjugation. In Escherichia coli and Salmonella Typhimurium: Cellular and Molecular
 Biology (F.C. Neidhardt, Ed) Vol.2 pp1110-1133, Am. Soc. Microbiol., Washington,
 DC.

Woo, S. S., J. Jiang, B. S. Gill, A. H. Paterson, and R. A. Wing. 1994. Construction and characterization of a bacterial artificial chromosome library of Sorghum bicolor. Nucleic Acids Res 22:4922-4931.

Zimmer, R., and A. M. V. Gibbins. 1997. Construction and characterization of a large-fragment chicken bacterial artificial chromosome library. Genomics. 42:217-226.

10

15

20

25

30

35

CLAIMS

- 1. A method for isolating a polynucleotide of interest that is present in a genome of a first mycobacterium strain or that is expressed by said first mycobacterium strain and that is absent or altered in a genome of a second mycobacterium strain that is different from the first mycobacterium strain or that is not expressed in the second mycobacterium strain, said method comprising:
- a) contacting under hybridizing conditions the genomic DNA of the first mycobacterium strain with the DNA of at least one clone that belongs to a bacterial artificial chromosome (BAC) genomic DNA library of the second mycobaterium strain; and
- b) isolating the polynucleotide of interest that fails to form a hybrid with the DNA of the second mycobacterium strain.
- 2. The method according to claim 1, wherein the BAC-based DNA library has been constructed from genomic DNA of *Mycobacterium tuberculosis*.
- 3. The method according to claim 2, wherein the BAC-based DNA library has been constructed from genomic DNA of *Mycobacterium tuberculosis* strain H37Rv.
- 4. The method according to claim 3, wherein the BAC-based DNA library has been deposited in the Collection Nationale de Cultures de Microorganismes (CNCM) on November 19, 1997 under the accession number I-1945.
- 5. The method according to claim 1, wherein the BAC-based DNA library has been constructed from genomic DNA of *Mycobacterium bovis*.
- 6. The method according to claim 5, wherein the BAC-based DNA library has been constructed from the genomic DNA of *Mycobacterium bovis* BCG strain Pasteur.
 - 7. The method according to claim 6, wherein the at least one BAC-based DNA library has been deposited in the Collection Nationale de Cultures de Microorganismes (CNCM) on XX XX, 1998 under the accession number I-XXXX.
 - 8. A method of isolating a polynucleotide of interest that is present in a genome of a first mycobacterium strain or that is expressed by the first mycobacterium strain and that is absent or altered in a genome of a second mycobacterium strain or that is not expressed by the second mycobacterium strain, said method comprising:

10

15

20

25

- a) providing at least one polynucleotide contained in a clone of a bacterial artificial chromosome (BAC) DNA library of the first mycobacterium strain;
- b) providing at least one genomic or cDNA polynucleotide from a second mycobacterium strain that is different from the first mycobacterium strain or at least one polynucleotide contained in a clone of a BAC DNA library prepared from the genome of the second mycobacterium strain;
- c) contacting under hybridizing conditions the polynucleotide of step a) with the polynucleotide of step b); and
- d) isolating the polynucleotide of step a) that has not formed a hybrid complex with the polynucleotide of step b).
- 9. The method of claim 8, wherein the polynucleotide contained in a clone of a BAC DNA library of the first or second mycobacterium strain is prepared by the following procedure:
- 1) digesting at least one recombinant BAC clone by an appropriate restriction endonuclease to yield a polynucleotide insert of interest; and
 - 2) isolating the polynucleotide insert of interest.
- 10. A purified polynucleotide of interest that has been isolated according to the method of claim 8.
- 11. The purified polynucleotide of claim 10 which contains at least one Open Reading Frame (ORF).
 - 12. The purified polynucleotide of claim 11, which is SEQ ID N0:1.
 - 13. The purified polynucleotide of claim 11, wherein said polynucleotide is selected from the group consisting of :
 - a) a polynucleotide comprising at least 8 consecutive nucleotides of SEQ ID No:1;
 - b) a polynucleotide having a sequence fully complementary to SEQ ID N°:1; and c) a polynucleotide that hybridizes under stringent hybridization conditions with
 - the polynucleotide defined in a) or with the polynucleotide defined in b).
 - 14. The purified polynucleotide of claim 13, which is SEQ ID N0:2.
 - 15. The purified polynucleotide of claim 13, which is SEQ ID N0:3.
 - 16. The purified polynucleotide of claim 11, wherein the ORF encodes all or part of a polypeptide involved in the pathogenicity of a mycobacterium strain.
 - 17. The purified polynucleotide of claim 11, wherein the ORF encodes all or part of a Polymorphism Glycine Rich Sequence (PGRS).

10

15

- 18. The purified polynucleotide of claim 17, which is SEQ ID N0:4.
- 19. The purified polynucleotide of claim 17, which is selected from the group consisting of:
- a) a polynucleotide comprising at least 8 consecutive nucleotides the of SEQ ID N0:5;
- b) a polynucleotide having a sequence that is fully complementary to SEQ ID N0:5;
- c) a polynucleotide that hybridizes under stringent hybridization conditions with the polynucleotide defined in a) or with the polynucleotide defined in b).
 - 20. A pair of the purified polynucleotides as claimed in claim 10.
- 21. A Mycobacterium tuberculosis strain Rv37 genomic DNA library that has been deposited in the Collection Nationale de Cultures de Microorganismes under accession number I-1945, wherein said genomic DNA library comprises recombinant bacterial artificial chromosome vectors.
- 22. A recombinant bacterial artificial chromosome (BAC) vector, which belongs to the genomic DNA library of claim 21.
- 23. The recombinant BAC vector of claim 22, which is selected from the group consisting of :

Rv101; Rv102; Rv103; Rv104; Rv105; Rv106; Rv107; Rv108; Rv109; Rv10; Rv110; Rv111; Rv112; Rv113; Rv114; Rv115; Rv116; Rv117; Rv118; Rv119; 20 Rv11; Rv120; Rv121; Rv122; Rv123; Rv124; Rv126; Rv127; Rv128; Rv129; Rv130; Rv132; Rv134; Rv135; Rv136; Rv137; Rv138; Rv139; Rv13; Rv140; Rv141: Rv142: Rv143; Rv144; Rv145; Rv146; Rv147; Rv148; Rv149; Rv14; Rv150; Rv151; Rv152; Rv153; Rv154; Rv155; Rv156; Rv157; Rv159; Rv15; Rv160; Rv161; Rv162; Rv163; Rv164; Rv165; Rv166; Rv167; Rv169; Rv16; 25 Rv170; Rv171; Rv172; Rv173; Rv174; Rv175; Rv176; Rv177; Rv178; Rv179; Rv17; Rv180; Rv181; Rv182; Rv183; Rv184; Rv185; Rv186; Rv187; Rv188; Rv18; Rv190; Rv191; Rv192; Rv193; Rv194; Rv195; Rv196; Rv19; Rv1; Rv201; Rv204; Rv205; Rv207; Rv209; Rv20; Rv214; Rv215; Rv217; Rv218; Rv219; Rv21; Rv220; Rv221; Rv222; Rv223; Rv224; Rv225; Rv226; Rv227; Rv228; 30 Rv229; Rv231; Rv231; Rv232; Rv233; Rv234; Rv235; Rv237; Rv240; Rv241; Rv243; Rv244; Rv245; Rv246; Rv247; Rv249; Rv24; Rv251; Rv252; Rv253; Rv254; Rv255; Rv257; Rv258; Rv259; Rv25; Rv260; Rv261; Rv262; Rv263; Rv264; Rv265; Rv266; Rv267; Rv268; Rv269; Rv26; Rv270; Rv271;

Rv272; Rv273; Rv274; Rv275; Rv276; Rv277; Rv278; Rv279; Rv27; Rv280;

Rv281; Rv282; Rv283; Rv284; Rv285; Rv286; Rv287; Rv288; Rv289; Rv28; Rv290; Rv291; Rv292; Rv293; Rv294; Rv295; Rv296; Rv29; Rv2; Rv301; Rv302; Rv303; Rv304; Rv306; Rv307; Rv308; Rv309; Rv30; Rv310; Rv311; Rv312; Rv313; Rv314; Rv315; Rv316; Rv317; Rv318; Rv319; Rv31; Rv32; 5 Rv322; Rv327; Rv328; Rv329; Rv32; Rv330; Rv331; Rv333; Rv334; Rv335; Rv336; Rv337; Rv338; Rv339; Rv33; Rv340; Rv341; Rv343; Rv344; Rv346; Rv347; Rv348; Rv349; Rv34; Rv350; Rv351; Rv352; Rv353; Rv354; Rv355; Rv356; Rv357; Rv358; Rv359; Rv35; Rv360; Rv361; Rv363; Rv364; Rv365; Rv366; Rv367; Rv368; Rv369; Rv36; Rv370; Rv371; Rv373; Rv374; Rv375; 10 Rv376; Rv377; Rv378; Rv379; Rv37; Rv381; Rv382; Rv383; Rv384; Rv385; Rv386; Rv387; Rv388; Rv389; Rv38; Rv390; Rv391; Rv392; Rv393; Rv396; Rv39; Rv3; Rv40; Rv412; Rv413; Rv414; Rv415; Rv416; Rv417; Rv418; Rv419; Rv41; Rv42; Rv43; Rv44; Rv45; Rv46; Rv47; Rv48; Rv49; Rv4; Rv50; Rv51; Rv52; Rv53; Rv54; Rv55; Rv56; Rv57; Rv58; Rv59; Rv5; Rv60; Rv61; Rv62; Rv63; Rv64; Rv65; Rv66; Rv67; Rv68; Rv69; Rv6; Rv70; Rv71; Rv72; Rv73; 15 Rv74; Rv75; Rv76; Rv77; Rv78; Rv79; Rv7; Rv80; Rv81; Rv82; Rv83; Rv84; Rv85; Rv86; Rv87; Rv88; Rv89; Rv8; Rv90; Rv91; Rv92; Rv94; Rv95; Rv96 and Rv9.

24. The recombinant BAC vector of claim 22, which is selected from the group consisting of:

Rv234; Rv351; Rv166; Rv35; Rv415; Rv404; Rv209; Rv272; Rv30; Rv228; Rv233; Rb38; Rv280; Rv177; Rv48; Rv374; Rv151; Rv238; Rv156; Rv92; Rv3; Rv403; Rv322; Rv243; Rv330; Rv285; Rv233; Rv219; Rv416; Rv67; Rv222;

Rv149; Rv279; Rv87; Rv273; Rv266; Rv25; Rv136; Rv414; Rv13; Rv289; Rv60; Rv104; Rv5; Rv165; Rv215; Rv329; Rv240; Rv19; Rv74; Rv411; Rv167; Rv56;

Rv104; Rv5; Rv165; Rv215; Rv329; Rv240; Rv19; Rv74; Rv411; Rv167; Rv56;
Rv80; Rv164; Rv59; Rv313; Rv265; Rv308; Rv220; Rv258; Rv339; Rv121;
Rv419; Rv418; Rv45; Rv217; Rv134; Rv17; Rv103; Rv21; Rv22; Rv2; Rv270;
Rv267; Rv174; Rv257; Rv44; Rv71; Rv7; Rv27; Rv191; Rv230; Rv128; Rv407;
Rv106; Rv39; Rv255; Rv74; Rv355; Rv268; Rv58; Rv173; Rv264; Rv417;

Rv401; Rv144; Rv302; Rv81; Rv163; Rv281; Rv221; Rv420; Rv175; Rv86; Rv412; Rv73; Rv269; Rv214; Rv287; Rv42 and Rv143.

25. A *Mycobacterium bovis* BCG strain Pasteur genomic DNA library, wherein said genomic DNA library comprises recombinant bacterial artificial chromosome vectors.

20

25

- 26. A recombinant bacterial artificial chromosome (BAC) vector, which belongs to the genomic DNA library of claim 25.
- 27. A recombinant BAC vector according to claim 26, which is selected from the group consisting of :
- 5 X0001; X0002; X0003; X0004; X0006; X0007; X0008; X0009; X0010; X0012; X0013; X0014; X0015; X0016; X0017; X0018; X0019; X0020; X0021 and X0175.
 - 28. A method for detecting a mycobacterial nucleic acid in a biological sample comprising the steps of :
- a) contacting the recombinant BAC vector according to claim 22 or 26, or a purified polynucleotide according to claim 10 with the mycobacterial nucleic acid in the biological sample; and
 - b) detecting a hybrid nucleic acid molecule formed between said recombinant BAC vector or said purified polynucleotide and the mycobacterial nucleic acid in the biological sample.
 - 29. The method of claim 28, further comprising before step a), making the mycobacterial nucleic acid in the biological sample available to a hybridization reaction.
 - 30. A method for detecting mycobacterial nucleic acid in a biological sample comprising the steps of:
 - a) contacting a first polynucleotide according to claim 10 that has been immobilized onto a substrate with the mycobacterial nucleic acid in the biological sample; and
 - b) contacting a hybrid nucleic acid molecule formed between said first polynucleotide and the mycobacterial nucleic acid in the biological sample with a second, labeled polynucleotide according to claim 10, wherein said second polynucleotide and said first polynucleotide have non-overlapping sequences.
 - 31. The method of claim 30, further comprising before step a), making the mycobacterial nucleic acid in the biological sample available to a hybridization reaction.
 - 32. The method of claim 30 or 31, further comprising before step b), removing the mycobacterial nucleic acid that is not hybridized with the immobilized first polynucleotide.
- 33. A method for detecting mycobacterial nucleic acid in a biological sample comprising the steps of :

20

30

- a) contacting the mycobacterial nucleic acid in the biological sample with a pair of purified polynucleotides according to claim 20;
- b) amplifying said mycobacterial nucleic acid; and
- c) detecting the amplified mycobacterial nucleic acid.
- 34. The method of claim 33, further comprising before step a), making the mycobacterial nucleic acid in the biological sample available to a hybridization reaction.
 - 35. A kit for detecting a mycobacterium in a biological sample comprising:
- a) a recombinant BAC vector according to claim 22 or 26, or a purified polynucleotide according to claim 10; and
 - b) reagents necessary to perform a nucleic acid hybridization reaction.
 - 36. A kit for detecting a mycobacterium in a biological sample comprising:
- a) a recombinant BAC vector according to claim 22 or 26, or a first polynucleotide according to claim 10 that is immobilized onto a substrate;
 - b) reagents necessary to perform a nucleic acid hybridization reaction; and
 - c) a second polynucleotide according to claim 10, wherein said second polynucleotide is radioactively or non-radioactively labeled, and wherein said second polynucleotide and said first polynucleotide have non-overlapping sequences.
 - 37. A kit for detecting a mycobacterium in a biological sample comprising:
 - a) a pair of purified polynucleotides according to claim 20; and
- b) reagents necessary to perform a nucleic acid amplification reaction.
 - 38. A method for detecting the presence of a genomic DNA, a cDNA or a mRNA of a mycobacterium in a biological sample, comprising the steps of :
 - a) contacting the biological sample with a plurality of BAC vectors according to claim 22 or 26, or purified polynucleotides according to claim 10 that are immobilized on a substrate; and
 - b) detecting the hybrid complexes formed.
 - 39. A kit for detecting a genomic DNA, a cDNA or a mRNA of a mycobacterium in a biological sample, comprising:
 - a) a substrate on which a plurality of BAC vectors according to claim 22 or 26, or purified polynucleotides according to claim 10 have been immobilized.

15

20

- 40. A method for detecting a polynucleotide of mycobacterial origin in a biological sample, said method comprising:
- a) aligning at least one polynucleotide contained in a recombinant BAC vector according to claim 22 or 26 on the surface of a substrate;
- b) contacting the polynucleotide in the biological sample with the substrate on which the polynucleotide of step a) has been aligned; and
 - c) detecting a hybrid nucleic acid molecule formed between the polynucleotide in the biological sample and the aligned polynucleotide of step a).
 - 41. A kit for detecting a polynucleotide of mycobacterial origin in a biological sample, comprising:
 - a) a substrate on which at least one polynucleotide contained in a recombinant BAC vector according to claim 22 or 26 has been aligned.
 - 42. The method of claim 9, wherein the procedure by which the polynucleotide contained in a clone of a BAC DNA library is prepared, further comprises amplifying the polynucleotide insert.
 - 43. The method of claim 9, wherein the procedure by which the polynucleotide contained in a clone of a BAC DNA library is prepared, further comprises digesting the polynucleotide insert with at least one restriction endonuclease.
 - 44. The method of claim 42, further comprising digesting the amplified polynucleotide insert with at least one restriction endonuclease.
 - 45. The Polynucleotide of claim 16, wherein the mycobacterium strain is *Mycobacterium tuberculosis*.
 - 46. The method of claim 33, wherein the amplified mycobacterial DNA is detected by gel electrophoresis or with a labeled polynucleotide according to claim 10.
 - 47. The kit of claim 37, further comprising a polynucleotide according to claim 10.
- 48. The kit of claim 39, further comprising reagents necessary to perform a hybridization reaction.
 - 49. A method for physically mapping a polynucleotide of mycobacterial origin in a biological sample, said method comprising:
 - a) aligning at least one polynucleotide contained in a recombinant BAC vector according to claim 22 or 26 on the surface of a substrate;

- b) contacting the polynucleotide in the biological sample with the substrate on which the polynucleotide of step a) has been aligned under hybridizing conditions; and
- c) detecting the location of the hybridized polynucleotide from the biological sample.
- 50. The kit of claim 41, further comprising reagents necessary for labeling DNA and reagents necessary for performing a hybridization reaction.




FIGURE 1A

B




FIGURE 1B

WO 99/54487 PCT/1B99/00740





FIGURE 2





SUBSTITUTE SHEET (RULE 26)




FIGURE 4A

WO 99/54487 PCT/IB99/00740

B




FIGURE 4B

WO 99/54487 PCT/IB99/00740




FIGURE !

FIGURE (

H37RY	PTQTLTGRPLIGMGTPGAYGSGATGAPGGWLLGDGGAGGSGAAGSGAAGSAAGLWGT 837273	T 837273
BCG	PTQTLTGRPLIGNGTPGAYGSGATGAPGGTLLGDGGAGGSGAAGSGAPGGAAGLWG	· [-
H37R v BCG	GGAGGAGGSSAGGGAGGAGGWLLGDGGAGGIGGASTYLGGTGGGGGGGGGGAGGA	837453
H37R v BCG	GGAGGTGL YGGDGGAGGTGGLLAGL IGAGGGHGGTGGL STNGDGGYGGAGGNAGHLA GGAGGTGL YGGDGGAGGAGGTGGLLAGL IGAGGGHGGTGGL STNGDGGYGGAGGNAGHLA	837633
H37R♥ BCG	H37RV GPGGAGGAGGDGENLDTGGDGGAGGSAGLLFGSGGAGGAGGFGFLGGDGGAGGNAGLLLS BCG GPGGAGGAGGAGGDGENLDTGGDGGAGGSAGLLFGSGGAGGAGGFGFLGGDGGAGGNAGLLLS	837813
H37RV BCG	SGGAGGFGGFGTAGGYGGAGGNAGVLGF	
H37RY	GGAGGYGGSAGLIGTGGHGGHGGTGANAGSPGTGGAGGLLLGQNGLNGLP 838047	LP 838047
BCG	GPEGGAALSPGDTGGAGGPGGSAGLIGTGGRGGRGGTGARAGSPGTGGAGGLLLGQRGLRG	LP

pBeloBAC11

GCGGCCCAA GGGGTTCGCG TCAGCGGGTG TTGGCGGGTG TCGGGGCTGG NotI restriction site CTTAACTATG CGGCATCAGA GCAGATTGTA CTGAGAGTGC ACCATATGCG GTGTGAAATA CCGCACAGAT GCGTAAGGAG AAAATACCGC ATCAGGCGCC ATTCGCCATT CAGGCTGCGC AACTGTTGGG AAGGGCGATC GGTGCGGGCC TCTTCGCTAT TACGCCAGCT GGCGAAAGGG GGATGTGCIG CAAGGCGATT AAGTTGGGTA ACGCCAGGGT TTTCCCAGTC ACGACGTTGT AAAACGACGG CCAGTGAATT:GTAATAGGACTCACTATAGG GCGAATTCGA GCTCGGTACC T7-promoter sequence CGGGGATCCT:CTAGAGTCGACCTGCAGGCATGCAGGCT GTATTCTAT primer T7-Belo2 HindIII cloning site SP6-promoter PAGTGTCACCT AVAITAGETTIG GEGTAATCAT GGTCATAGCT GTTTCCTGTG sequence (complementary strand) primer SP6-Mid (complementary strand) TGAAATTGTT ATCCGCTCAC AATTCCACAC AACATACGAG CCGGAAGCAT AAAGTGTAAA GCCTGGGGTGCCTAATGAGTGAGCTAACTC ACATTAATTG primer SP6-BAC1 (complementary strand) CGTTGCGCTC ACTGCCCGCT TTCCAGTCGG GAAACCTGTC GTGCCAGCTG CATTAATGAA TCGGCCAACG CGAACCCCTT GCGGCCGGCC GGGCCGTCGA Not1 restriction site

FIGURE 7

1

SEQUENCE LISTING

(1)	GENERAL	INFORMATION:
-----	---------	--------------

- (i) APPLICANT:
 - (A) NAME: INSTITUT PASTEUR
 - (B) STREET: 28 RUE DU DOCTEUR ROUX
 - (C) CITY: PARIS CEDEX 15
 - (E) COUNTRY: FRANCE
 - (F) POSTAL CODE (ZIP): 75724
- (ii) TITLE OF INVENTION: A METHOD FOR ISOLATING A POLYNUCLEOTIDE OF INTEREST FROM THE GENOME OF A MYCOBACTERIUM USING A BAC-BASED DNA LIBRARY. APPLICATION TO THE DETECTION OF MYCOBACTERIA.
- (iii) NUMBER OF SEQUENCES: 5
- (iv) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
- (2) INFORMATION FOR SEQ ID NO: 1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 12732 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: DNA (genomic)
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

ACCTGCGCTT	GCAGAGATCA	AATAGGGCGC	ATGGGTCAGC	ATAGTACAGG	TCGTCGCGCA	60
TCTTTGATGC	ATCGGAATAA	GATGTCAGGC	AATTAAAAGA	GAAGCCACGG	CGACTCGCGG	120
CATTCAGCAT	GTCGAGCGTC	GCTTCGATGT	GAGCGCACCA	TTCCGTGTCC	AACGATTTCA	180
GACGAACATT	GAATATTCCA	CTCGCGACGC	TATAGTCCGC	CTCCCGATCT	ATGCGCGCCG	240
CGCAGATGAA	GTCTGCGTTC	GCCCGACCTT	CGAAACGTAG	TGCGGCCGCG	CGCACCATTT	300
CGGGGGAGAC	GTCGATGCCG	GTGTAATCAG	TTTTGAAGCC	ACGCGCATCT	AGGTAGTCCA	360
GTAGAGCCCC	ATAGCCACAG	CCTAGATCGT	TGATCGAAAA	TGGGTCCGCC	GCATTGACAA	420
TGCGCACCAG	CTGGTCAAAG	CGCAACGCCT	GCCCGGCTTC	GCCGTTCCAA	TCGACGCCGC	480
GCGGGTGCCG	TGTGCTTCGA	GTTTCGATGC	GTAGTAACGG	GCCACGTCAG	CGAGCATGGT	540

CGTTGCGTCT	TCCGCCATGA	AGCTGCCTCA	CGATTTGTGT	GTGTGGGCGT	CGGTGCGTGG	600
GTCCGAGACT	ATACCTTCAA	CAGTTGCATG	CCGAGGCTGC	GGCGGGCAAT	GACCCAAAAA	660
CCCGCCGGCA	CGGTTCGCCG	AGCAAGGAAG	CGTGGAGACG	ATAGATAATT	TCACTGGCGA	720
CAGTACCTCA	AATAGTCCGG	AGCCTCGGCT	CCGACGTTAA	AGAGCAGATC	CAGAATCGAC	780
ACGGCGGGCT	CGAACCCTCC	CCACAATTGC	TTATAATCGC	GGTAGCCGTC	ATAATCGAAC	840
CAAGTTACCC	GGATGCTAAG	TTCGTCGAAC	ACGCGCTCAT	CGACATACGA	ACGGGCTGAG	900
GGGCCAGAGA	CATATTCGGT	CGCTGCGGCC	TGTTGGCAGA	GGTTGGCCAG	TCTCTCGGTC	960
TTGCCGTCGG	CTAATTCGTA	GTCCCACGAA	TTTGCCAGTC	GCGTGCTGAT	ACCGAGATAA	1020
CTGCAAATCG	CATTCAATAG	ACGCCTGTTG	AGTAAGGAAA	GATTCGTGTG	CTGTTCTTCG	1080
AGGTAAATCG	GCGCGAGCCA	GTCAGCGATC	TCCGCAAAAT	GAGCGGCCGC	GCTGTAGTTG	1140
AATTCTAGTG	CCCGCCAGTG	CGCTTTCGCC	CAATCGGTGC	CGTCGATCAG	CGTCTCACGT	1200
ATCTTTTGAT	GGAAACGTCC	CTTCACCTGG	ACGGGAACAG	TTATCCACTG	TAACCCCTGG	1260
CTCGTTTTGA	TCCGATTTCT	GTTTCGCCAA	TCACGCTTGG	TATATTGCAT	GTCATCATAG	1320
ATGATGAATT	CATCGACGAA	TGCAATCAGG	TCAAAATATC	CTCGCCAAGG	TATGTAATTT	1380
GATTGAACAA	TCGCGACTTT	CTTCAACGCG	GTGTCTCCAA	TTTAGAATAA	CAAATACGTC	1440
GCGCCCGCGA	CAGCTCCGCT	GGAGCGAGTT	CAAGCGATTC	TGCGACATAT	TCAATATGGT	1500
GCTCGGGAAG	GCCAGGATGG	GCCGCGACCC	GGGGCGTCCG	GTGCGCGATG	AACGTCGCAT	1560
CGTCTCCTGT	GAGATAATTG	CATCCGATCA	TATAGGGCTG	GCTGCGGCTA	GGTTGCTGGC	1620
AAAAAGATAT	CGCGGCCGAT	CCGTTTCTGG	TTTTGTCTTG	ATGATCAAAT	CCGCTTCCGT	1680
TCACGAGATC	GATTCCTGGT	CTTCCCCCAG	CGTCGCGATG	TCGATAGGTG	TCGCGCTTTG	1740
TTCGTACCCG	CACTACGCGG	CGGCGAGAAC	CTCGCCACCG	AATCGGGATT	GGGGGGAGGA	1800
TACCACTCGG	TCGAGGCCCG	TCACCGGCCT	TCTAGCGGGT	TGACCATCAG	TGTTTGCAGG	1860
GCCCTATCCC	GGTATGGCGC	ACCACGGGAT	CGGCAGCGTT	CCGGTTGCTG	GCGTGGTACC	1920
TCGTTGTGGC	GCCGTGGTCC	ATGTCGATTG	AGTGCGTGGA	TCAGTGTAAA	CCGTTGCGCG	1980
CCATGTTCTG	TAGGCACTGG	TTCGGGTTGT	GGTTAGGCTG	CACGGTTGGC	AGGTTACCAA	2040
CCACTGAGCC	CCTGGGCGGA	TGTGAGCTCG	GACTCCGCCT	ATGGGGTGTA	ATTTTGGCAG	2100
ATTGGGCCGG	GTCCCCGTGG	TGAGGACTCC	TCAACCGGAT	TGGGTAAGCA	TGAGGTGGTG	2160
CTGGCAGCGG	TGTCCTGGTC	GCTCTCCCGA	GTAGGCCCGT	TGTGACTGTC	ATGTGGGCGA	2220

GCGGGTTTGC	GCGCGTAGGA	GACGATGATT	ACTACGCACG	TGACCAACCA	CAAGAACGGT	2280
GCCCATGTCA	CCGTGGTGAA	AACGAGTGGC	GTGGTACCGA	CTACCCCTTT	GGCTCCCAGC	2340
TGTCCATAGA	GCGGCACGTA	GAACGGCTGG	CCCGGGACCG	CGACGTTGAC	GATGCTCAGC	2400
GCCACGGCCA	AACTCACGCA	GACGCCGACC	GCGCGGCGGC	GGTCTCCATG	GGCTGCGAGT	2460
TGGTCGAATA	TCCCAGCACC	AGGAGGCCCG	TTGGGGTCTC	GGGCTACCAG	TGCAGCGATT	2520
GGCAAGACGA	AAACGAGATA	GTAGAAGGCG	ACGTCCGCGG	GGGAGAAGGT	GGCGGTGGCG	2580
AGCAACACAA	TCCCCACCAT	GACAGGCGGG	ATACGGCGTC	CGAGCGCCAG	CACGGCGACC	2640
ACGACTATGA	CTAGGACAGC	AAACCCGATC	TGCGTTCGCG	GACCAGTGAG	GAAACCCTCT	2700
GGGATCTTGC	CCGATTGATA	GTTCTTGATG	CTATCGGGGA	TCAGCAGGAG	TGCCTTGCCA	2760
AAGGACACGT	TCCGCGGGTC	TCGAAGCCCT	CCGAACGAAC	TATTGAACTT	GATGATGCCG	2820
TGGATCGACT	GTGCGATCGT	CCCCGGGAAG	CCTCGTGGCC	ACAACAGAAA	GGCTGCGATA	2880
TTGGACACCA	CCACGCCGGT	GATCCCGATA	CCAGCCCACC	GCCATTGTCG	AGCCGCCAAC	2940
AACACCACGC	CGAGAACGAC	GAACTGCGGC	TTTACCAGGA	CGGCCAAGAT	CACCGTGATG	3000
GTGGCGAGGC	CCCACCGCTG	TCGGGACAAC	GCCACGAAGT	AAGCCAGCGC	GATCGGTACC	3060
ACGAACCCTG	TCGAGTTGCC	TCGATCGATG	ACCCCCACG	CCGGGATGGC	CGCGGCGCCC	3120
AGTGTCACGA	AGATGACCAC	TCGCTCCAGA	CCACGTGCCC	cccgggccgc	CCAGATGGCG	3180
GGAGATATGA	CCGCCATCGT	TAGGGCGACC	AGGTAACAGA	TCAGCCCCAA	GCGCGGCGCA	3240
CCCAGCCAAT	GGCTGGGTAG	TCCGAAAATC	GCATACGGTA	TGCGGGCGGG	GGCCCATGCA	3300
GCAACCGCGG	TCGGCTGGTA	ATCGGCGGGT	AGCGAGATCA	GGTAGTCCGC	GGGATTGGGT	3360
TGAATCCCGG	CGGCGGCGAC	CATGGCGTAG	TCGCTGAAGC	AGTGCCGACC	GATATTCATG	3420
CCCCAATCAA	GCCAACAGTC	CCCAGGGACT	ACCAAAAGAG	TGGAAAAGAC	GTCGACCGCG	3480
TACCACTGAC	TGAGGGCGTA	CGCCGTCGCC	GCCGAAATCA	CCGACGCCAG	CAGGATGGTG	3540
CCGAGCATGA	GGGTGCGCTC	GGATTGGGAG	CCGATCGCCC	AGAGCCGCTC	CCGGCTCGCG	3600
GTCACGGCAC	CGCGCAACAC	CTCCGGGGGT	CGCTTCATCT	GGATTCTCCT	CGGTTCTGCG	3660
CGAAACGGTA	GCAGAGCGCC	ATGGTTGCCA	ACGCGGTCGC	CGGGCAGTCT	AGACCGGATC	3720
TTCCTCGTGG	CAACCGACAA	CAGGACGTCG	TTGCCGAAAG	GGCGCTGGGC	ACCGACATCT	3780
AGGATGAACC	CACAGCCACG	CCCCGACGTT	ATGCCATGGC	GAAGAGCGAC	CGGCAGGAGC	3840
GGGAACCCAG	TGAAGCGAGC	GCTCATCACC	GGAATCACAG	GACCGGACGG	CTCGTATCTC	3900
GCTAAGCTCC	CGCTGAAGGG	ATATGTGGCC	GCTGGTAGCC	CGGCCGAGGT	CTATTTCTGC	3960

TGGGCGACAC	GGAATTATCG	CGAATTGTAT	GGGTTGCTCG	CGGTCAACAG	CATCTGGTTC	4020
AATCACGAAT	CACCGCGTCA	CGGCGAGACA	TTCATGACTC	GTAATCCTGC	ACCATATCGC	4080
GGTCGGCAAC	GAGGCGCTGA	TCGATGCGCA	GACGCTGATG	CGCCGGCCCA	CCCGGATAGG	4140
TATCAGTATT	GGGGCGTTCC	GGCCAGCGTA	CGAGGCGTGA	TCGACCGCGC	AATGGGTGTT	4200
TGCGTTGAGT	AATAATCTGA	ACCGTGTGAA	CGCATGCATG	GATGGATTCC	TTGCCCGTAT	4260
CCGCTCACAT	GTTGATGCGC	ACGCGCCAGA	ATTGCGTTCA	CTGTTCGATA	CGATGGCGGC	4320
CGAGGCCCGA	TTTGCACGCG	ACTGGCTGTC	CGAGGACCTC	GCGCGGTTGC	CTGTCGGTGC	4380
AGCATTGCTG	GAAGTGGGCG	GGGGGTACT	TCTGCTCAGC	TGTCAACTGG	CGGCGGAGGG	4440
ATTTGACATC	ACCGCCATCG	AGCCGACGGG	TGAAGGTTTT	GGCAAGTTCA	GACAGCTTGG	4500
CGACATCGTG	CTGGAATTGG	CTGCAGCACG	ACCCACCATC	GCGCCATGCA	AGGCGGAAGA	4560
CTTTATTTCC	GAGAAGCGGT	TCGACTTCGC	CTTCTCGCTG	AATGTGATGG	AGCACATCGA	4620
CCTTCCGGAT	GAGGCAGTCA	GGCGGGTATC	GGAAGTGCTG	AAACCGGGGG	CCAGTTACCA	4680
CTTCCTGTGC	CCGAATTACG	TATTCCCGTA	CGAACCGCAT	TTCAATATCC	CAACATTCTT	4740
CACCAAAGAG	CTGACATGCC	GGGTGATGCG	ACATCGCATC	GAGGGCAATA	CGGGCATGGA	4800
TGACCCGAAG	GGAGTCTGGC	GTTCGCTCAA	CTGGATTACG	GTTCCCAAGG	TGAAACGCTT	4860
TGCGGCGAAG	GATGCGACGC	TGACCTTGCG	CTTCCACCGT	GCAATGTTGG	TATGGATGCT	4920
GGAACGCGCG	CTGACGGATA	AGGAATTCGC	TGGTCGCCGG	GCACAATGGA	TGGTCGCTGC	4980
TATTCGCTCG	GCGGTGAAAT	TGCGTGTGCA	TCATCTGGCA	GGCTATGTTC	CCGCTACGCT	5040
GCAGCCCATC	ATGGATGTGC	GGCTAACGAA	GAGGTAATGA	CATGGCGCAA	GCGACATCGG	5100
GCATTCGCGC	GGCACTTTCG	CAACCTGCTG	TGTATGAGGC	GTATCAGCGG	ATTGCGGGCG	5160
CTAAAAGCGG	GCTTGCGTGG	ATCACAACCG	ACCCCATCCA	GTCGTTGCCA	GGCATGCGTA	5220
CTCTCGACCT	CGGTTGCTGG	CCAGCGGTGA	TACACAGCTC	CCCGCCAGTG	GACGTGACAT	5280
GTACGAGAGA	CGGCATGAGC	GCGGAATGTG	CGACCGTGCC	GTCGAGATGA	CCGACGTCGG	5340
CGCTACGGCA	GCCCCCACCG	GACCTATCGC	GCGGGGCAGC	GTCGCTCGGG	TCGGCGCGGC	5400
GACCGCGTTG	GCCGTTGCCT	GCGTCTACAC	GGTCATCTAT	CTGGCGGCCC	GCGACCTACC	5460
CCCGGCTTGT	TTTTCGATAT	TCGCGGTGTT	TTGGGGGGCG	CTCGGCATTG	CCACCGGCGC	5520
CACCCACGGC	CTCCTGCAAG	AAACGACCCG	CGAGGTCCGC	TGGGTGCGCT	CCACCCAAAT	5580
AGTTGCGGGC	CATCGTACCC	ATCCGCTGCG	GGTGGCCGGG	ATGATTGGCA	CCGTCGCGGC	5640

PCT/IB99/00740

CGTCGTAATT	GCGGGTAGCT	CACCGCTGTG	GAGCCGACAG	CTATTCGTCG	AGGGGCGCTG	5700
GCTGTCCGTG	GGGCTACTCA	GCGTTGGGGT	GGCCGGGTTC	TGCGCGCAGG	CGACCCTGCT	5760
GGGCGCGCTG	GCCGGCGTCG	ACCGGTGGAC	ACAGTACGGG	TCACTGATGG	TGACCGACGC	5820
GGTCATCCGG	TTGGCGGTCG	CCGCGGCAGC	GGTTGTGATC	GGATGGGGTC	TGGCCGGGTA	5880
CTTGTGGGCC	GCCACCGCGG	GAGCGGTGGC	GTGGCTGCTC	ATGCTGATGG	CCTCGCCCAC	5940
CGCGCGCAGC	GCGGCCAGCC	TGCTGACGCC	CGGGGGAATC	GCCACGTTCG	TGCGCGGTGC	6000
CGCTCATTCG	ATAACCGCCG	CGGGTGCCAG	CGCGATTCTG	GTAATGGGTT	TCCCAGTGTT	6060
GCTCAAAGTG	ACCTCCGACC	AGTTAGGGGC	AAAGGGCGGA	GCGGTCATCC	TGGCTGTGAC	6120
CTTGACGCGT	GCGCCGCTTC	TGGTCCCACT	GAGCGCGATG	CAAGGCAACC	TGATCGCGCA	6180
TTTCGTCGAC	CGGCGCACCC	AACGGCTTCG	GGCGCTGATC	GCACCGGCGC	TGGTCGTCGG	6240
CGGCATCGGT	GCGGTCGGGA	TGTTGGCCGC	AGGGCTTACC	GGTCCCTGGT	TGCTGCGTGT	6300
TGGATTCGGC	CCCGACTACC	AAACTGGCGG	GGCGTTGCTG	GCCTGGTTGA	CGGCAGCGGC	6360
GGTAGCTATC	GCCATGCTGA	CGCTGACCGG	cgccgccgcg	GTCGCGGCCG	CACTGCACCG	6420
GGCGTATTTG	CTGGGCTGGG	TCAGCGCGAC	GGTGGCGTCG	ACGCTGTTGC	TGCTGCTGCC	6480
GATGCCGCTG	GAGACGCGCA	CCGTGATCGC	GCTGTTGTTC	GGTCCAACGG	TGGGAATCGC	6540
CATCCATGTG	GCCGCGTTGG	CGCGGCGACC	CGACTGATTT	GTGCCCCAGG	TCGACAAATC	6600
ACGCCGTCTC	GTCAGTGAGC	ACTCCGTCCT	CGGGTCCGAT	CCTTCCAGGA	GACGTTGCAA	6660
CCTGATTTGG	CTCAAATTGG	TGCGCACCGA	GGGTCGGGCA	CATCGTAGGG	TCGCAACAGT	6720
CACATGTGTC	ACTGCACCGG	GCGACACCCG	ATGTCCCGGC	TCTCAGCGAC	AGCTGTCTGA	6780
CCTGTGGTTT	TGTTCCCAAG	TTGGTCGTGG	CTGTGCGGGA	TTGGAGGTGG	CGTGGGGGTC	6840
GCGTCGTATG	GATTCTCCTC	CTCGGTTCCG	CGCGAAACGG	CCGCAGGCGC	AATGGTCACC	6900
AACTTGGCCG	CGGTGGAGTC	TAGCCTCACA	TTTTCCTGGT	CGCCCCGAC	AACCAGGAGG	6960
TCGCTGCAGA	ACGGGCGTTC	CCTACCCACA	TCTACTATGA	AGCGACAGCG	GCGCCCCGCT	7020
GTGATGGCTG	AGCATGACCG	ACAGAGGCGG	GAAGACAGTG	AAGCGAGCGC	TCATCACCGG	7080
AATCACCGGC	CAGGACGGCT	CGTATCTCGC	CGAACTGCTG	CTGGCCAAGG	GGTATGAGGT	7140
TCACGGGCTC	ATCCGGCGCG	CTTCGACGTT	CAACACCTCG	CGGATCGATC	ACCTCTACGT	7200
CGACCCGCAC	CAACCGGGCG	CGCGGCTGTT	TCTGCACTAT	GGTGACCTGA	TCGACGGAAC	7260
CCGGTTGGTG	ACCCTGCTGA	GCACCATCGA	ACCCGACGAG	GTGTACAACC	TGGCGGCGCA	7320
GTCACACGTG	CGGGTGAGCT	TCGACGAACC	CGTGCACACC	GGTGACACCA	CCGGCATGGG	7380

ATCCATGCGA	CTGCTGGAAG	CCGTTCGGCT	CTCTCGGGTG	CACTGCCGCT	TCTATCAGGC	7440
GTCCTCGTCG	GAGATGTTCG	GCGCCTCGCC	GCCACCGCAG	AACGAGCTGA	CGCCGTTCTA	7500
CCCGCGGTCA	CCGTATGGCG	CCGCCAAGGT	CTATTCGTAC	TGGGCGACCC	GCAATTATCG	7560
CGAAGCGTAC	GGATTGTTCG	CCGTTAACGG	CATCTTGTTC	AATCACGAAT	CACCGCGGCG	7620
CGGTGAGACG	TTCGTGACCC	GAAAGATCAC	CAGGGCCGTG	GCACGCATCA	AGGCCGGTAT	7680
CCAGTCCGAG	GTCTATATGG	GCAATCTGGA	TGCGGTCCGC	GACTGGGGGT	ACGCGCCCGA	7740
ATACGTCGAA	GGCATGTGGC	GGATGCTGCA	GACCGACGAG	CCCGACGACT	TCGTTTTGGC	7800
GACCGGGCGC	GGTTTCACCG	TGCGTGAGTT	CGCGCGGGCC	GCGTTCGAGC	ATGCCGGTTT	7860
GGACTGGCAG	CAGTACGTGA	AATTCGACCA	ACGCTATCTG	CGGCCCACCG	AGGTGGATTC	7920
GCTGATCGGC	GACGCGACCA	AGGCTGCCGA	ATTGCTGGGC	TGGAGGGCTT	CGGTGCACAC	7980
TGACGAGTTG	GCTCGGATCA	TGGTCGACGC	GGACATGGCG	GCGCTGGAGT	GCGAAGGCAA	8040
GCCGTGGATC	GACAAGCCGA	TGATCGCCGG	CCGGACATGA	ACGCGCACAC	CTCGGTCGGC	8100
CCGCTTGACC	GCGCGGCCCG	GGTCTACATC	GCCGGGCATC	GCGGCCTGGT	CGGGTCCGCG	8160
CTGCTACGCA	CGTTTGCGGG	CGCGGGGTTC	ACCAACCTGC	TGGTGCGGTC	ACGCGCCGAG	8220
CTTGATCTGA	CGGATCGGGC	CGCGACGTTC	GACTTCGTTC	TCGAGTCGAG	GCCGCAGGTC	8280
GTCATCGACG	CGGCGGCCCG	GGTCGGCGGC	ATCCTGGCCA	ACGACACCTA	CCCGGCCGAT	8340
TTCCTGTCGG	AAAACCTCCA	GATCCAGGTC	AACCTGCTGG	ATGCCGCCGT	GGCGGCGCGG	8400
GTGCCGCGGC	TGCTGTTCCT	GGGCTCGTCG	TGCATCTACC	CGAAACTCGC	CCCGCAGCCG	8460
ATCCCGGAGA	GCGCGCTGCT	CACCGGTCCG	TTGGAGCCGA	CCAACGACGC	GTACGCGATC	8520
GCCAAAATCG	CCGGCATCCT	TGCGGTCCAG	GCGGTGCGCC	GCCAACATGG	CCTGCCGTGG	8580
ATCTCGGCGA	TGCCCACCAA	CCTGTACGGG	CCAGGCGACA	ACTTTTCGCC	GTCCGGCTCG	8640
CATCTGCTGC	CGGCACTCAT	CCGCCGCTAT	GACGAGGCCA	AAGCCAGTGG	CGCGCCCAAC	8700
GTGACCAACT	GGGGCACCGG	CACGCCCCGA	CGGGAGTTGC	TGCACGTCGA	CGACCTGGCG	8760
AGCGCATGCC	TGTATCTGCT	GGAACATTTC	GACGGGCCGA	CCCATGTCAA	CGTGGGAACC	8820
GGCATCGACC	ACACCATCGG	CGAGATCGCC	GAGATGGTCG	CCTCGGCGGT	AGGCTATAGC	8880
GGCGAAACCC	GCTGGGATCC	AAGCAAACCG	GACGGAACAC	CACGCAAACT	GCTGGATGTT	8940
TCGGTGCTAC	GGGAGGCGGG	ATGGCGGCCT	TCGATCGCGC	TGCGCGACGG	CATCGAGGCG	9000
ACGGTGGCGT	GGTATCGCGA	GCACGCGGGA	ACGGTTCGGC	AATGAGGCTG	GCCCGTCGCG	9060

CTCGGAACAT	CTTGCGTCGC	AACGGCATCG	AGGTGTCGCG	CTACTTTGCC	GAACTGGACT	9120
GGGAACGCAA	TTTCTTGCGC	CAACTGCAAT	CGCATCGGGT	CAGTGCCGTG	CTCGATGTCG	9180
GGGCCAATTC	GGGGCAGTAC	GCCAGGGGTC	TGCGCGGCGC	GGGCTTCGCG	GGCCGCATCG	9240
TCTCGTTCGA	GCCGCTGCCC	GGGCCCTTTG	CCGTCTTGCA	GCGCAGCGCC	TCCACGGACC	9300
CGTTGTGGGA	ATGCCGGCGC	TGTGCGCTGG	GCGATGTCGA	TGGAACCATC	TCGATCAACG	9360
TCGCCGGCAA	CGAGGCCCC	AGCAGTTCCG	TCTTGCCGAT	GTTGAAACGA	CATCAGGACG	9420
CCTTTCCACC	AGCCAACTAC	GTGGGCGCCC	AACGGGTGCC	GATACATCGA	CTCGATTCCG	9480
TGGCTGCAGA	CGTTCTGCGG	CCCAACGATA	TTGCGTTCTT	GAAGATCGAC	GTTCAAGGAT	9540
TCGAGAAGCA	GGTGATCGCG	GGTGGCGATT	CAACGGTGCA	CGACCGATGC	GTCGGCATGC	9600
AGCTCGAGCT	GTCTTTCCAG	CCGTTGTACG	AGGGTGGCAT	GCTCATCCGC	GAGGCGCTCG	9660
ATCTCGTGGA	TTCGTTGGGC	TTTACGCTCT	CGGGATTGCA	ACCCGGTTTC	ACCGACCCCC	9720
GCAACGGTCG	AATGCTGCAG	GCCGATGGCA	TCTTCTTCCG	GGGCAGCGAT	TGACGCGCCG	9780
GCGCGTCAAT	CTATTTCGAC	ATTCGCGTGA	AGACGTTTTC	CCAGAATCGA	CTGTTGTAGG	9840
CGTAGAACTC	CCGGCCGCGT	AGGTAGGCAT	GTGATATTCG	CCTTCCCCCG	AACGGGTAGC	9900
GGCGATGAAG	GTCGCCCATG	CGGCGCAGAŢ	CACCGAAGAC	CGCGCTTGGT	TCCCGGTGCG	9960
AGCCGACGCC	CGTGGTGTCG	AACTCGCACA	GCACACACCG	AATCGTGACC	GGCTCGCATA	10020
CCAGCGCGGC	CCGCAATATG	AATTCCTGGT	CGGCGGCGAT	CCCGAAATCA	AGGTCGTAGC	10080
CACCGATCTT	GGCCACCAGC	*	AGAACGATGC	TTGATGCGGA	ACAACCTGCT	10140
TGCCGGCCAG	GAATTTGCGC	AGGCTGAAAG	GTATCGGGCC	GCGCACCCGA	TCGAGCCCGA	10200
CGAGACGATC	CATCCCGAAG	CCCCACAATT	CGGACACCGG	TCCCTTGCCG	GATAGCGCCT	10260
CCACGGCCTG	GGCTACCACG	TCGGGCCCGG	AAAAACGATC	GGCGGAGTGC	AAGAACCACA	10320
ACAGATCACC	CGATGCGTGC	GCGATGCCCT	GGTTCATCGC	GTCGTACCGC	CCGCCGTCGG	10380
GCTCGGACTG	CCAATACGCG	AAGCCTGGTT	CACACCCGGA	CAGGTATGCC	ACCACGTCGT	10440
CGCCGCTGCC	ACCGTCGATT	ACGATGTGCT	CGATGCGTCC	CCGGTAGCGT	TGCGCCCGCA	10500
CACTTTTCAC	CGTGCGCTGC	AACCCGTCGA	GGTCGTTGAA	CGAGATCGTT	ATCACCGAGA	10560
CGGTCGGAGC	: AGACGTCACC	GAGTTCCCCT	AGGTTGCTGG	CGGCGATTGT	GGATCACCGG	10620
GTCTTGATAC	CGATGAAGGT	GCCTCGAAGA	TTCGCCGCAT	· AGGAACCTCC	GAGCAACGAC	10680
TCGGCGATGC	TTGGTTCCAP	GTTGTCGTAC	TCCTCCATCA	CCAGGTCGAC	GCCGACGTCT	10740
TTGATGGCCT	GAAGTAGGT	CTCGCGTTG	ATCCAGAATG	; ACCGGCGATT	GTCCCAGGAC	10800

GCCCATTTTG	CGGTGTCGCG	CTGGCCAAAC	GAGCGGTCGT	CGGAAAACTC	GGTAAACCAC	10860
CTACCGGGAA	GTCCCTCATG	TTCGGTGGGC	GCCGAGAGCA	TGAACTTCAC	CGGCGCCGGC	10920
CGCCGCAGCA	ACCGATCGGT	CAATTGTCGT	GCCGTCGTGG	GCAACCGGAG	CCATTTATCG	10980
CTCCGGTTGA	TGATCGAGAA	GTGCGTCTGG	AGAATCAGCA	GCTTGTTCGT	TACCGACGAG	11040
AGGGTTTCCA	GGTATTGCTT	CGGATTCTCC	AGGTGGTAGA	AGAGGCCGCA	GCAGAAGACG	11100
GTATCGAAGA	GCCCGTGGTT	GGCGATGTTG	AGGGCGTTGT	CGTGGACGAA	CCGGAGATTC	11160
GGCAGGTTGG	TCTTCGATTT	GATGTAGTTG	CAGGCCGCCA	TGTTCAGCTC	GCGAACCTCG	11220
ATCCCGAGGA	CCTGAAATCC	CATGCGCGCG	AACCCGACCG	CGTACCCGCC	TTCCAAGCAG	11280
CCGACATCGG	CCAGGCGTAG	GTGGCTCTTG	TCCCCGGGAA	AGACGGTTTC	CAGAATCCCG	11340
CGCGCCGAGA	TGAACCAGGA	CGATTCGTCT	AACGTGCGCG	AGGACTCCGG	TATCGTCAAG	11400
GTTCCGTCGT	CGAGGCGAAC	GTTGTGGGCG	GTGAATTGTA	ccgcgccggc	CGAATGTTCC	11460
TGTGCCATCA	CTTGGTTAGC	CCCTTCGGCT	GGTCCTGGGT	TTGTCGACAT	GGTCAGGCTC	11520
GACAGCCGCG	TCGGAGCCGG	GAGGGCCACA	CATCCACGAG	CCCCCTGCGG	CTCGGCGTCG	11580
CGGCGGCGAG	CTTGCGCCAC	TGGGTCTTGA	GCCGCCGCGC	GGGTGTCGCC	CCGCGGTGCT	11640
GCAGCGCCAG	CATGGCGATC	CGGGGATGGC	GCGCGATGGT	TTCCTGCAGC	GCGGCGCCC	11700
CCTCCGGGCC	TGGAACGTTG	GCGATCTGGC	GAAGGATCCA	GTCGGCCATG	ACGGCGATGA	11760
GCTCCTCGCG	CGCGGGGTCT	CCCGGGAACA	GGTCGAGCAT	CGCGTCAAAC	GTCGCCGCAT	11820
GCCCCGGACC	CTGCGTCAAC	CAGAACTTTG	GCGGGTCCAC	CACCTGGTTG	TGCCACATGC	11880
CTTGGGCGTG	GCGGCGATAC	ACGGCCATGG	TGTCGGGCAA	CATGGCGATG	TCGCCATGCA	11940
CCGCGTGCCG	GACGTGCAGA	TACCAGTCCA	GGGGCATGAC	GTCGGCAGGA	ATGTCGTCGT	12000
AGCGCTCGAG	GCGACGGTAC	ACGGCCGAGT	TGGTCTGGAT	GAAGTTCATC	AAGATCAACG	12060
CATCCAGGCT	CAAGTTGCCC	CGCACCCGAA	CCGGGGGGAA	CTTCGAGTCC	TTGGCATGGC	12120
CGTCCTCCCA	TATCACTCGG	ACGGGATGGA	AGCACACCGT	CGTCTTGGGG	TGCCGGTCGA	12180
GGAATGCGAC	CTGTTTGCTT	AGCTTCAGCG	GATCGATCCA	GTAGTCGTCC	GCCTCGCACA	12240
ACGCGACGTA	CTCGCCGCGA	GCGGCCGACA	GGGCGCCGGT	CAGGTTCCCA	TTGAGGCCGA	12300
GGTTTTCGGT	CCTGAAGATC	GGCCGGAACA	CGTGCGGGTA	CCGCTCGGCG	TACTCACGGA	12360
TGATCGCCGG	GGTGGCATCG	GTCGACGCGT	CGTCGGCGAC	GATGATCTCC	ACCGGGAAGT	12420
CGGTTTGCTG	GTCGAGAAAG	CTGTCGAAGG	CCTGACGGGC	GTAGCCCGCC	TGGTTGTGAG	12480

WO 99/54487 PCT/IB99/00740

9

TGGTCGAGAC GATGCTCACC TTGGGGCAAA GCTGGGGACT CACCGTCGGC CCTTTTCCTG	12540
CGCGGCCGCA AGGGTATTGC GATGGCGAAC GTGAATCGCC TGTGCCCGCC GGCCGTCGGC	12600
CGTCGTGGCC TGGTGGTCGG CGGACGTACG GCACACGCTG GCGAAGTATA GCGAGGGTGC	12660
ACTGACGTTG GGCTCGAACC GCGTGGCGCG CGGTGTGGGC GCACCGTCTC GAGTCGGTGC	12720
TGGTTGGCTC GC	12732
(2) INFORMATION FOR SEQ ID NO: 2:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 289 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: DNA (genomic)	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:	
ATACTCAAGC TTGCCGCAAT CGAAACCAAC CTGTTTGTGC CGCAAGAAAT TACGCCGTGG	60
CCCGGCGCC ATCAAGAAAC GCCCCGGCGC GCGGCGGTGT CGTCGTATGG CATGACGGGC	120
ACCAATGTGC ACGCCATTGT CGAGCAGGCA CCGGTGCCAG CCCCCGAATC CGGTGCACCA	180
GGCGACACCC CGGCCACACC CGGTATCGAC GGCGCGCTGC TGTTCGCGCT GTCGGCCAGC	240
TCGCAGGACG CGCTGCGGCA AACCGCCGCG CGGCTGGCCG ATTGGGTCT	289
(2) INFORMATION FOR SEQ ID NO: 3:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 278 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: DNA (genomic)	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:	
TTGGCGGGTT GGCCACACAC CCGCCGGTGA CGGCGACGAT GCTGGGCTGG	60
GCGCCACCGC GGCTTGCATG CTGGTTGGCT GTCTTGGGAC GATCCCGAAA TAGTCCACGC	120

GGATCTGGTG ATTTTGCGGG CTACCCGCGA TTACCCCGCG CGGCTCGACG AGTTTTTGGC

180

1080

CTGGACTACC CGCGTGGCCA ATCTGCTGAA CTCGCGGCCG GTGGTGGCCT GGAATGTCCA	240
CGCCGTTCAC CTACGTGACC TTGATGGGAT CCGGGGGT	278
(2) INFORMATION FOR SEQ ID NO: 4:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 1280 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: DNA (genomic)	
(iii) HYPOTHETICAL: NO	
(iv) ANTI-SENSE: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:	
CCGACCCAGA CACTGACCGG GCGACCGCTG ATCGGCAACG GCACCCCCGG GGCGGTCGGC	60
AGCGGGGCCA CCGGGGGCCCC CGGTGGGT3G CTGCTCGGCG ACGGCGGGGC CGGCGGGTCC	120
GGCGCGGCGG GCTCGGGCGC GCCCGGCGGG GCGGGCGG	180
GGCGGGGCCG GCGGGATCGG CGGAGCCAGC ACCGTACTCG GCGGCACCGG CGGGGGAGGC	240
GGGGTCGGTG GGCTGTGGGG CGCCGGTGGG GCCGGCGGGG CCGGTGGAAC CGGCCTTGTT	300
GGTGGCGACG GCGGGGCCGG TGGGGCCGGC GGGACCGGCG GACTGCTGGC CGGGCTGATC	360
GGTGCCGGCG GAGGTCACGG CGGGACCGGC GGGCTCAGCA CTAATGGCGA CGGCGGGGTT	420
GGCGGGGCCG GCGGGAATGCTC GCCGGGCCGG GCGGCCCGG CGGAGCCGGC	480
GGTGACGGCG AAAACCTGGA CACCGGTGGG GACGGCGGGG CCGGCGGTAG CGCAGGGCTG	540
CTGTTCGGCA GCGGCGGCGC CGGCGGCGCC GGCGGATTTG GTTTCCTCGG TGGGGACGGC	600
GGGGCCGGTG GCAACGCCGG GCTGCTGTTG TCCAGCGGCG GGGCCGGCGG GTTCGGCGGG	660
TTCGGCACCG CCGGTGGGGT CGGTGGGGCC GGCGGCAATG CCGGCTGGCT GGGCTTCGGC	720
GGGGCCGGGG GCATCGGCGG AATCGGCGGT AACGCTAACG GGGGCGCCGG TGGGAACGGC	780
GGCACCGGCG GTCAGTTATG GGGTAGCGGC GGCGCCGGCG TCGAAGGCGG CGCAGCCTTA	840
AGCGTCGGCG ACACCGGCGG GGCCGGTGGC GTCGGCGGCA GCGCCGGGCT GATCGGCACC	900
GGCGGCAACG GCGGCAACGG CGGCACCGGC GCCAACGCCG GCAGCCCCGG AACCGGCGGC	960
GCCGGCGGT TGCTGCTGGG CCAAAACGGG CTCAACGGGT TGCCGTAGCC GGGCGGCACG	1020

GCATGGCTTC CGGGCGTCAA CCACTCGCCG GTGATGCAGA TCGGCTGCGG AGCGGGCCGC

11

CAAAATGGGG GCCGCCGCC CAGGTATCTC GGCGAAGATC CCCGGCGCTC GAGCGCTTTG	1140
TCAGAGGCCC GTCGCGGGTC GTCGTGACGA CGGCTATCCG GGCGGTGCGG GTTTCGCGGC	1200
GCGCCCTGTG CCCGGCACCG CCGCCCGTTT GTCGGCAACG CCGCCGCGAC CCGTGAGCCG	1260
TCCAGCAGCT GGCGCCTGCG	1280
(2) INFORMATION FOR SEQ ID NO: 5:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 127 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: DNA (genomic) (iii) HYPOTHETICAL: NO (iv) ANTI-SENSE: NO (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5: 	
GGGCATCGGC GGAATCGGCG GTAACGCTAA CGGGGGCGCC GGTGGGAACG GCGGCACCGG	60
CGGTCAGTTA TGGGGTAGCG GCGCCCGG CGTCGAAGGC GGCGCAGCCT TAAGCGTCGG	120
CGACACC	127

PCT

ORLD INTELLECTUAL PROPERTY ORGANIZAT International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: (11) International Publication Number: WO 99/54487 **A3** C12N 15/70, C12Q 1/68 (43) International Publication Date: 28 October 1999 (28.10.99) (21) International Application Number: PCT/IB99/00740 (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, (22) International Filing Date: 16 April 1999 (16.04.99) GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG. KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, (30) Priority Data: SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, 09/060,756 16 April 1998 (16.04.98) ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, US UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI (71) Applicant (for all designated States except US): INSTITUT PASTEUR [FR/FR]; 28, rue du Docteur Roux, F-75015 patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, Paris (FR). NE, SN, TD, TG). (72) Inventors; and (75) Inventors/Applicants (for US only): COLE, Stewart [GB/FR]; Published 23 bis, rue Cécile Dinant, F-92140 Clamart (FR) With international search report. BUCHRIESER-BROSCH, Roland [AT/FR]: 7 F. boulevard Before the expiration of the time limit for amending the claims Jourdan, F-75014 Paris (FR). GORDON, Stephen [IE/FR]; and to be republished in the event of the receipt of amendments. 82, rue Dutot, F-75015 Paris (FR). BILLAULT, Alain [FR/FR]; 45, avenue du Château, F-77680 Roissy-en-Brie (88) Date of publication of the international search report: (FR). 9 December 1999 (09.12.99) (74) Agents: MARTIN, Jean-Jacques et al.; Cabinet Regimbeau, 26, avenue Kléber, F-75116 Paris (FR). (54) Title: A METHOD FOR ISOLATING A POLYNUCLEOTIDE OF INTEREST FROM THE GENOME OF A MYCOBACTERIUM USING A BAC-BASED DNA LIBRARY. APPLICATION TO THE DETECTION OF MYCOBACTERIA (57) Abstract The present invention is directed to a method for isolating a polynucleotide of interest that is present or is expressed in a genome of a first mycobacterium strain and that is absent or altered in a genome of a second mycobacterium strain which is different from the first mycobacterium strain using a bacterial artificial chromosome (BAC) vector. The invention further relates to a polynucleotide isolated by this method and recombinant BAC vector used in this method. In addition the present invention comprises method and kit for detecting the presence of a mycobacteria in a biological sample.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Amenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	
ΛU	Australia	GA	Gabon	LV	Latvia		Senegal
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	SZ	Swaziland
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TD TG	Chad
BB	Barbados	GH	Ghana	MG	•		Togo
BE	Belgium	GN	Guinea	MK	Madagascar	TJ	Tajikistan
BF	Burkina Faso	GR	Greece	MK	The former Yugoslav	TM	Turkmenistan
BG	Bulgaria	HU			Republic of Macedonia	TR	Turkey
BJ	Benin	IE	Hungary	ML	Mali	TT	Trinidad and Tobago
BR	Brazil		Ireland	MN	Mongolia	UA	Ukraine
		IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
ÇU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNATIONAL SEARCH REPORT

ional Application No IB 99/00740

A. CLASSI IPC 6	FICATION OF SUBJECT MATTER C12N15/70 C12Q1/68	•		
According to	o International Patent Classification (IPC) or to both national classifica	ation and IPC		
B. FIELDS	SEARCHED			
Minimum do	cumentation searched (classification system followed by classification C12N C12O	on symbols)		
1.00	01211 0124			
Documentat	tion searched other than minimum documentation to the extent that si	uch documents are included in the fields se	arched	
Electronic a	ata base consuited during the international search (name of data bas	se and, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT			
Category '	Citation of document, with indication, where appropriate, of the rele	evant passages	Relevant to claim No.	
			1.50	
Α	PHILIPP W.J. ET AL.,: "Physical of mycobacterium bovis BCG pasteu	mapping r reveals	1-50	
	differences from the genome map o	of		
	mycobacterium tuberculosis H37Rv	and from		
	M. bovis" MICROBIOLOGY,			
	vol. 142, - 1996 pages 3135-3145	,		
	XP002118720 cited in the application			
	the whole document			
		./		
		'		
		!		
[V]	her documents are listed in the continuation of box C.	Y Patent family members are listed	in annex.	
		X Patent family members are listed		
``	alegories of cited documents :	"T" later document published after the inte or priority date and not in conflict with	the application but	
consu	ent defining the general state of the lart which is not dered to be of particular relevance	cited to understand the principle or th invention	eory underlying the	
filing		"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone		
which	ent which may throw doubts on pnortly claim(s) or i is cited to establish the publication date of another in or other special reason (as specified)	"Y" document of particular relevance; the o	claimed invention	
"O" docum	on or other special reason (as specialed) hent referring to an oral disclosure, use, exhibition or means	cannot be considered to involve an in document is combined with one or me ments, such combination being obvious	ore other such docu-	
"P" docum	means ient published prior to the international tilling date but than the pnortry date claimed	in the art. "&" document member of the same patent		
	actual completion of the international search	Date of mailing of the international se		
	14 October 1999	27/10/1999		
Name and	mailing address of the ISA	Authorized officer		
	European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk			
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Müller, F		

3

INT ATIONAL SEARCH REPORT

//IB 99/00740

(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
ategory		Relevant to claim No.
A	KIM U -J ET AL: "Construction and characterization of a human bacterial artificial chromosome library" GENOMICS, vol. 34, 1 June 1996 (1996-06-01), pages 213-218, XP002081197 ISSN: 0888-7543 cited in the application the whole document	1-50
4	WO 93 03187 A (AMOCO CORP) 18 February 1993 (1993-02-18) see whole doc. esp. claims	1-50
4	WO 93 18186 A (UNIV CALIFORNIA) 16 September 1993 (1993-09-16) see whole doc. esp. claims	1-50
Ρ,Χ	BROSCH R. ET AL.,: "use of a mycobacterium tuberculosis H37Rv bacterial artificial chromosome library for genome mapping sequencing, and comparative genomics" INFECTION AND IMMUNITY, vol. 66, no. 5, - May 1998 (1998-05) pages 2221-2229, XP002104659 the whole document	1-50
P,A	COLE S T ET AL: "Deciphering the biology of Mycobacterium tuberculosis from the complete genome sequence" NATURE, vol. 393, 11 June 1998 (1998-06-11), pages 537-544, XP002087941 ISSN: 0028-0836 the whole document	1-50

INTERMATIONAL SEARCH REPORT

ion on patent family members

Yonal Application No
/IB 99/00740

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9303187 A	18-02-1993	EP 0554437 A JP 6502082 T US 5648481 A	11-08-1993 10-03-1994 15-07-1997
WO 9318186 A	16-09-1993	CA 2131543 A EP 0631635 A JP 7505053 T US 5665549 A US 5721098 A US 5856097 A	16-09-1993 04-01-1995 08-06-1995 09-09-1997 24-02-1998 05-01-1999

Form PCT/ISA/210 (patent family annex) (July 1992)